

เอกสารอ้างอิง

- แนวลี วิบูลย์กิจ. 2554. การกระตุ้นการปล่อยเซลล์สืบพันธุ์ของปลิงดำ *Holothuria atra* Jaeger, 1833 (Echinodermata: Holothuroidea) โดยอาศัยการปรับเปลี่ยนสภาพแวดล้อมบางประการ. รายงานการวิจัยฉบับสมบูรณ์. สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง วิทยาเขตชุมพรเขตรอุดมศักดิ์, จังหวัดชุมพร.
- จรัสศรี อ่างตันญา, วัชรภรณ์ ไตรพาศน์ชัยกุล, วัลลภา เกื้อดวง, ศิริทิพย์ สังข์จีน, ทศนี จันทร์ดนตรี และ ไพรัตน์ สิงห์ดำ. 2551. ตัวอย่างปลิงทะเลในพิพิธภัณฑ์สัตว์และพืชทะเล สถาบันวิจัยและพัฒนาทรัพยากรทางทะเล ชายฝั่งทะเล และป่าชายเลน. เอกสารเผยแพร่. สถาบันวิจัยและพัฒนาทรัพยากรทางทะเล ชายฝั่งทะเล และป่าชายเลน กรมทรัพยากรทางทะเลและชายฝั่ง, กรุงเทพฯ.
- จำนง ถีราวุฒิ. 2551. ปลิงทะเลสัตว์เศรษฐกิจจากท้องทะเลสู่การเพาะเลี้ยง, แหล่งที่มาของข้อมูล <http://www.nicaonline.com/>
- จิตติมา อายุตตะกะ. 2544. การศึกษาเบื้องต้นประชาคมสิ่งมีชีวิตพื้นทะเล. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพมหานคร. น. 328.
- ชรินทร์ แสงรุ่งเรือง. 2535. การศึกษาฤดูกาลสืบพันธุ์ของปลิงทะเลที่ใช้ปรับปรุงคุณภาพโซคซัย เหลืองธวัชปราณีต. 2554. หลักการเพาะเลี้ยงสัตว์น้ำ. คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์, สงขลา.
- ธเนศ พุ่มทอง. 2551. การเพาะเลี้ยงปลิงในประเทศจีน. ศูนย์วิจัยและพัฒนาประมงชายฝั่งเพชรบุรี. ปราณี วัฒนารสกุล. 2545. การตอบสนองทางสรีรวิทยาของปลิงทะเลต่อการเปลี่ยนแปลงความเค็มและองค์ประกอบตะกอน. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. ภาควิชาชีววิทยาศาสตร์ทางทะเล คณะวิทยาศาสตร์. จุฬาลงกรณ์มหาวิทยาลัย.
- มัทนา แสงจินดาวงศ์. 2516. การศึกษาชนิดและคุณค่าทางอาหารของปลิงทะเล. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพมหานคร.
- ลัดดา วงศ์รัตน์. 2544. แพลงก์ตอนพืช. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพมหานคร. สถาบันวิจัยทรัพยากรทางน้ำ. 2548. การมีส่วนร่วมของชุมชนในการอนุรักษ์และจัดการทรัพยากรชายฝั่งทะเลทรัพยากรชายฝั่งและชุมชนเกาะสีชัง จังหวัดชลบุรี. สถาบันวิจัยทรัพยากรทางน้ำ จุฬาลงกรณ์มหาวิทยาลัย.
- สมชัย บุศราวิช และ นลินี ทองแถม. 2543. การประมงและการค้าปลิงทะเลในประเทศไทย. วารสารการประมง. 53(2): 161-167.
- สุเมตต์ ปุจฉาการ. 2541. การศึกษาอนุกรมวิธานของเอโคไโคเดิร์มบริเวณชายฝั่งทะเลตะวันออก. สำนักงานคณะกรรมการวิจัยแห่งชาติ, กรุงเทพมหานคร. น. 109.
- สุเมตต์ ปุจฉาการ. 2542. ปลิงทะเล: ผู้พิทักษ์ความสะอาดแห่งท้องทะเล. จุลสารสถาบันวิทยาศาสตร์ทางทะเล มหาวิทยาลัยบูรพา, ชลบุรี.
- สุเมตต์ ปุจฉาการ, ธนิษฐา ทรรพนันท์, สุรพล ชุมหบัณฑิต และกรกฎ หงษ์ทอง. 2541. การศึกษาเบื้องต้นเกี่ยวกับความหลากหลายทางชีวภาพของเอโคไโคเดิร์ม บริเวณสถานีวิจัยทรัพยากรชายฝั่ง มหาวิทยาลัยเกษตรศาสตร์ จังหวัดระนอง, น. 92-100. ใน รายงานการประชุมวิชาการ ครั้งที่ 36 มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพมหานคร.

- สุเมตต์ ปุจฉาการ, อารมณ มุจรินทร์ และ พิชัย สนแจ้ง. 2543. ปลิงทะเล อันดับ Aspidochirotida ที่อาศัยอยู่ในบริเวณแนวปะการังของหมู่เกาะล้านและหมู่เกาะไผ่ จังหวัดชลบุรี, น. 92-100. ใน การประชุมทางวิชาการของมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 38 กรุงเทพมหานคร.
- อารมณ มุจรินทร์. 2545. ปลิงทะเลบริเวณชายฝั่งทะเลภาคตะวันออกของประเทศไทย. วิทยานิพนธ์ วิทยาศาสตร์มหาบัณฑิต. มหาวิทยาลัยบูรพา, ชลบุรี.
- Abdel-Razek, F.A., S.H. Abdel-Rahman, N.A. El-Shimy and H.A. Omar. 2005. Reproductive biology of the tropical sea cucumber *Holothuria atra* (Echinodermata: Holothuroidea) in the Red Sea coast of Egypt. Egyptian Journal of Aquatic Research. 31 (2): 383-402.
- Agudo, N.S. 2006. Sandfish hatchery techniques. The Australian Centre for International Agricultural Research, Secretariat of the Pacific Community and World Fish Center: Noumea, New Caledonia.
- Agudo, N.S., 2012. Pond grow-out trials for sandfish (*Holothuria scabra*) in New Caledonia, p. 104–112. In Asia-Pacific Tropical Sea Cucumber Aquaculture. C.A. Hair, T.D. Pickering and D.J. Mills (Eds.). ACIAR Proceedings, 136. Australian Centre for International Agricultural Research, Canberra.
- Alwi, W. 1995. Some Aspects of Biological Reproduction and Habitat Quality of Economic sand Fish (*Holothuria scabra*) Exploited in Lampung Bay. Skipsi Bogor Agricultural Institute (IPB) Bogor.
- Asha, P.S. and P. Muthiah. 2005. Effects of temperature, salinity and pH on larval growth, survival and development of the sea cucumber *Holothuria spinifera* Theel. Aquaculture. 250 Issues 3-4:823– 829.
- Avendano-Herrera, R., C. Riquelmes, F. Silva, M. Avendanod, and R. Irgang. 2003. Optimization of settlement of larval *Argopecten purpuratus* using natural diatom biofilms. Journal of Shellfish Research 22: 393–399.
- Bakus, G.J. 1973. The biology and ecology of tropical holothurians, p. 235-267. In O.A. Jones and R. Endean, eds. Biology and Geology of Coral Reef. Academic Press, New York.
- Bandaranayake, V.M. and A. Des Rocher. 1999. Role of secondary metabolites and pigments in the epidermal tissues, ripe ovaries, viscera, gut contents and diet of the sea cucumber *Holothuria atra*. Marine Biology. 133: 163-169.
- Barker, M.F., 1977. Observations on the settlement of the brachiolaria larvae of *Stichaster australis* (Verrill) and *Coscinasterias calamaria* (Gray) (Echinodermata: Asteroidea) in the laboratory and on the shore. Journal of Experimental Marine Biology and Ecology. 30: 95–108.
- Basri, D.F. and K.A. Wahab. 2003. Fatty acid composition of five species of holothurians from tropical waters. Malaysian Journal of Science. 22 (2): 49-54.

- Battaglione, S.C. and J.E. Seymour. 1998. Detachment and grading of the tropical sea cucumber sandfish, *Holothuria scabra*, juveniles from settlement substrates. *Aquaculture* 159: 263–274.
- Battaglione S.C., J.E. Seymour and C. Ramofafia. 1999. Survival and growth of cultured juvenile sea cucumbers, *Holothuria scabra*. *Aquaculture* 178: 293–322.
- Battaglione, S.C., J.E. Seymour, C. Ramofafia and I. Lane. 2002. Spawning induction of three tropical sea cucumbers *Holothuria scabra*, *H. fuscogilva* and *Actinopyga mauritiana*. *Aquaculture* 207: 29–47.
- Bell, J.D., N.S. Agudo, S.W. Purcell, P. Blazer, M. Simutoga, D. Pham and L. Della Patrona. 2007. Grow-out of sandfish *Holothuria scabra* in ponds shows that co-culture with shrimp *Litopenaeus stylirostris* is not viable. *Aquaculture*. 273: 509–519.
- Bell, J.D., P.C. Rothlisberg, J.L. Munro, N.R. Loneragan, W.J. Nash and R.D. Ward. 2005. Restocking and stock enhancement of marine invertebrate fisheries. *Advances in Marine Biology* 49: 1–370.
- Bell, J.D., S.W. Purcell and W.J. Nash. 2008. Restoring small-scale fisheries for tropical sea cucumbers. *Ocean and Coastal Management* 51: 589–593.
- Bruckner, A. 2005. Management and conservation strategies and practices for sea cucumber. *In* The Proceedings of the Technical Workshop on the Conservation of Sea Cucumbers in the Families Holothuridae and Stichopodidae. Bruckner, A. (ed.). NOAA Technical Memorandum NMFS–OPR 44.
- Bruckner, A.W. 2006. The Proceedings of the Technical Workshop on the Conservation of Sea Cucumbers in the Families Holothuridae and Stichopodidae. NOAA Technical Memorandum 44.
- Bussarawit, S. and N. Thongtham. 1999. Sea cucumber fisheries and trade in Thailand. p. 26–36. *In* The Conservation of Sea Cucumbers in Malaysia: Their Taxonomy, Ecology and Trade. Proceedings of an International Conference, 25 February 1999, Department of Agriculture, Kuala Lumpur, Malaysia. M. Baine (ed.). Heriot–Watt University, Orkney Campus.
- Chen, J. 2004. Present status and prospects of sea cucumber industry in China, p. 25–38. Session I - Aquaculture advances. *In* Advances in Sea Cucumber Aquaculture and Management. FAO Fisheries Technical Paper. No. 463. FAO. Rome, Italy.
- Choi, J., J.Y. Seo and S.M. Lee. 2009. Effects of sources and levels of dietary carbohydrate on growth and body composition of juvenile sea cucumber, *Apostichopus japonicus*. *Korean Society of Fisheries and Aquatic Science* 12: 203–208.

- Clark, A.M. and F.W.E. Rowe. 1971. Monograph of Shallow-water Indo-West Pacific Echinoderms. Trustees of the British Museum (Natural History), London.
- Conand, C. 1990. The fishery resources of Pacific island countries. Part 2: Holothurians. *In* FAO Fisheries Technical Paper, No. 272(2). Rome, Italy.
- Conand, C. 1993. Ecology and reproductive biology of *Stichopus variegatus* an Indo-Pacific coral reef sea cucumber (Echinodermata: Holothuroidea). *Bulletin of Marine Science* 52: 970-981.
- Conand, C. 1998. Holothurian (Sea cucumbers, Class Holothuroidea), pp 1157-1190. *In* Carpenter, K.E. and V.H. Niem, eds. *The Living Marine Resources of the Western Central Pacific. Volume 2. Cephalopods, Crustaceans, Holothurians and Sharks. FAO Species Identification Guide for Fishery Purposes.* Food and Agriculture Organization of the United Nations, Rome, Italy.
- Conand, C. 1998. Holothurians (Sea cucumber, Class Holothuroidea), p. 1158–1190. *In* FAO Species Identification Guide for Fishery Purposes: The Living Marine Resources of the Western Central Pacific, Volume 2 Cephalopods, Crustaceans, Holothurians and Sharks. K.E. Carpenter and V.H. Niem (eds). FAO, Rome.
- Conand, C. 2004. Present status of world sea cucumber resources and utilization: an international overview, p. 13-24. *In* A. Lovatelli, C. Conand, S. Purcell, S. Uthicke, J.F. Hamel and A. Mercier, eds. *Advances in Sea Cucumber Aquaculture and Management.* FAO Fisheries Technical Paper 463. Food and Agriculture Organization of the United Nations, Rome.
- Costelloe, J. 1985. The annual reproductive cycle of the Holothurians *Aslia lefevrei* (Dendrochirota: Echinodermata). *Marine Biology.* 88:155-165.
- Dance, S.K., I. Lane and J.D. Bell. 2003. Variation in short-term survival of cultured sandfish (*Holothuria scabra*) released in mangrove-seagrass and coral reef flat habitats in Solomon Islands. *Aquaculture.* 220: 495–505.
- Devakie, M. N. and A. B. Ali. 2002. Effective use of plastic sheet as substrate in enhancing tropical oyster (*Crassostrea iredalei* Faustino) larvae settlement in the hatchery. *Aquaculture* 212: 277–287.
- Duy, N.D.Q. 2012. Large-scale sandfish production from pond culture in Vietnam, p. 34-39. *In* Asia–Pacific Tropical Sea Cucumber Aquaculture. Proceedings of an International Symposium Held in Noumea, New Caledonia, 15–17 February 2011. C.A. Hair, T.D. Pickering and D.J. Mills (eds.). ACIAR Proceedings No. 136. Australian Centre for International Agricultural Research: Canberra.

- Faimali, M., F. Garaventa, A. Terlizzi, M. Chiantore, and R. Cattaneo-Vietti. 2004. The interplay of substrate nature and biofilm formation in regulation *Balanus amphitrite* Darwin, 1854 larval settlement. *Journal of Experimental Marine Biology and Ecology* 306: 37–50.
- Fell, F. J. 1982. Echinodermata, p 785–813 .*In* Synopsis and Classification of Living Organisms. S.P. Parker (eds.). McGraw-Hill, New York, New York, USA.
- Ferdouse, F. 2004. World markets and trade flows of sea cucumber / beche-de-mer, pp. 101–117. *In* Advances in Sea Cucumber Aquaculture and Management. A. Lovatelli, C. Conand, S. Purcell, S. Uthicke, J.-F. Hamel and A. Mercier (eds.). FAO Fisheries Technical Paper No. 463. Food and Agriculture Organization of the United Nations, Rome.
- Friedman, K., H. Eriksson, E. Tardy and K. Pakoa. 2011. Management of sea cucumber stocks: patterns of vulnerability and recovery of sea cucumber stocks impacted by fishing. *Fish and Fisheries* 12(1): 75–93.
- Gamboa, R.U., R.M. Aurelio, D.A. Ganad, L.B. Concepcion and N.A.S. Abreo. 2012. Small-scale hatcheries and simple technologies for sandfish (*Holothuria scabra*) production, p. 63-74. *In* Asia–Pacific Tropical Sea Cucumber Aquaculture. Proceedings of an International Symposium Held in Noumea, New Caledonia, 15–17 February 2011. C.A. Hair, T.D. Pickering and D.J. Mills (eds.). ACIAR Proceedings No. 136. Australian Centre for International Agricultural Research: Canberra.
- Gardiner, M.S. 1972. Excretion: ionic and osmotic regulation, p. 499-595. *In* The Biology of Invertebrates. McGraw-Hill, New York.
- Giraspy D.A.B and W.G. Ivy. 2005. Australia’s first commercial sea cucumber culture and sea ranching project in Hervey Bay, Queensland, Australia. SPC Beche-de-mer Information Bulletin 21:29–31.
- Giraspy, D.A.B. and W.G. Ivy. 2010. Aquaculture potential of the tropical sea cucumbers *Holothuria scabra* and *H. lessoni* in the Indo-Pacific region. SPC Beche-de-mer Information Bulletin 30: 29-32.
- Goorah, B., B.D. Rathacharen and D. Kulputea. 1998. Occurrence of coral bleaching in the marine parks in Mauritius. Food and Agricultural Research Council AMAS. 98:134-141.
- Hair, C.A. and A. Johnston. 2008. Sea cucumber aquaculture in far North Queensland. *Austasia Aquaculture*. 22(1): 55–59.
- Hamel, J.F., C. Conand, D.L. Pawson and A. Mercier. 2001. The sea cucumber *Holothuria scabra* (Holothuroidea: Echinodermata): its biology and exploitation as bechede-mer. *Advances in Marine Biology*. 41: 129–223.

- Hamel, J.F., R.Y. Hidalgo and A. Mercier. 2003. Larval development and juvenile growth of the Galapagos sea cucumber *Isostichopus fuscus*. SPC Beche-de-mer Information Bulletin. 18: 3-8.
- Harriott, V. 1985. Reproductive biology of three congeneric sea cucumber species, *Holothuria atra*, *H. impatiens* and *H. edulis*, at Heron Reef, Great Barrier Reef. Australian Journal of Marine and Freshwater Research. 36: 51–57.
- Hasan, M.H. 2005. Destruction of a *Holothuria scabra* population by overfishing at Abu Rhamada Island in the Red Sea. Marine Environmental Research 60: 489–511.
- Hu, C., Y. Xu, J. Wen, L. Zhang, S. Fan and T. Su. 2009. Larval development and juvenile growth of the sea cucumber *Stichopus sp.* (Curry fish). Aquaculture. 300: 73-79.
- Hu, M., Q. Li and L. Li. 2010. Effect of salinity and temperature on salinity tolerance of the sea cucumber *Apostichopus japonicus*. Fishery Sciences. 76:267–273.
- Hung, N.Q. 2008. Sea cucumber fisheries, utilization, and trade in Vietnam, p 113-126. In Report of the Regional Study on Sea Cucumber Fisheries, Utilization and Trade in Southeast Asia 2007-2008. Southeast Asian Development Center, Thailand.
- Ito, S. and H. Kitamura. 1997. Induction of larval metamorphosis in the sea cucumber *Stichopus japonicus* by periphitic diatoms. Hydrobiologica. 358: 281–284.
- Ivy, G and D.A.B. Giraspy. 2006. Development of large-scale hatchery production techniques for the commercially important sea cucumber *Holothuria scabra* var. *versicolor* (Conand, 1986) in Queensland, Australia. SPC Beche-de-mer Information Bulletin. 24: 28-33.
- James, D.B. 1965. *Phyllophorus (Phyllophorella) parvipedes* Clark (Holothuroidea) a new record to the Indian Seas. Journal Marine Biological Associative of India. 7(2): 325–327.
- James, D.B. 1996. Culture of sea-cucumber. Bulletin of the Central Marine Fisheries Research Institute. 48: 120–126.
- James, D.B. 2001. Twenty Sea Cucumbers from Seas Around India. Naga, ICLARM Quan. 24(1-2): 4-8.
- James, D.B. 2004. Captive breeding of the sea cucumber, *Holothuria scabra*, from India, p. 385-398. In A. Lovatelli, C. Conand, S. Purcell, S. Uthicke, J.F. Hamel and A. Mercier, eds. Advances in Sea Cucumber Aquaculture and Management. FAO Fisheries Technical Paper 463. Food and Agriculture Organization of the United Nations, Rome.

- James, D.B. 2004. Captive breeding of the sea cucumber, *Holothuria scabra*, from India, p. 385-395. In *Advanced in Sea Cucumber Aquaculture and Management Session III Aquaculture Advances*. C. Conand, S. Purcell, S. Uthicke, J.F. Hamel and A. Mercier (eds.). FAO Fisheries Technical Paper 463.
- James, D.B., A.D. Gandhi, N. Palaniswamy and J. X. Rodrigo. 1994. Hatchery Techniques and Culture of The sea-cucumber *Holothuria Scabra*. Indian Council of Agricultural Research. CMFRI Spec. Publ. 57: 1– 40.
- Jimmy, R.A., T.D. Pickering and C.A. Hair. 2012. Overview of sea cucumber aquaculture and stocking research in the Western Pacific region, pp. 12–21. In *Asia–Pacific Tropical Sea Cucumber Aquaculture ACIAR Proceedings 136*. C.A. Hair, T.D. Pickering and D.J. Mills (eds.). Australian Centre for International Agricultural Research, Canberra
- Juinio-Meñez, M.A., M.A. Paña, G.M. de Peralta, R.D. Olavides, T.O. Catbagan, C.M. Edullantes and B.D. Rodriguez. 2012. Establishment and management of communal sandfish (*Holothuria scabra*) sea ranching in the Philippines, p. 121–127. In *Asia–Pacific Tropical Sea Cucumber Aquaculture*. C.A. Hair, T.D. Pickering and D.J. Mills. (eds.). ACIAR Proceedings 136. Australian Centre for International Agricultural Research, Canberra.
- Kang, K. H., B. H. Kim, and J. M. Kim. 2004. Induction of larval settlement and metamorphosis of the abalone, *Haliotis discus hannai* larvae using bromomethane and potassium chloride. *Aquaculture* 230:249–259.
- Kawamura, T. and S. Kikuchi. 1992. Effects of benthic diatoms on settlement and metamorphosis of abalone larvae. *Suisanzoshoku* 40: 403–409.
- Knauer, J. 2011. Growth and survival of larval sandfish, *Holothuria scabra* (Echinodermata: Holothuroidea), fed different micro-algae. *Journal of the World Aquaculture Society* 42(6): 880–887.
- Laing, I. 1995. Effect of food supply on oyster spatfall. *Aquaculture* 131:315–324.
- Lavens, P and P. Sorgeloos. 1996. Manual on the production and use of live food for aquaculture. FAO Fisheries Technical Paper. No. 361. Rome, FAO.
- Lavitra, T., R. Rasolofonirina and I. Eeckhaut. 2010. The effect of sediment quality and stocking density on survival and growth of the sea cucumber *Holothuria scabra* reared in nursery ponds and sea pens. *Western Indian Ocean Journal of Marine Science*. 9(2): 153–164.
- Laxminarayana, A. 2005. Induced spawning and larval rearing of the sea cucumbers, *Bohadschia marmorata* and *Holothuria atra* in Mauritius. *SPC Beche-de-mer Information Bulletin*. 22: 48-52.

- Leyton, Y. E. and C. E. Riquelme. 2008. Use of specific bacterial-microalgal biofilms for improving the larval settlement of *Argopecten purpuratus* (Lamarck, 1819) on three types of artificial spat-collecting materials. *Aquaculture* 276:78–82.
- Li, L. and Q. Li. 2010. Effects of stocking density, temperature, and salinity on larval survival and growth of the red race of the sea cucumber *Apostichopus japonicus* (Selenka). *Aquaculture International* 18: 447-460
- Li, L., Q. Li and L. Kong. 2010. The effect of different substrates on larvae settlement in sea cucumber, *Apostichopus japonicus* Selenka. *Journal of the World Aquaculture Society* 41: 123-130.
- Liao, Y.L. 1997. Fauna Sinica, Phylum Echinodermata, Class Holothuroidea. Science Press. Beijing, China.
- Mackey, A. 2001. Factors that Influence the reproduction of sea cucumbers, p. 95-115.
- Mercier, A., S.C. Battaglione, J.F. Hamel. 1999. Daily burrowing cycle and feeding activity of juvenile sea cucumbers *Holothuria scabra* in response to environmental factors. *Journal of Experimental Marine Biology and Ecology*. 239: 125–156
- Mercier, A., S.C. Battaglione and J.F. Hamel. 2000. Periodic movement, recruitment and size-related distribution of the sea cucumber *Holothuria scabra* in Solomon Islands. *Hydrobiologia* 440: 81-100.
- Mercier, A., S.C. Battaglione and J.F. Hamel. 2000. Settlement preferences and early migration of the tropical sea cucumber *Holothuria scabra*. *Journal of Experimental Marine Biology and Ecology* 249: 89-110.
- Mercier, A, S.C. Battaglione and J.F. Hamel. 2004. Settlement preferences and early migration of the tropical sea cucumber *Holothuria scabra*. *Journal of Experimental Marine Biology and Ecology*. 249: 89–110.
- Mills, D.J., N.D.Q. Duy, M. A. Juinio-Meñez, C.M. Raison and J.M. Zarate. 2012. Overview of sea cucumber aquaculture and sea-ranching research in the South-East Asian region, p. 22-33. *In Asia–Pacific Tropical Sea Cucumber Aquaculture. Proceedings of an International Symposium Held in Noumea, New Caledonia, 15–17 February 2011.* C.A. Hair, T.D. Pickering and D.J. Mills (eds.). ACIAR Proceedings No. 136. Australian Centre for International Agricultural Research: Canberra.
- Mladenov, P.V. 1985. Development and metamorphosis of the brittle star, *Ophiocoma pumila*: evolutionary and ecological implications. *The Biological Bulletin* 168: 285–295

- Morgan, A.D. 2000. Induction of spawning in the sea cucumber *Holothuria scabra* (Echinodermata: Holothuroidea). *Journal of the World Aquaculture Society* 31: 186–194.
- Munprasit, R. 2008. Sea Cucumber Fisheries, Utilization and Trade in Thailand, p. 95-112. *In* Report of the Regional Study on Sea Cucumber Fisheries, Utilization and Trade in Southeast Asia 2007-2008. The Secretariat Southeast Asian Fisheries Development center, Philippines.
- Muthiah, P. and P.S. Asha. 2005. Effects of temperature, salinity and pH on larval growth, survival and development of the sea cucumber *Holothuria spinifera* Theel. *Aquaculture* 250(3–4): 823–829
- Muthiga, NA and J.A. Kawaka. 2009. The breeding pattern and variations in timing and reproductive output of the commercial sea cucumber *Holothuria fuscogilva* in Kenya. *Western Indian Ocean Journal of Marine Science* 8: 183–192.
- Pearce, C.M. and R.E. Scheibling. 1990. Induction of settlement and metamorphosis in the sand dollar *Echinarachnius parma*: evidence for an adult-associated factor. *Marine Biology* 107: 363–369.
- Pitt, R. and N.D.Q. Duy. 2004. Breeding and rearing of the sea cucumber *Holothuria scabra* in Viet Nam, p 333-346. *In* Advanced in Sea Cucumber Aquaculture and Management Session III Aquaculture Advances. C. Conand, S. Purcell, S. Uthicke, J.F. Hamel and A. Mercier (eds.). FAO Fisheries Technical Paper 463.
- Pitt, R., N.D.Q. Duy, T.V. Duy and H.T.C. Long. 2004. Sandfish (*Holothuria scabra*) with shrimp (*Penaeus monodon*) co-culture tank trials. *SPC Beche-de-mer Information Bulletin*. 20: 12–22.
- Purcell, S.W. 2004. Rapid growth and bioturbation activity of the sea cucumber *Holothuria scabra* in earthen ponds. *Proceedings of Australasian Aquaculture 2004*. ICLARM Coastal Aquaculture Centre P.O. Box 438, Honiara, Solomon Islands.
- Purcell, S.W. 2010. Managing sea cucumber fisheries with an ecosystem approach. *FAO Fisheries and Aquaculture Technical Paper* 520. FAO, Rome.
- Purcell, S.W. and M. Simutoga. 2008. Spatio-temporal and size-dependent variation in the success of releasing cultured sea cucumbers in the wild. *Reviews in Fisheries Science*. 16: 204–214.
- Purcell, S.W., A.C. Hair and D.J. Mills. 2012. Sea cucumber culture, farming and sea ranching in the tropics: progress, problems and opportunities. *Aquaculture*. 368–369: 68–81

- Purcell, S.W., Kirby, D.S. 2006. Restocking the sea cucumber *Holothuria scabra*: sizing no-take zones through individual-based movement modeling. *Fisheries Research* (Amsterdam). 80 (1): 53–61.
- Purcell, S.W., Patrois, J. and N. Fraisse. 2006. Experimental evaluation of co-culture of juvenile sea cucumbers, *Holothuria scabra* (Jaeger), with juvenile blue shrimp, *Litopenaeus stylirostris* (Stimpson). *Aquaculture Research* 37 (5): 515–522.
- Putchagarn, S and P. Sonchaeng. 2004. Echinoderm fauna of Thailand: history and inventory review. *Science Asia* 30: 417-428.
- Rahim, S. A. K. A., J. Y. Li, and H. Kitamura. 2004. Larval metamorphosis of the sea urchins, *Pseudocentrotus depressus* and *Anthocidaris crassispina* in response to microbial films. *Marine Biology* 144: 71–78.
- Raison, C.M., 2008. Advances in sea cucumber aquaculture and prospects for commercial culture of *Holothuria scabra*. *CAB Reviews* 3(82): 1–15.
- Ramofafia, C., M. Gervis and J. Bell. 1995. Spawning and early larval rearing of *Holothuria atra*. *SPC Beche-de-mer Information Bulletin*. 7: 2-6.
- Renbo, W. and C. Yuan. 2004. Breeding and culture of the sea cucumber, *Apostichopus japonicus*, Liao. p. 277-288 Session III - Aquaculture advances. *In Advances in Sea Cucumber Aquaculture and Management*. FAO Fisheries Technical Paper. No. 463. FAO. Rome, Italy.
- Robinson, G. and B. Pascal. 2012. Sea cucumber farming experiences in south-west Madagascar, p. 142–155. *In Asia–Pacific Tropical Sea Cucumber Aquaculture*. C.A. Hair, T.D. Pickering and D.J. Mills (eds.). ACIAR Proceedings 136. Australian Centre for International Agricultural Research, Canberra
- Rowe, F.W.E. 1969. A review of the family Holothuriidae (Holothuroidea: Aspidochirotida). *Bulletin of the British Museum (Natural History). Zoology*. 18(4): 119–170.
- Rowe, F.W.E. and J. Gates, 1995. Echinodermata, p. 1–510. *In Zoological Catalogue of Australia*, vol. 33: i–xiii. A. Wells (ed.). CSIRO Australia, Melbourne,.
- SEAFDEC. 2008. Report of the Regional Study on Sea Cucumber Fisheries, Utilization and Trade in Southeast Asia 2007-2008. Southeast Asian Development Center, Thailand.
- Singh, R., B.A. Macdonald, M. L. H. Thomas and P. Lawton. 2004. Patterns of seasonal and tidal feeding activity in the dendrochirote sea Cucumber *cucumaria frondosa* (Echinodermata: Holothuroidea) in the Bay of Fundy, Canada. *Marine Ecology*. 187: 133-145.

- Slater, M.J. and A.G. Carton. 2010. Sea cucumber habitat differentiation and site retention as determined by intraspecific stable isotope variation. *Aquaculture Research*. 41: e695–e702.
- Slatera, J., A.G. Cartonb and A.G. Jeffs. 2010. Highly localised distribution patterns of juvenile sea cucumber *Australostichopus mollis*. *New Zealand Journal of Marine and Freshwater Research* 44(4): 201-216.
- Smiley, S., F. Mceuen, S. Chaffee and S. Krishen. 1991. Echinodermata: Holothuroidea. p. 613-750. *In* Reproduction of Marine Invertebrates Echinoderms and Lophophorats. Boxwood Press, California Pacific, USA.
- Soltani, M., K. Radkhah, M.S. Mortazavi and M. Gharibniya. 2010. Early Development of the Sea Cucumber *Holothuria leucospilota*. *Research Journal of Animal Sciences* 4(2): 72-76.
- Stott, A. E., T. Takeuchi and Y. Koike. 2004. Testing various substances that have been bound to plastic plates with agar to induce larval settlement and metamorphosis of abalone *Haliotis discus discus* (Reeve). *Aquaculture* 231:547–557.
- Su, Z. X., L. M. Huang, Y. Yan and H. Li. 2007. The effect of different substrates on pearl oyster *Pinctada martensii* (Dunker) larvae settlement. *Aquaculture* 271:377–383.
- Tehraniard, A. and M.R. Rahimibashar. 2012. Description a sea cucumber species *Holothuria atra* Jaeger, 1833 from Kish Island Iran (Echinodermata: Holothuroidea). *Journal of Basic and Applied Scientific Research*. 2(12): 12660-12664.
- Toral-Granda, V., A. Lovatelli and M. Vasconcellos. 2008. Sea cucumbers: a global review of fisheries and trade. *FAO Fisheries and Aquaculture Technical Paper* 516. FAO, Rome.
- Tuwo, A., 2004. Status of sea cucumber fisheries and farming in Indonesia, p. 49–55. *In* Advances in Sea Cucumber Aquaculture and Management. A. Lovatelli, C. Conand, S.W. Purcell, S. Uthicke, J.-F. Hamel and A. Mercier (eds.). *FAO Fisheries Technical Paper* 463. FAO, Rome
- Underwood, A.J. and P.J. Fairweather. 1989. Supply-side ecology and benthic marine assemblages. *Trends in Ecology and Evolution*. 4: 16–20.
- Uthicke, S. 1997. Seasonality of asexual reproduction in *Holothuria (holodeima) atra*, *H. edulis* and *Stichopus chloronotus* (Holothuroidea : Aspidochirotida) on the Great Barrier Reef. *Marine Biology* 129 : 435-441.

- Verween, A, M. Vincx and S. Degraer. 2007. The effect of temperature and salinity on the survival of *Mytilopsis leucophaeata* larvae (Mollusca, Bivalvia): the search for environmental limits. *Journal of Experimental Marine Biology and Ecology*. 348:111–120.
- Wiadnyana, N. 2008. Sea cucumber fisheries, utilization and trade in Indonesia, p. 30-37. *In* Report of the Regional Study on Sea Cucumber Fisheries, Utilization and Trade in Southeast Asia 2007-2008. The Secretariat Southeast Asian Fisheries Development center, Philippines.
- Watanabe, S., J.M. Zarate, M.J.H. Leбата-Ramos and M.F.J. Nievaes. 2012. Evaluation of nutritional condition of juvenile sandfish (*Holothuria scabra*), pp. 50-56. *In* 'Asia–Pacific Tropical Sea Cucumber Aquaculture, ACIAR Proceeding No. 136. C.A. Hair, T.D. Pickering and D.J. Mills (eds.). Australian Centre for International Agricultural Research, Canberra.
- Xia, S., P. Zhao, K. Chen, Y. Li, S. Liu, L. Zhang and H. Yang. 2012. Feeding preferences of the sea cucumber *Apostichopus japonicus* (Selenka) on various seaweed diets. *Aquaculture* 344-349: 205–209.
- Xiyin, L., Z. Guanghui, Z. Qiang, W. Liang and G. Benxue. 2004. Studies on hatchery techniques of the sea cucumber, *Apostichopus japonicas*, pp. 287-295. *In* A. Lovatelli, C. Conand, S. Purcell, S. Uthicke, J.F. Hamel and A. Mercier, eds. *Advances in Sea Cucumber Aquaculture and Management*. FAO Fisheries Technical Paper 463. Food and Agriculture Organization of the United Nations, Rome.
- Yamana, Y., T. Hamano, K. Miki. 2006. Distribution of the Japanese sea cucumber *Apostichopus japonicus* in the intertidal zone of Hirao Bay, eastern Yamaguchi Prefecture, Japan-Suitable environmental factors for juvenile habitats. *Journal of National Fisheries University* 54: 111-120.
- Yaqing, C., Y. Changqing and S. Xin. 2000. Sea cucumber (*Apostichopus japonicus*) pond polyculture in Dalian, Liaoning Province, China. *Advances in Sea Cucumber Aquaculture and Management (ASCAM) Conference*, Dalian, Liaoning Province, China.
- Yellow Sea Fisheries Research Institute in Qingdao. 1991. Training manual on Breeding and Culture of Scallop and Sea Cucumber in China. Training Manual 9. Regional Seafarming Development and Demonstration Project (RAS/90/002).
- Yingst, J.Y. 1982. Factors influencing rates of sediment ingestion by *Parastichopus parvimensis* (Clark), an epibenthic deposit-feeding holothurian. *Estuarine Coastal and Shelf Science* 14: 119-134.

- Yu, X. J., W. H. He, J. D. Gu, M. X. He, and Y. Yan. 2008. The effect of chemical cues on settlement of pearl oyster *Pinctada fucata martensii* (Dunker) larvae. *Aquaculture* 277: 83–91.
- Yuan, X., H. Yang, L. Wang, Y. Zhou and H.R. Gabr. 2010. Effects of salinity on energy budget in pond-cultured sea cucumber *Apostichopus japonicus* (Selenka) (Echinodermata: Holothuroidea). *Aquaculture* 306: 348–351
- Zamora, L.N. and A.G. Jeffs. 2011. Feeding, selection, digestion and absorption of the organic matter from mussel waste by juveniles of the deposit-feeding sea cucumber, *Australostichopus mollis*. *Aquaculture* 317: 223–228.
- Zhao, B., S. Zhang, and P. Y. Qian. 2003. Larval settlement of the silver- or goldlip pearl oyster *Pinctada maxima* (Jameson) in response to natural biofilms and chemical cues. *Aquaculture* 220: 883–901.
- Zhou, Y., H. Yang, S. Liu, X. Yuan, Y. Mao, Y. Liu, X. Xu and F. Zhang. 2006. Feeding and growth on bivalve biodeposits by the deposit feeder *Stichopus japonicus* Selenka (Echinodermata: Holothuroidea) co-cultured in lantern nets. *Aquaculture* 256: 510–520.