เอกสารอ้างอิง

กรมปศุสัตว์. 2555. สถิติข้อมูลสัตว์ในจังหวัดนครพนม ปี 2555. กรมปศุสัตว์ กระทรวงเกษตรและสหกรณ์. กรุงเทพมหานคร.

เทวินทร์ วงษ์พระลับ และยุพิน ผาสุข. 2552. คู่มือ การเก็บรักษาน้ำเชื้อแบบแช่แข็งและการผสมเทียมในไก่พื้นเมืองไทย. ศูนย์เครือข่ายวิจัยและพัฒนาด้านการปรับปรุงพันธุ์สัตว์ (ไก่พื้นเมือง) ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น.

ธนศักดิ์ คำด่าง. 2556. รายงานกลุ่มเครือข่ายผู้เลี้ยงไก่งวงนครพนมที่ประยุกต์การใช้หลักปรัชญาเศรษฐกิจพอเพียงอย่างเข้มแข็งและยั่งยืน. ศูนย์ภูมิพลัง (ศูนย์ขยายผลอันเนื่องมาจากพระราชดำริ) ตำบลโพธิ์ตาก อำเภอเมือง จังหวัดนครพนม. 37 หน้า

Australian Government. 2008. Adding value to new animal product supply chain dairy goats, emus, rabbits, turkeys, sheep's milk and silkworm. Rural Industries Research and Development Corporation

Ansah, G. A., and R. B. Bluckland. 1983. Eight generations of selection for duration of fertility of frozen thawed semen in the chicken. Poultry Sci. 62:1529-1539.

Bacon, L. D., D. W. Salter, J. B. Motta, L. B. Crittenden, and F. X. Ogasawara. 1986. Cryopreservation of chicken semen of inbred or specialized strains. Poultry Sci. 65: 1965–1971.

Bakst, M.R., G.J. Wishart, and J.P. Brillard. 1994. Oviducal sperm selection, transport and storage in poultry. Poult. Sci. Rev. 5: 117–143.

Blesbois, E., and J. P. Brillard. 2007. Specific features of in vivo and in vitro sperm storage in birds. Animal. 1: 1472–1481.

Blesbois, E., and M. de Reviers. 1992. Effect of different fractions of seminal plasma on the fertilizing ability of fowl spermatozoa stored in vitro. J. Reprod. Fertil. 95: 263-268.

Buss, E.G. 1993. Cryopreservation of rooster sperm. Poultry Sci. 72: 944–954.

Cerolini, S., P. Surai, A. Maldjian, T. Gliozzi, and R. Noble. 1997. Lipid composition of semen in different fowl breeders. Avian Poult. Biol. Rev. 8:141–148.

Chalah, T., F. Seigneurin, E. Blesbosis and J. P. Brillard. 1999. In vitro comparison of fowl sperm viability in ejaculates frozen by three different techniques and relationship with subsequent fertility in vivo. Cryobiology 39: 185-191.

Christensen, V.L. Diluents, dilution and storage of poultry semen for six hours. in: Bakst M. R., and G. J. Wishart. Editors. Proceedings: First International Symposium on the Artificial Insemination of poultry science. Poultry Science Association, Savoy, IL. 1995. p. 90–106

Donoghue, A. M., and G. J. Wishart. 2000. Storage of poultry semen. Anim. Reprod. Sci. 62: 213–232.

Douard, V., D. Hermier, and E. Blesbois. 2000. Changes in turkey semen lipids during liquid in vitro storage. Biol. Reprod. 63: 1450–1456.

Douard, V., D. Hermier, M. Magistrini, and E. Blesbois, 2003. Reproductive period affects lipid composition and quality of fresh and stored spermatozoa in turkey. Theriogenology 59:753-764.

Douard, V., D. Hermier, M. Magistrini, C. Labbe, and E. Blesbois. 2004. Impact of changes in composition of storage medium on lipid content and quality of turkey spermatozoa. Theriogenology 61: 1–13.

Dumpala, P.R., H.M. Parker, and C.D. McDaniel. 2006. The effect of semen storage temperature and diluent type on the sperm quality index of broiler beeder semen. Int J. Poult Sci. 5: 838–845.

Froman, D.P., and A.J. Feltmann. 2005. Fowl *(Gallus domesticus)* sperm motility depends upon mitochondrial calcium cycling driven by extracellular sodium. Biol. Reprod. 72: 97- 101.

Froman, D. P., and R. J. Thurston.1985. Effects of incubation at 4°C on calcium uptake and acrosin activity in turkey spermatozoa. Poultry Sci. 64: 396–400.

Gordon, I., 2005. Reproductive technologies in farm animals. Cambrige: CABI Publishing UK; p. 49-81.

Gumulka, M., and E. Kapkowska. 2005. Age effect of broiler breeders on fertility and sperm penetration of perivitelline layer of the ovum. Anim. Repro. Sci. 90: 135-148.

Han, X. F., Z. Y. Nui, F. Z. Liu, and C. S. Yang. 2005. Effects of diluents, cryoprotectants, equilibration time and thawing temperature on cryopreservation of duck semen. lnt. J. Poult. Sci. 4: 197-201.

Hocking, P. M., and R. Bernard. 1997. Effect of dietary crude protein content and food intake on production of semen in two lines of broiler breeder males. Brit. Poult. Sci. 38: 199-202.

Howarth, B., D. Torregrossa, and W. M. Britton. 1977. The phospholipid content of ejaculated fowl and turkey spermatozoa. Poultry Sci. 56:1265-1268.

Kelso, K. A., S. Cerolini, R. C. Noble, N. H. C. Sparks, and B. K. Speake. 1996. Lipid and antioxidant changes in semen of broiler fowl from 25 to 60 weeks of age. J. Reprod. Fertil.106: 201-206.

Lake, P.E. Historical perpective of artificial insemination technology. in: in: Bakst M. R., and G. J. Wishart. Editors. Proceedings: First International Symposium on

the Artificial Insemination of poultry science. Poultry Science Association, Savoy, IL. 1995. p. 1-20

Madeddu, M, F. Berlinguer, V. Pasciu, S. Succu, V. Satta, G. G. Leoni, A. Zinellu, M. Muzzeddu, C. Carru, and S. Naitana. 2010. Differences in semen freezability and intracellular ATP content between the rooster (*Gallus gallus domesticus*) and the Barbary partridge (*Alectoris barbara*). Theriogenology 74: 1010-1018.

Morrell, J. M. 2006. Update on semen thechnologies for animal breeding. Reprod. Dom. Anim. 41: 63 – 67

Noirault, J., and J. P. Brillard. 1999. Effects of frequency of semen collection on quantitative and qualitative characteristics of semen in turkey breeder males. Poultry Sci. 78: 1034–1039.

Obidi, J.A., B.I. Onyeanusi, J.O. Ayo, P.I. Rekwot and T. Dzenda. 2008. Determination of gonadal sperm/spermatid reserves in Shikabrown breeder cocks. Int. J. Poult. Sci., 7: 1200-1203.

Omprakash, A. V., P. D. Dhanushia, and J. Kalatharan. 2006. Influenece of addition of antibiotic in semen extenderson fertility, hatchability and embryonic mortality in turkey. J. Vet. Anim. Sci. 2:90-92.

Parker, H. M., and C. D. McDanial. 2004. The optimum semen dilution for the sperm quality index that is most pre dictive of broliler breeder fertility. Int. J. Poult. sci. 3: 588 – 592.

Perters, S. O., O.D. Shoyebo, B.M. Ilori, M.O. Ozoje, C.O.N. Ikeobi, and O.A. Adebambo. 2008. Semen quality traits of seven strain of chickens raised in the humid tropics. Int. J. poult. Sci. 7: 949-953.

Santiago-Moreno, J., C. Castano, A. Toledano-Diaz, M.A. Coloma, A. Lopez-Sebastian, M.T. Prieto, and J.L. Campo. 2011. Influence of season on the freezability of free-range poultry semen. Reprod. Dom. Anim. 47: 578-83.

Sexton, T. J. 1977. A new poultry semen extender.1 Effect of extension on the fertility of chicken semen. Poultry Sci. 56: 1443 – 1446.

Sexton, T. J. 1983. Maximizing the utilization of the male breeder: A review. Poultry Sci. 62: 1700–1710.

Sexton, T. J. 1988. Research note: Influence of damage spermatozoa on the fertility of turkey semen stored 24 h at 5 °C . Poultry Sci. 67: 1483-1485.

Siudzinska, A., and Lukaszewicz, E. 2008. Effect of semen extenders and storage time on sperm morphology of four chicken breeds. J. Appl. Poult. Res. 17: 101–108

Surai, P. E., and G.J. Wishart. 1996. Poultry artificial insemination technology in the countries in vivo and USSR. World's Poult. Sci. J. 52: 227-243.

Van voorst, A., and F.R. Leenstra.,1995. Effect of dialysis before storage or cryopreservation on fertilizing ability of fowl semen. Poultry Sci. 74: 141–146.

Wineland M. J. Management of broiler breeders for artificial insemination. in: Bakst M. R., and G. J. Wishart. Editors. Proceedings: First International Symposium on the Artificial Insemination of poultry science. Poultry Science Association, Savoy, IL. 1995. p.59-65.

Wishart, G. J. 2009. Semen quality and semen storage. in: Hocking. P. M. editor. Biology of Breeding Poultry. CAB international. p. 151-178.

Wishart, G.J. New approaches to evaluating male and female fertility. in: Proceedings: First International Symposium on the Artificial Insemination of Poultry Science. M. R. Bakst and G. J. Wishart, (eds.) Poultry Science Association, Savoy, IL. 1995. p. 207–223

Wishart, G.J., and F.H. Palmer. 1986. The effect of cryopreservation at -196°C on the viability of fowl and turkey spermatozoa assessed in vitro. Anim. Reprod. Sci. 10: 317–324.

Zahraddeen, D., I.S.R. Butswat, D.J.U. Kalla, S.M. Sir, and M.T. Bukar. 2005. Effect of Frequency of ejaculation on semen characteristics in two breeds of turkeys (*Meleagris gallopavo*) raised in a tropical environment. Int. J. Poult. Sci. 4 : 217-221.