

เอกสารอ้างอิง

- กรรณิการ์ กันธะรักษา, จวี เบาทรวง, นันทพร แสนศิริพันธ์, สุภาพร วรมรรคไพสิษฐ์, อัจฉรา คำแหง และวินัส จันทรแสงศรี. (2554). การพัฒนาแนวปฏิบัติทางคลินิกสำหรับการเริ่มต้นเลี้ยงบุตรด้วยนมมารดาในระยะแรก โรงพยาบาลมหาราชนครเชียงใหม่. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- ฉวีวรรณ ธงชัย. (2547). การประเมินคุณภาพแนวปฏิบัติทางคลินิก. Retrived December 30, 2009, from http://www.Agreetrust.org/docs/AGREE_Instrument_translation/AGREE_Instrument_Thai.pdf.
- ฉวีวรรณ ธงชัย. (2548). การพัฒนาแนวปฏิบัติทางคลินิก. วารสารสภาการพยาบาล, 20(2), 63-74.
- ฉวีวรรณ ธงชัย และ พิกุล นันทชัยพันธ์. (2547). แบบสำรวจความคิดเห็นเกี่ยวกับการใช้แนวปฏิบัติ. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- แผนกสูติรีเวชกรรม โรงพยาบาลนครพิงค์ จังหวัดเชียงใหม่. (2553). สถิติข้อมูลงานอนามัยแม่และเด็ก โรงพยาบาลนครพิงค์ จังหวัดเชียงใหม่.
- พิกุล นันทชัยพันธ์. (2550). การใช้ผลการวิจัยและหลักฐานเชิงประจักษ์. เอกสารประกอบการบรรยายนักศึกษาปริญญาเอก. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- พองคำ ดิลกสกุลชัย. (2551). การปฏิบัติการพยาบาลตามหลักฐานเชิงประจักษ์: หลักการและวิธีการปฏิบัติงาน. กรุงเทพฯ: คณะพยาบาลศาสตร์มหาวิทยาลัยมหิดล.
- วีระพงษ์ ฉัตรานนท์. (2554). โรงพยาบาลสายสัมพันธ์แม่ลูกยุคใหม่. การประชุมวิชาการนมแม่แห่งชาติ ครั้งที่ 5 นมแม่: ความท้าทายของสังคมไทยยุคใหม่. (หน้า 4-6). กรุงเทพฯ: สำนักส่งเสริมสุขภาพ กรมอนามัย.
- ศูนย์นมแม่แห่งประเทศไทย. (2550). นมแม่กับ IQ ของลูกน้อย. Retrieved September 14, 2009, from <http://www.thaibreastfeeding.com>
- สง่า ดามาพงษ์. (2554). ยุทธศาสตร์สร้างชาติด้วยนมแม่. การประชุมวิชาการนมแม่แห่งชาติ ครั้งที่ 5 นมแม่: ความท้าทายของสังคมไทยยุคใหม่. (หน้า 4-6). กรุงเทพฯ: สำนักส่งเสริมสุขภาพ กรมอนามัย.
- องค์การยูนิเซฟ ประเทศไทย. (2549). การสำรวจสถานการณ์เด็กและสตรีในประเทศไทยโดยใช้พหุดัชนีแบบจัดกลุ่ม (MICS) ธันวาคม 2548-พฤษภาคม 2549. กรุงเทพมหานคร: องค์การยูนิเซฟ ประเทศไทย.

องค์การยูนิเซฟ ประเทศไทย. (2553). การสำรวจสถานการณ์เด็กและสตรีในประเทศไทยโดยการ
ใช้พหุดัชนีแบบจัดกลุ่ม (MICS). Retrived September 10, 2010, from

<http://www.unicef.org/Thailand/MICS>

AGREE. (2001). *Appraisal of Guidelines for Reseach & Evaluation (AGREE) Instrument*.

Retrieved June 3, 2010, from www.agreecollaboration.org

Bramson, L., Lee, J. W., Moore, E., Montgomery, S., Neish, C., Bahjri, K., et al. (2010).

Effect of early skin-to-skin mother-infant contact during the first 3 hours following
birth on exclusive breastfeeding during the maternity hospital stay. *Journal of Human
Lactation*. 26(2), 130-137.

Bergstrom, A., Okong, P., & Ransjo-Arvidson A. B. (2007). *Immediate maternal thermal*

response to skin-to-skin care of newborn. Retrived October 5, 2010, from

<http://onlinelibrary.wiley.com/doi/10.1111/j.1651-2227.2007.00280.x/pdf>

Boaz, A., Baeza, J., & Fraser, A. (2011). *Effective implementation of research into practice: An*

overview of systematic reviews of the health literature. Retrived June 5, 2011, from

<http://www.biomedcentral.com/1756-0500/4/212>.

Bystrova, K., Ivanova, V., Edhborg, M., Matthiesen, A. S., Ransjo-Arvidson, A. B.,

Mukhamedrakhimov, R., et al., (2009). Early contact versus separation: Effects on
mother-infant interaction one year later. *Birth*, 36(2), 97-109.

Buhimschi, C. S. (2004). Endocrinology of lactation. *Obstetric and Gynecologic Clinic of North
America*, 31, 963-971.

Cakmak, H., & Kuguoglu, S. (2007). Comparison of the breastfeeding patterns of mothers who

delivered their infants per vagina and via cesarean section: A observational study using
the LATCH breastfeeding charting system. *International Journal of Nursing Studies*,
44, 1128-1137.

Carfoot, S., Williamson, P. R., & Dickson, R. (2004). The value of a pilot study in breastfeeding

research. *Midwifery*, 20, 188-193.

Chiu, S., Anderson, G. C., & Burkhammer, M. D. (2005). Newborn temperature during skin-to-

skin breastfeeding in couples having breastfeeding difficulties. *Birth*, 32(2), 115-121.

- Coulibaly, R., Seguin, L., Zunzunegui, M., & Gauvin, L. (2006). Links between maternal breast-feeding duration and Quebec infant's health: A population-based study. Are the effects different for poor children?. *Maternal and Child Health Journal*, 6, 537-543.
- Davidson, M. R., London, M. L., & Ladewig, P. A. (2008). *OLDS' Maternal-newborn nursing & women's health across the lifespan* (8th ed.). New Jersey: Pearson Prentice Hall.
- Demott, K., Bick, D., Norman, R., Ritchie, G., Turnbull, N., Adams, C., et al. (2006). *Clinical guidelines and evidence review for post natal care: Routine post natal care of recently delivered women and their babies*. London: National Collaborating Centre For Primary Care And Royal College Of General Practitioners.
- Edmond, K. M., Zandoh, C., Quigley, M. A., Amenga-Etego, S., Owusu-Agyei, S., & Kirkwood, B. R. (2006). Delayed breastfeeding initiation increases risk of neonatal mortality. *American Academy of Pediatrics*, 117, 380-386.
- Ferber, S. G., & Makhoul, I. R. (2004). The effect of skin-to-skin contact (Kangaroo care) shortly after birth on the neurobehavioral responses of the term newborn: A randomized, controlled trial. *Pediatrics*, 113, 858-865.
- Forster, D. A., & McLachlan, H. L. (2007). Breastfeeding initiation and birth setting practices: A review of the literature. *Journal of Midwifery & Women's Health*, 52(3), 273-280.
- Fraser, D. M., & Cooper, M. A. (2009). *Myles textbook for midwives*. Livingstone: ELSEVIER.
- Gupta, A. (2007). Initiating breastfeeding within one hour of birth: A scientific brief. *Family and Reproductive Health*, 115(2), 519-617.
- Hofer, M. A. (2006). Psychobiological roots of early attachment. *Current Directions in Psychological Science*, 15(2), 84-88.
- Hodnett, E. D., Downe, S., Edwards, N., Walsh, D. (2005). *Home-like versus conventional institutional settings for birth: Cochrane database of systematic reviews*, Retrieved August 2, 2010, from <http://www.ncbi.nlm.nih.gov/pubmed/11687063>
- Jordan, S. (2006). *Infant feeding and analgesia in labour: The evidence is accumulating*. Retrieved August 2, 2010, from <http://www.internationalbreastfeedingjournal.com/content/1/1/25>.

- Khanna, K. (2007). *Timely initiation of breastfeeding within 1st hour of birth: Giving the best chance of life and health*. Retrieved October 10, 2010, from <http://www.ibfanasia.org/article/timely-ib.pdf>
- Komara, C., Simpson, D., Teasdale, C., Whalen, G., Bell, S., & Giovanetto, L. (2007). Intervening to promote early initiation of breastfeeding in the LDR. *Maternal and Child Nursing*, 32(2), 117-121.
- Klaus, M. H. (2009). An early, short, and useful sensitive period in the human infant. *Birth*, 36(2), 110-112.
- Lauwers, J., & Swisher, A. (2005). *Counseling the nursing mother: A lactation consultant's guide*. (4th ed.). Sudbury, M.A.: Jones and Bartlett.
- Lawrence, R. M., & Lawrence, R. A. (2005). *Breastfeeding: A guide for the medical profession* (6th ed.). Philadelphia: ELSEVIER.
- Leifer, G. (2007). *Introduction to maternity & pediatric nursing* (5th ed.). Missouri: ELSEVIER.
- McKinney, E. S., James, S. R., Murray, S. S., & Aswill, J. W. (2009). *Maternal - Child Nursing* (3rd ed.). Missouri: Saunders.
- Mizuno, K., Mizuno, N., Shinohara, T., & Noda, M. (2004). Mother-infant skin-to-skin contact after delivery results in early recognition of own mother's milk odour. *Acta Paediatrica*, 93(12), 1640-1645.
- Moore, E. R., Anderson, G. C., & Bergman, N. (2003). Early skin-to-skin contact for mothers and their healthy newborn infants. *Cochrane Database of Systematic Reviews*, Issue 2.
- Moore, E. R., & Anderson, G. C. (2007). Randomized controlled trial of very early mother-infant skin-to-skin contact and breastfeeding status. *Journal of Midwifery & Women's health*, 52(2), 116-125.
- Morhason-Bello, I. O., Adedokun, B. O., & Ojengbede, O. A. (2009). *Social support during childbirth as catalyst for early breastfeeding initiation for first - time Nigerian mothers*. Retrieved July 2, 2010, from <http://www.internationalbreastfeedingjournal.com/content/4/1/16>.
- Mori, R., Khanna, R., Pledge, D., & Nakayama, T. (2010). Meta-analysis of physiological effects of skin-to-skin contact for newborns and mothers. *Pediatrics International: Official Journal of the Japan Pediatric Society*, 52, 161-170.

- Mulder, P. J. (2006). A concept analysis of effective breastfeeding. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 35, 335-339.
- Nakao, Y., Moj, K., Honda, S., & Oishi, K. (2008). *Initiation of breastfeeding within 120 minutes after birth is associated with breastfeeding at four months among Japanese women: A self-administered questionnaire survey*. Retrieved August 10, 2010, from <http://www.internationalbreastfeedingjournal.com/content/3/1/1>.
- Nascimento, M. B., & Issler, H. (2003). *Breastfeeding: Making the difference in the development, health and nutrition of term and preterm newborns*. Retrieved May 12, 2010, from <http://www.scielo.br/pdf/rhc/v58n1/15505.pdf>
- National Health and Medical Research Council [NHMRC]. (1999). *A guide to the developmental, implementation and evaluation of clinical practice guidelines*. Retrieved April 10, 2010, from http://www.nhmrc.gov.au/_files_nhmrc/file/publications/synopses/cp30.pdf
- New Zealand Guidelines Group [NZGG]. (2001). *Handbook for the preparation of explicit evidence-base clinical practice guidelines*. Retrieved October 10, 2009, from <http://www.nzgg.org.nz>.
- Orun, E., Yalcin, S., Madendag, Y., Ustunyurt-Eras, Z., Kutluk, S., & Yurdakok, K. (2010). Factors associated with breastfeeding initiation time in a Baby-Friendly-Hospital. *The Turkish Journal of Pediatrics*, 52, 10-16.
- Pasquier, J. C., Rabilloud, M., Picaud, J. C., Claris, O., Ecochard, R., Moret, S., et al. (2008). Modeling the duration of the latency period after preterm premature rupture of the membranes according to maternal and pregnancy characteristics: DOMINOS study. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 139(2), 157-163.
- Pillitteri, A. (2007). *Maternal & child health nursing: Care of the childrearing family* (4th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Quinn, J., O'Callaghan, M., Williams, G. M., Najman, J. M., Andersen, M. J., & Bor, W. (2008). The effect of breastfeeding on child development at 5 years: A cohort study. *Journal of Paediatrics and Child Health*, 37(5), 465-469.

Registered Nurses' Association of Ontario [RNAO]. (2002). *Toolkit: Implementation of clinical practice guidelines*. Retrived June 1, 2010 , from

http://www.rnao.org/Storage/12/668_BPG_Toolkit.pdf

Registered Nurses' Association of Ontario [RNAO]. (2003). *Breastfeeding best practice guidelines for nurses*. Retrived June 1, 2010, from

http://www.rnao.org/Storage/11/564_BPG_Breastfeeding.pdf

Seefat-vanTeeffelen, A., Nieuwenhuijze, M., & Korstjens, R. (2009). *Women want proactive psychosocial support from midwives during transition to mother hood: Aqualitative study*. Retrieved July 12, 2010, from

<http://www.elsevier.com/10.1016/j.midw.2009.09.006>.

Smith, L. J. (2007). Impact of birthing practices on the breastfeeding dyad. *Journal of Midwifery and Womens Health*, 52, 621–630.

Stergiou-Kita, M.S. (2010). Implementing clinical practice guidelines in occupational therapy practice: Recommendations from the research evidence. *Australian Occupational Therapy Journal*, 57, 76-87.

Tawiah-Agyemang, B., Kirkwood, R., Edmond, K., Bazzano, A., & Hill, Z. (2008). Early initiation of breast-feeding in Ghana: Barriers and facilitators. *Journal of Perinatology*, 28, 46-52.

Thompson, J. C., Heal, L. J., Roberts, L. C., & Ellwood, D. A. (2010). *Woman's breastfeeding experiences following a sinicificant primary pospartum haemorrhage:*

A multicentre cohort study. Retrieved May 5, 2010, from

<http://www.internationalbreastfeedingjournal.com/content/5/1/5>

United Nations International Children's Emergency Fund [UNICEF]. (2007). *Breast crawl: Initiation of breastfeeding by breast crawl*. Retrieved October 11, 2010 from

<http://breastcrawl.org.pdf>

Vander Wees, P. J., Jamtvedt, G., Rebbeck, T., De Bie, R. A., Dekker, J., & Hendricks, E. J. (2008). Multifacted strategies may increase implementation of physiotherapy clinical guidelines: A systematic review. *Australian Journal of Physiotherapy*, 54, 233-241.

Walker, M. (2007). Breast-feeding good starts, good outcomes. *Journal of Perinatal Neonatal Nursing*, 21(3), 191-197.

Wong, D. L., Perry, S. E., Hockenberry, M. J., Lowdermilk, D. L., & Wilson, D. (2006).

Maternal child nursing care (3rd ed.). St.Louis, Missouri: Mosby Inc.

World Health Organization [WHO]. (1998). *Evidence for the ten steps to successful*

breastfeeding. Retrived June 10, 2009, from

http://whqlibdoc.who.int/publications/2004/9241591544_eng.pdf


World Health Organization [WHO]. (2002). *Infant and young child nutrition, a global strategy*

on infant and young child feeding. Retrived May 10, 2010, from

http://www.who.int/gb/ebwha/pdf_files/WHA55/ea/5515.pdf

World Health Organization [WHO]. (2009). 10 facts on breastfeeding. Retrieved August 10,

2010, from <http://www.who.int/features/factfiles/breastfeeding/en/index.html>



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved