

บรรณานุกรม

บรรณานุกรมภาษาไทย

- กระทรวงการท่องเที่ยวและการกีฬา. (2562a). *เอกสารแถลงข่าวสถานการณ์การท่องเที่ยวปี 2561 และแนวโน้มปี 2562*. สืบค้นจาก https://www.mots.go.th/ewt_dl_link.php?nid=11273
- กระทรวงการท่องเที่ยวและการกีฬา. (2562b). *สถิตินักท่องเที่ยว*. สืบค้นจาก https://www.mots.go.th/more_news.php?cid=502&filename=index
- เฉลิมเกียรติ เฟื่องแก้ว และ สุชาติ ทวีพรปฐมกุล. (2558). ปัจจัยที่ส่งผลต่อการตัดสินใจท่องเที่ยวในช่วงวันหยุดสุดสัปดาห์ และวันหยุดต่อเนื่องของคนวัยทำงานในกรุงเทพมหานคร. *วารสารวิทยาศาสตร์การกีฬาและสุขภาพ*, 16(1), 118-130.
- วัชรินทร์ เกิดทรัพย์. (2559). การตัดสินใจของนักท่องเที่ยวต่างชาติในการเลือกใช้บริการที่พักในจังหวัดภูเก็ต; The Selection Decision of Foreign Tourists for the Accommodation in Phuket Province. *ROMPHRUEK JOURNAL*, 34(2), 73-88.
- หนึ่งฤทัย ศิลาอาสน์. (2556). *ปัจจัยที่ส่งผลต่อการตัดสินใจของนักท่องเที่ยวที่มีต่อการท่องเที่ยวเกาะกูด จังหวัดตราด*. (วิทยานิพนธ์ปริญญาโทมหาบัณฑิต). มหาวิทยาลัยราชภัฏรำไพพรรณี, คณะวิทยาการจัดการ, สาขาการบริหารธุรกิจ.

บรรณานุกรมภาษาต่างประเทศ

- Abbas, A., Bilal, K., Zhang, L., & Khan, S. U. (2015). A cloud based health insurance plan recommendation system: A user centered approach. *Future Generation Computer Systems*, 43, 99-109.
- Al Kindhi, B., Sardjono, T. A., Purnomo, M. H., & Verkerke, G. J. (2019). Hybrid K-means, fuzzy C-means, and hierarchical clustering for DNA hepatitis C virus trend mutation analysis. *Expert Systems with Applications*, 121, 373-381.
- Alsmadi, M. K. (2018). A hybrid Fuzzy C-Means and Neutrosophic for jaw lesions segmentation. *Ain Shams Engineering Journal*, 9(4), 697-706.
- Al-Yaseen, W. L., Othman, Z. A., & Nazri, M. Z. A. (2017). Multi-level hybrid support vector machine and extreme learning machine based on modified K-means for intrusion detection system. *Expert Systems with Applications*, 67, 296-303.
- Ameryan, M., Totonchi, M. R. A., & Mahdavi, S. J. S. (2014). Clustering based on cuckoo optimization algorithm. In *2014 Iranian conference on intelligent systems (ICIS)* (pp. 1-6). IEEE.
- Ar, Y., & Bostanci, E. (2016). A genetic algorithm solution to the collaborative filtering problem. *Expert Systems with Applications*, 61, 122-128.

- Arslan, H., & Toz, M. (2018). Hybrid FCM-WOA data clustering algorithm. In *2018 26th Signal Processing and Communications Applications Conference (SIU)* (pp. 1-4). IEEE.
- Barisal, A. K., & Babu, B. C. (2018). Invasive weed optimization-based automatic generation control for multi-area power systems AU - Mishra, Somanath. *International Journal of Modelling and Simulation*, 1-13.
- Bezdek, J. C. (1981). *Pattern Recognition with Fuzzy Objective Function Algorithms*. New York: Plenum Press.
- Birtolo, C., Ronca, D., & Aurilio, G. (2012). Trust-aware clustering collaborative filtering: Identification of relevant items. In *IFIP International Conference on Artificial Intelligence Applications and Innovations* (pp. 374-384). Springer, Berlin, Heidelberg.
- Breese, J. S., Heckerman, D., & Kadie, C. (1998, July). Empirical analysis of predictive algorithms for collaborative filtering. In *Proceedings of the Fourteenth conference on Uncertainty in artificial intelligence* (pp. 43-52). Morgan Kaufmann.
- Capdevila, J., Arias, M., & Arratia, A. (2016). GeoSRS: A hybrid social recommender system for geolocated data. *Information Systems*, 57, 111–128.
- Chen, M. H., Teng, C. H., & Chang, P. C. (2015). Applying artificial immune systems to collaborative filtering for movie recommendation. *Advanced Engineering Informatics*, 29(4), 830-839.
- Dunn, J. C. (1973). A fuzzy relative of the ISODATA process and its use in detecting compact well-separated clusters. *Journal of Cybernetics*, 3(3), 32-57.
- Erfurt-Cooper, P., & Cooper, M. (2009). *Health and wellness tourism: Spas and hot springs*. UK: Channel View.
- Global Wellness Institute. (2015). *The Global Wellness Tourism Economy Report 2013 & 2014*. Retrieved from https://www.globalwellnesssummit.com/images/stories/gwi/GWI_2014_Global_Wellness_Tourism_Economy_Report_Final.pdf
- Goldberg, K., Roeder, T., Gupta, D., & Perkins, C. (2001). Eigentaste: A constant time collaborative filtering algorithm. *information retrieval*, 4(2), 133-151.
- Google Inc. (2019a). *Google Search Engine*. Retrieved from <https://www.google.com/>
- Google Inc. (2019b). *Progressive Web Apps*. Retrieved from <https://developers.google.com/web/progressive-web-apps/>
- GroupLens. (2016). *EachMovie | GroupLens*. Retrieved from <http://grouplens.org/datasets/eachmovie/>

- Hall, C. M. (2003). Health and spa tourism. *International sports & adventure tourism*, 273-292.
- Hall, C. M. (2011). Health and medical tourism: A kill or cure for global public health? *Tourism review*, 66(1/2), 4-15.
- Harper, F. M., & Konstan, J. A. (2016). The movielens datasets: History and context. *Acm transactions on interactive intelligent systems (tiis)*, 5(4), 19.
- Isinkaye, F. O., Folajimi, Y. O., & Ojokoh, B. A. (2015). Recommendation systems: Principles, methods and evaluation. *Egyptian Informatics Journal*, 16(3), 261-273.
- Izakian, H., & Abraham, A. (2011). Fuzzy C-means and fuzzy swarm for fuzzy clustering problem. *Expert Systems with Applications*, 38(3), 1835-1838.
- Jahangir, H., Mohammadi, M., Pasandideh, S. H. R., & Nobari, N. Z. (2018). Comparing performance of genetic and discrete invasive weed optimization algorithms for solving the inventory routing problem with an incremental delivery. *Journal of Intelligent Manufacturing*, 1-27.
- Jorgensen, G. (2017). *Thailand's 77 provinces: 77 great places to go*. Retrieved from <https://edition.cnn.com/travel/article/thailand-travel-77-provinces-guide/index.html>
- Karimkashi, S., & Kishk, A. A. (2010). Invasive weed optimization and its features in electromagnetics. *IEEE transactions on antennas and propagation*, 58(4), 1269.
- Karimov, J., & Ozbayoglu, M. (2015). High quality clustering of big data and solving empty-clustering problem with an evolutionary hybrid algorithm. In *2015 IEEE International Conference on Big Data (Big Data)* (pp. 1473–1478). IEEE.
- Kim, K. J., & Ahn, H. (2008). A recommender system using GA K-means clustering in an online shopping market. *Expert systems with applications*, 34(2), 1200-1209.
- Koohi, H., & Kiani, K. (2016). User based collaborative filtering using fuzzy C-means. *Measurement*, 91, 134–139.
- Kumar, P., Krishna, P. R., Bapi, R. S., & De, S. K. (2006). Clustering using similarity upper approximation. In *2006 IEEE International Conference on Fuzzy Systems* (pp. 839-844). IEEE.
- Leskovec, J. (n.d.-a). *SNAP: network datasets: Epinions social network*. Retrieved from <https://snap.stanford.edu/data/soc-Epinions1.html>
- Leskovec, J. (n.d.-b). *SNAP: Web data: Amazon reviews*. Retrieved from <https://snap.stanford.edu/data/web-Amazon.html>

- Li, G., & Ou, W. (2016). Pairwise probabilistic matrix factorization for implicit feedback collaborative filtering. *Neurocomputing*, 204, 17–25.
- Li, H., He, H., & Wen, Y. (2015). Dynamic particle swarm optimization and K-means clustering algorithm for image segmentation. *Optik - International Journal for Light and Electron Optics*, 126(24), 4817–4822.
- Liao, C.-L., & Lee, S.-J. (2016). A clustering based approach to improving the efficiency of collaborative filtering recommendation. *Electronic Commerce Research and Applications*, 18, 1–9.
- Lunt, N., & Carrera, P. (2010). Medical tourism: assessing the evidence on treatment abroad. *Maturitas*, 66(1), 27-32.
- Ma, Z., Yang, Y., Wang, F., Li, C., & Li, L. (2014). The SOM Based Improved K-Means Clustering Collaborative Filtering Algorithm in TV Recommendation System. In *2014 Second International Conference on Advanced Cloud and Big Data* (pp. 288–295). IEEE.
- Mehrabian, A. R., & Lucas, C. (2006). A novel numerical optimization algorithm inspired from weed colonization. *Ecological informatics*, 1(4), 355-366.
- Microsoft corp. (2019). *Bing Search Engine*. Retrieved from <https://www.bing.com/>
- Mishra, R., Kumar, P., & Bhasker, B. (2015). A web recommendation system considering sequential information. *Decision Support Systems*, 75, 1–10.
- Mueller, H., & Kaufmann, E. L. (2001). Wellness tourism: Market analysis of a special health tourism segment and implications for the hotel industry. *Journal of Vacation Marketing*, 7(1), 5-17.
- Nilashi, M., Jannach, D., Ibrahim, O. bin, & Ithnin, N. (2015). Clustering- and regression-based multi-criteria collaborative filtering with incremental updates. *Information Sciences*, 293, 235–250.
- Niu, Q., & Huang, X. (2011). An improved fuzzy C-means clustering algorithm based on PSO. *JSW*, 6(5), 873-879.
- Pan, R., Zhou, Y., Cao, B., Liu, N., Lukose, R., Scholz, M., & Yang, Q. (2008). One Class Collaborative Filtering. In *Proceedings of the 8th International Conference on Data Mining, IEEE Computer Society* (pp. 502–511). Pisa, Italy: IEEE Computer Society.
- Pan, W., & Chen, L. (2016). Group Bayesian personalized ranking with rich interactions for one-class collaborative filtering. *Neurocomputing*, 207, 501–510.
- Parvathi, P., & Rajeswari, R. (2016). A hybrid FCM-ALO based technique for image segmentation. In *2016 IEEE international conference on advances in computer applications (ICACA)* (pp. 342-345). IEEE.

- Rama Prabha, D., & Jayabarathi, T. (2016). Optimal placement and sizing of multiple distributed generating units in distribution networks by invasive weed optimization algorithm. *Ain Shams Engineering Journal*, 7(2), 683-694.
- Rendle, S., Freudenthaler, C., & Gantner, Z. (2009). Bayesian personalized ranking from implicit feedback. In *Proceedings of 25th Conference on Uncertainty in Artificial Intelligence* (pp. 452-461). Montreal, Canada: Morgan Kaufmann.
- Pouya, A. R., Solimanpur, M., & Rezaee, M. J. (2016). Solving multi-objective portfolio optimization problem using invasive weed optimization. *Swarm and Evolutionary Computation*, 28, 42-57.
- Salah, A., Rogovschi, N., & Nadif, M. (2016). A dynamic collaborative filtering system via a weighted clustering approach. *Neurocomputing*, 175, 206-215.
- Sang, H. Y., Pan, Q. K., Duan, P. Y., Li, J. Q., & Duan, P. (2017). A two-stage invasive weed optimization algorithm for distributed assembly permutation flowshop problem. In *2017 Chinese Automation Congress (CAC)* (pp. 7051-7056). IEEE.
- Serapião, A. B. S., Corrêa, G. S., Gonçalves, F. B., & Carvalho, V. O. (2016). Combining K-Means and K-Harmonic with fish school search algorithm for data clustering task on graphics processing units. *Applied Soft Computing*, 41, 290-304.
- Stetco, A., Zeng, X. J., & Keane, J. (2015). Fuzzy C-means++: Fuzzy C-means with effective seeding initialization. *Expert Systems with Applications*, 42(21), 7541-7548.
- UCIKDD. (1998). *Microsoft Anonymous Web Data*. Retrieved from <https://kdd.ics.uci.edu/databases/msweb/msweb.html>
- Wang, S., & Wang, L. (2016). An Estimation of Distribution Algorithm-Based Memetic Algorithm for the Distributed Assembly Permutation Flow-Shop Scheduling Problem. *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, 46(1), 139-149.
- Wang, S., Zhao, Z., & Hong, X. (2015). The Research on Collaborative Filtering Recommendation Algorithm Based on Improved Clustering Processing. In *2015 IEEE International Conference on Computer and Information Technology; Ubiquitous Computing and Communications; Dependable, Autonomic and Secure Computing; Pervasive Intelligence and Computing* (pp. 1012-1015). IEEE.
- Wendel, S., Dellaert, B. G., Ronteltap, A., & Van Trijp, H. C. (2013). Consumers' intention to use health recommendation systems to receive personalized nutrition advice. *BMC health services research*, 13(1), 126.
- Yahoo Inc. (n.d.). *Yahoo Research*. Retrieved from <https://www.yahoo.com/>

- Yahoo Inc. (2019). *Yahoo Search Engine*. Retrieved from <https://www.yahoo.com/>
- Yeh, W. C., Lai, C. M., & Chang, K. H. (2016). A novel hybrid clustering approach based on K-harmonic means using robust design. *Neurocomputing*, *173*, 1720–1732.
- Yin, H., Sun, Y., Cui, B., Hu, Z., & Chen, L. (2013). LCARS: A location-content-aware recommender system. In *Proceedings of the 19th ACM SIGKDD international conference on Knowledge discovery and data mining* (pp. 221-229). ACM.
- Yuan, N. J., Zheng, Y., Zhang, L., & Xie, X. (2013). T-finder: A recommender system for finding passengers and vacant taxis. *IEEE Transactions on knowledge and data engineering*, *25*(10), 2390-2403.
- Yuan, N. J., Zheng, Y., Zhang, L., & Xie, X. (2013). T-finder: A recommender system for finding passengers and vacant taxis. *IEEE Transactions on knowledge and data engineering*, *25*(10), 2390-2403.
- Zhou, P., Zhou, Y., Wu, D., & Jin, H. (2016). Differentially private online learning for cloud-based video recommendation with multimedia big data in social networks. *IEEE transactions on multimedia*, *18*(6), 1217-1229.
- Zhou, Y., Luo, Q., Chen, H., He, A., & Wu, J. (2015). A discrete invasive weed optimization algorithm for solving traveling salesman problem. *Neurocomputing*, *151*, 1227-1236.