

เอกสารอ้างอิง

- กนกพรรณ โสมาศรี. 2544. ศักยภาพของเชื้อราในดินสำหรับการควบคุมไส้เดือนฝอยรากปม (*Meloidogyne incognita*) เจริญวิธีในมะเขือเทศ. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยขอนแก่น.
- คมกฤษ เพียรภูเขียว. 2539. ประสิทธิภาพของการผสมสายพันธุ์เชื้อรา *Paecilomyces lilacinus* ต่อการเข้าทำลายไข่ไส้เดือนฝอยรากปม (*Meloidogyne incognita*). วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.
- นุชนารถ พุทธิรัตน์. 2528. ไส้เดือนฝอยศัตรูพืชที่พบในดินและรากแก้วเหลืองในประเทศไทย. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพมหานคร.
- นัยนา ทองเจียม. 2526. ไส้เดือนฝอยศัตรูพืชในเขตปลูกมันสำปะหลังของประเทศไทย. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.
- เบญจมาศ ทรงพระ. 2547. ประสิทธิภาพและการจัดจำแนกเชื้อรา *Penicillium* spp. และ *Metarhizium* spp. ที่ทำลายเพลี้ยกระโดดสีน้ำตาลโดยวิธีทางชีวโมเลกุล. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยขอนแก่น.
- เพชรรัตน์ ธรรมเบญจพล. 2545. การประยุกต์ใช้ PCR ทางการเกษตร. เอกสารการฝึกอบรมเชิงปฏิบัติการเทคโนโลยีชีวภาพทางการเกษตร. โครงการเทคโนโลยีชีวภาพทางการเกษตร คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น.
- ยุทธศักดิ์ เจียมไชยศรี. 2530. ความเสียหายที่เกิดจากไส้เดือนฝอยรากปม (*Meloidogyne incognita*) ของผัก 5 ชนิด. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.
- เลขา มาโนช. 2533. ราในน้ำและในดิน. ภาควิชาโรคพืช คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.
- ศรศิลป์ บุญบันดาล. 2536. การแพร่กระจายและการควบคุมไส้เดือนฝอยศัตรูพืชบางชนิดในพื้นที่สถานีเกษตรหลวงอ่างขาง. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.
- สถิรวงศ์ แจ่มจรรยา. 2526. ความเสียหายของมะเขือเทศที่เกิดจากไส้เดือนฝอยรากปม (*Meloidogyne incognita*). วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.

- สมชาย สุขะกุล. 2549. ไล่เดือนฝอยศัตรูร้ายของฝรั่ง. (อ้างอิงเมื่อ 2 ตุลาคม 2549). สืบค้นจาก:
URL: <http://www.clgc.rdi.ku.ac.th/article/ext/guava/meloidogyne.htm>.
- สุกกิจ สุขใจมิตร และ สืบศักดิ์ สนธิรัตน์. 2531. การใช้เชื้อราในดิน *Paecilomyces lilacinus* ควบคุม ไล่เดือนฝอยรากปม *Meloidogyne incognita*. วารสารโรคพืช 8: 84-90.
- สุรางค์ ตั้งสมบูรณ์ผล. 2526. ไล่เดือนฝอยรากปม (*Meloidogyne incognita* Chitwood) ของ กระเจี๊ยบเขียว (*Abelmoschus esculentus* (L.) Moench) และการป้องกันกำจัดโดยใช้ สารเคมี. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.
- สุรินทร์ ปิยะโชคณากุล. 2543. พันธุ์วิศวกรรมป้องกัน. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์ : กรุงเทพฯ.
- สืบศักดิ์ สนธิรัตน์. 2524. โรคมะเขือเทศที่เกิดจากไล่เดือนฝอย. ข่าวสารโรคพืช 1: 6-13.
- สืบศักดิ์ สนธิรัตน์. 2539. ความสัมพันธ์ระหว่างประสิทธิภาพในการเข้าทำลายไข่ไล่เดือนฝอยรากปม และกิจกรรมเอนไซม์ของเชื้อรา *Paecilomyces lilacinus*. ว. เกษตรศาสตร์ 30: 175-184.
- สืบศักดิ์ สนธิรัตน์. 2541. ไล่เดือนฝอยศัตรูพืชโรคและการจัดการ. สำนักพิมพ์รั้วเขียว. กรุงเทพฯ.
- สืบศักดิ์ สนธิรัตน์ วิจัย รั้ววิทยาศาสตร์ ประชา ลีประเสริฐ และสุกพงศ์ ภูพัฒน์พันธ์. 2539. การควบคุมไล่เดือนฝอยรากปม (*Meloidogyne* spp.) โดยเชื้อรา *Paecilomyces* spp. และ *Verticillium* spp. ศูนย์พันธุวิศวกรรมและเทคโนโลยีชีวภาพแห่งชาติ. กรุงเทพฯ.
- สืบศักดิ์ สนธิรัตน์, สมชาย สุขะกุล, และ สุกกิจ สุขใจมิตร. 2530. ไล่เดือนฝอยรากปมชนิดใหม่ของประเทศไทย. วารสารโรคพืช 7(2): 99-102.
- อนันต์ หิรัญสาทิ. 2529. ไล่เดือนฝอยศัตรูพืช. ภาควิชากีฏวิทยาและโรคพืช มหาวิทยาลัยขอนแก่น. ขอนแก่น.
- อนันต์ หิรัญสาทิ และพิศาล ศิริขร. 2538. ไล่เดือนฝอยรากปมของมะละกอในภาคตะวันออกเฉียงเหนือ. เกษตร 23(4): 172-176.
- อนุชา ธีรรุฒิธร. 2537. ประสิทธิภาพของเชื้อรา *Paecilomyces lilacinus* ต่างสายพันธุ์ในการเข้าทำลายไข่ไล่เดือนฝอยรากปม (*Meloidogyne incognita*). วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.
- Agudelo, P., R.T. Robbins, J.M. Stewart, and J.B. Murphy. 2004. Glycoproteins in the gelatinous matrix of *Rotylenchulus reniformis*. Nematropica 34: 229-234.

- Al-Hazmu, A.S., D.P. Schmitt, and J.N. Sasser. 1982. The effect of *Artrobotrys conoides* on *Meloidogyne incognita* population densities in corn as influenced by temperature, fungus inoculum density, and time of fungus introduction in the soil. *Journal of Nematology* 14: 168-174.
- Anonymous. 2006. Reactie van fehling. (cited 15 Sep 2006) Available from: URL:// www.thuisexperimenteren.nl/.../fehling.htm
- Austin, R. 2006. Chitin & chitosan; chitin research. (cited 21 December 2006). Available from: URL: <http://www.ocean.udel.edu/research/chitin.html>.
- Bafokuzara, N.D. 1983. Influence of six vegetable cultivars on reproduction of *Meloidogyne javanica*. *Journal of Nematology* 15: 559-564.
- Baicheva, O., D. Salkova, and G. Palazova. 2002. Root-knot nematode (*Meloidogyne*, Goeldi, 1887) species composition, pathogenicity, and some problems for investigation. *Experimental Pathology and Parasitology* 5: 21-24.
- Barker, K.R. 1985. Nematode extraction and bioassay. pp. 39-48. In K. R. Baker, C.C. Carter and J.N. Sasser(eds). *An Advanced Treatise on Meloidogyne*, Vol. II : Methology. North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- Barnett, H. L. and B. B. Hunter. 1972. *Illustrated genera of imperfect fungi*. Burgess Publishing Company, Minnesota: USA.
- Becker, J. O., X. Chen, C. Wilen, and J. Downer. 2003. Root-knot nematode-destroying microorganisms for home garden and landscape use. (cited 10 November 2006). Available from: URL: [http:// www. ucanr.org/slosson/documents/2001-20022045.pdf](http://www.ucanr.org/slosson/documents/2001-20022045.pdf).
- Belcher, J.V. and R.S. Hussey. 1977. Influence of *Tagetes patyla* and *Arachis hypogaea* on *Meloidogyne incognita*. *Plant Disease Reporter* 61: 525-528.
- Bird, A.F. and G.E. Rogers. 1965. Ultrastructure and histochemical studies of cells producing gelatinous matrix in *Meloidogyne*. *Nematologica* 11: 231-238.
- Bird, A.F. and A. Soeffky. 1971. Changes in the ultrastructure of the gelatinous matrix of *Meloidogyne javanica* during dehydration. *Journal of Nematology* 4: 166-169.

- Bonants, P.J.M., P.F.L. Fitters, H. Thijs, E. Den Belder, C. Waalwijk, and J.W.D.M. Henfling. 1995. A basic serine protease from *Paecilomyces lilacinus* with biological activity against *Meloidogyne hapla* eggs. *Microbiology* 141: 775-784.
- Bourne, J.M. and B.R. Kerry. 1999. Effect of the host plant on the efficacy of *Verticillium chlamydosporium* as a biological control agent of root-knot nematodes at different nematode densities and fungal application rates. *Soil Biology & Biochemistry* 31: 75-84.
- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* 72: 248-254.
- Cabanillas, E., K.R. Barker, and L.A. Nelson. 1989. Growth of isolate of *Paecilomyces lilacinus* and their efficacy in biocontrol of *Meloidogyne incognita* on tomato. *Journal of Nematology* 21 : 164- 172.
- Cabanillas, E., K.R. Barker, and M.E. Daykin. 1988. Histology of the interactions of *Paecilomyces lilacinus* with *Meloidogyne incognita* on tomato. *Journal of Nematology* 20: 362-365.
- Cabanillas, E. and K.R. Baker. 1989. Impact of *Paecilomyces lilacinus* inoculum level and application time on control of *Meloidogyne incognita* on tomato. *Journal of Nematology* 21: 115 - 120.
- Castillo, P., A.I. Nico, C.A. Aguilar, C.D.R. Rincón, C. Calvet, and R.M.J. Díaz. 2006. Protection of olive planting stocks against parasitism of root-knot nematodes by arbuscular mycorrhizal fungi. *Plant Pathology* 55: 705-713.
- Cobb, B.D. and J.M. Clarkson. 1993. Detection of molecular variation in the insect pathogenic fungus *Metarhizium* using RAPD-PCR. *Microbiology Letters* 112: 319-324.
- Croshier, R., G. Montecinos, M. Jimenez, and P. Gallo. 1985. Effectiveness of *Paecilomyces lilacinus* (Thom.) Samson in the control of the root-knot nematode *Meloidogyne javanica*. *International Nematology Network Newsletter* 2(3) : 3.
- Curran, J., F. Driver, J.W.O. Ballard, and R.J. Milner. 1994. Phylogeny of *Metarhizium*: analysis of ribosomal DNA sequence data. *Mycological Research* 98(5): 547-552.
- Darbre, P.D. 1999. Basic molecular biology, essential techniques. John Wiley & Sons Ltd., Chichester.

- Daykin, M. and R.S. Hussey. 1985. Staining and histopathological techniques in nematology. pp. 39-48. In K.R.Baker, C.C.Carter, and J.N. Sasser(eds). An Advanced Treatise on *Meloidogyne*, Vol. II : Methology. North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- De Leij., F.A.A.M., B. R. Kerry, and J. A. Dennehy. 1992. The effect of fungal application rates and nematode density on the effectiveness of *Verticillium chlamydosporium* as a biological control agent for *Meloidogyne incognita*. Nematologica 38: 112-122.
- De Leij., F.A.A.M., B.R.Kerry, and J.A.Dennehy. 1993. *Verticillium chlamydosporium* as a biological control agent for *Meloidogyne incognita* and *M. hapla* in pot and micro-plot tests. Nematologica 39: 115-126.
- De Macro, J.L. and C.R. Felix. 2002. Characterization of a protease produced by a *Trichoderma harzianum* isolate which controls cocoa plant witche's broom disease. BMC Biochemistry 3(3) : 1-7.
- Di Vito, M., V.C. Cianciotta, and G. Zaceheo. 1992. Yield of susceptible and resistant pepper in microplots infected with *Meloidogyne incognita* . Nematropica 22: 1-6.
- Dodson, G. G. 2006. Protein structure, function and evolution. (cited 15 December 2006). Available from: URL: <http://www.enzymes.co.uk/protein.html>.
- Domsch, K. H., W. Games, and T. H. Anderson. 1980. Compendium of soil fungi : Vol. I. Academic Press: London.
- Doyle, J. J. and J. L. Doyle. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. Phytochemical Bulletin 19: 11-15.
- Dropkin, V. H. 1980. Introduction to plant nematology. John Wiley & Sons: New York.
- Dube B. and G.C. Smart. 1987. Biological control of *Meloidogyne incognita* by *Paecilomyces liacinus* and *Pasteuria penetrans*. . Journal of Nematology 19 : 222-227.
- Eapen, S.J., B. Beena, and K.V. Ramana. 2005. Tropical soil microflora of spice-based cropping systems as potential antagonists of root-knot nematodes. Journal of Invertebrate Pathology 88: 218-225.

- Eisenback, J. D. 1985. Diagnostic characters useful in the identification of the four most common species of root-knot nematode (*Meloidogynespp.*). pp. 95-112. In J.N. Sasser, and C.C. Carter (eds.). An Advanced Treatise on *Meloidogyne*, Vol. 1: Biology and control. North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- El-Sayed, G.N., T.A. Coudron, and C.M. Ignoffo. 1989. Chitinolytic activity and virulence associated with native and mutant isolates of an entomopathogenic fungus, *Nomuraea rileyi*. Journal of Invertebrate Pathology 54: 394-403.
- Environment Protection Agency. 2004. *Paecilomyces lilacinus* strain 251; Exemption from the requirement of a tolerance. Federal Register 70: 19278-19283.
- Felse, P.A. and T. Panda. 1999. Studies on application of chitin and its derivatives. Bioprocesses Engineering 20: 505-512.
- Ferris, H. 1999. The nematode-plant export information system. (cited 3 February 2007). Available from: URL: <http://www.plpnemweb.ucdavis.edu/Nemaplex/Tawadata/G076S3.htm>.
- Fisher, E. H. and E. A. Stein. 1961. α -amylase from human saliva. Biochemical Preparations 8: 12-18.
- Fulton-Weibelzahl, E., D.W. Dickson, and E.B. Whitty. 1996. Suppression of *Meloidogyne incognita* and *M. javanica* by *Pasteuria penetrans* in field soil. Journal of Nematology 28 : 43-49.
- Gams, W. 1988. A contribution to the knowledge of nematophagous species of *Verticillium*. Netherland Journual of Plant Pathology 94 : 123-148.
- Gardes, M. and T.D. Bruns. 1993. ITS primers with enhanced specificity for basidiomycetes application to the identification of mycorrhizae and rusts. Molecular Ecology 2: 113-118.
- Gaspard, J.T., B.A. Jaffee, and H. Ferris. 1990. Association of *Verticillium chlamydosporium* and *Paecilomyces lilacinus* with root-knot nematode infested soil. Journal of Nematology 22 : 207-213.

- Geremia, R., G. Goldman, D. Jacobs, W. Ardiles, S. Vila, M. Van Montagu, and A. Herrera-Estrella. 1993. Molecular characterization of the proteinase-encoding gene, *prb1*, related to mycoparasitism by *Trichoderma harzianum*. Microbiology 8: 603-613.
- Giebel, J. 1982. Mechanism of resistance to plant nematodes. Annual Review of Phytopathology 20: 257-279.
- Gilman, J.C. 1985. A manual of soil fungi : revised second edition. Oxford & IBA Publishing: USA.
- Giri, A.P., A.M. Harsulkar, A.G. Patankar, V.S. Gupta, M.N. Sainani, V.V. Deshpande, and P.K. Ranjekar. 1998. Association of induction of protease and chitinase in chickpea roots with resistance to *Fusarium oxysporum* f.sp. *ciceri*. Plant Pathology 47 : 693-699.
- Godoy, G. and R. Rodriguez-Kabana. 1983. An enzymatic technique for obtaining *Meloidogyne* female for biological control studies. Nematropica 13 : 75-78.
- Gooday, G.W. 1990. Physiology of microbial degradation of chitin and chitosan. Biodegradation 1:177-190.
- Goswami, B.K., Uma Rao, and S. Singh. 1998. Association of some deuteromycetous fungi with the egg masses of *Meloidogyne incognita* infecting vegetables. Annual Agriculture Research 19: 149-152.
- Guarro, J., J. Gene, and A.M. Stehigel. 1999. Development in fungal taxonomy. Clinical Microbiology Reviews 12(3): 454-500.
- Hackney, R. W. and O. J. Dickerson. 1975. Marigold, castor bean and chrysanthemum as control of *Meloidogyne incognita* and *Pratylenchus alleni*. Journal of Nematology 7: 84-90.
- Haran, S., H. Schickler, and I. Chet. 1996. Molecular mechanisms of lytic enzymes involved in the biological activity of *Trichoderma harzianum*. Mycology 142 : 2321-2331.
- Harmann, G.E., C.K. Hayes, M. Lorito, R.M. Broadway, A. Di Pietro, C. Peterbauer, and A. Tronsmo. 1993. Chitinolytic enzymes of *Trichoderma harzianum*: purification of chitobiosidase and endo-chitinase. Phytopathology 83: 313-318.

- Hartman, K. and S.N. Sasser. 1985. Identification of *Meloidogyne* speices on the basis of differential host test and perineal- pattern morphology. pp. 69-77. *In* Barker, K. R., C. C. Carter, and J.N. Sasser (eds.). An Advanced Treatise on *Meloidogyne*. Vol. II. Methology. North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- Hermosa, M.R., E. Keck, I. Chamorro, B. Rubio, L. Sanz, J.A. Vizcaino, I. Grondona, and E. Monte. 2004. Genetic diversity shown in *Trichoderma* biocontrol isolates. *Mycological Research* 108(8): 897-906.
- Hertz, B. N., H. B. Jasson, and A. Tunlid. 2002. Nematophagous fungi. (cited 10 November 2004). Available from: URL: [http:// www. ua.es/personal/hb.jansson/reprints/](http://www.ua.es/personal/hb.jansson/reprints/).
- Hirschman, H. 1985. The classification of the family Meloidogynedae. pp. 35-45. *In* Sasser, J.N., and C.C. Carter (eds.). An Advanced Treatise on *Meloidogyne*. Vol. 1: Biology and control, North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina
- Hirschman, H. 1985. The genus *Meloidogyne* and morphological characters differentiating its species. pp. 79-93. *In* Sasser, J.N., and C.C. Carter(eds.). An Advanced Treatise on *Meloidogyne* , Vol.1: Biology and control, North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- Huang, S.P., P.T. Della Vecchia, and P.E. Ferreira. 1986. Varietal response and estimates of heritability of resistance to *Meloidogyne javanica* in carrot. *Journal of Nematology* 18: 496-501.
- Hussey, R.S. 1985. Host-parasite relationships and associated physiological changes. pp. 143-153 *In* Sasser, J.N., and C.C. Carter (eds.). An Advanced Treatise on *Meloidogyne*, Vol. 1: Biology and control, North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- Hywel-Jones, N.L. 2002. A review of invertebrate pathogenic Clavicipitaceae of Thailand, pp. 34-41. *In* Visut, B., and K. Rungsima (eds.), BRT Research reports 2001. Jirawat Express Co.: Bangkok.
- Inserra, R.N. and D.W. Davis. 1983. *Hypoaspis aculeifer* : a mite predacious on root-knot and cyst nematodes. *Journal of Nematology* 15: 324-325.

- Irving, F. and B.R. Kerry. 1986. Variation between strains of the nematophagous, *Verticillium chlamydosporium* Goddard. II. Factors affecting parasitism of cyst nematode eggs. *Nematologica* 32: 474-485.
- Jaffee, B.A. and A.E. Muldonn. 1997. Suppression of the root-knot nematode *Meloidogyne javanica* by alginate pellets containing the nematophagous fungi *Hirsutella rhossiliensis*, *Monacrosporium cionopagum* and *M. ellipsosporum*. *Biocontrol Science and Technology* 7: 203-218. (abs).
- Jaffee, B.A. and A. E. Moldonn. 1995. Susceptibility of root-knot and cyst nematode to the trapping fungi *Monacrosporium ellipsosporum* and *M. cionopagum*. *Exter: Elsevier Science Ltd.* 27(8) : 1083-1090.
- Jasson, H. B., A. Jeyaprakash, and M. Zuckerman. 1985. Control of root-knot nematodes on tomato by the endoparasitic fungus *Meria coniospora* . *Journal of Nematology* 17: 327-329.
- Jatala, P. 1985. Biological control of nematodes. pp. 303-308. *In* Sasser, J.N., and C.C. Carter (eds.). *An Advanced Treatise on Meloidogyne*, Vol. 1: Biology and control. North Carolina State University Graphics: North Carolina.
- Jatala, P. 1986. Biological control of plant-parasitic nematodes. *Annual Review of Phytopathology* 24: 453-489.
- Jatala, P., R.Kaltenback, and M. Bocangel. 1979. Biological control of *Meloidogyne incognita acrita* and *Globodera pallida* on potatoes. *Journal of Nematology* 11: 303.
- Jenkins, W.R. 1964. A rapid centrifugal-flotation technique for separating nematodes from soil. *Plant Disease Reporter* 48: 692-700.
- Johnson, A.W. 1985. The role of nematicides in nematode mangement. pp. 249-267. *In* Sasser, J.N. and C.C. Carter (eds.). *An Advanced Treatise on Meloidogyne*. Vol. 1: Biology and control. North Carolina State University Graphics: North Carolina.
- Kerry, B.R. 1981. Fungal parasites: a weapon against cyst nematodes. *Plant Disease* 65: 390-393.
- Kerry, B.R. 2000. Rhizosphere interactions and the exploitation of microbial agents for the biological control of plant-parasitic nematodes. *Annual Review of Phytopathology* 38: 423-441.

- Kerry, B.R. 2001. Exploitation of the Nematophagous fungal *Verticillium chlamydosporium* Goddard for the biological control of root-knot nematodes (*Meloidogyne* spp.) pp. 155-167. In Butt, T.M., C. Jackson, and N. Magan. Fungal as biocontrol agents: progress, problems and potential. Biddles Ltd. : London, UK.
- Kerry, B.R. and J. M. Bourne. 1996. Importance of rhizosphere interactions in the biological control of plant parasitic nematodes- a case study using *Verticillium chlamydosporium*. Pesticide Science 47: 69-75.
- Kerry, B. R. and B. A. Jaffee. 1997. Fungi as biological control agents for plant parasitic nematodes. pp. 203-216. In Wicklow, D.T. and B.E. Soderstrom (eds.). The Mycota: A comprehensive treatise on fungi as experimental systems for basic and applied research, Vol. IV: Environmental and microbial relationships. Springer-Verlag, Berlin, Heidelberg: Germany.
- Kerry, B. R., D. H. Crump, and L.A. Mullen. 1982. Natural control of the cereal cyst nematode, *Heterodera avenae* Woll., by soil fungi at three sites. Crop Protection 1: 99-109.
- Khan, H. U., R. Ahmad., W. Ahmed., S. M. Khan, and M. Aslam Khan. 2001. Evaluation of the combined effects of *Paecilomyces lilacinus* and *Trichoderma harzianum* against root-kot disease of tomato. Online Journal of Biological Science 1(3): 139-142.
- Khan, Z. and S. D. Park. 2005. Efficacy of a predatory nematode, *Mononchoides striatus* (Neodiplogasteridae) against *Meloidogyne incognita* on tomato. (cited 15 December 2006) Available from: URL: <http://www.esnsymposium.ba.cnr.it/postsymposium/pdf/182.pdf>.
- Khan, A., K. L. Williams, and H. K. M. Nevalainen. 2004. Effects of *Paecilomyces lilacinus* protease and chitinase on the egg shell structures and hatching of *Meloidogyne javanica* juveniles. Biological Control 31: 346-352.
- Kiewnick, S. and R.A. Sikora. 2006. Biological control of the root-knot nematode *Meloidogyne incognita* by *Paecilomyces lilacinus* strain 251. Biological control 38: 179-187.
- Latge, J. P., L. Sampedro, and R. Hall. 1984. Aggressivite de *Conidiobolus obscurus* vis a du puceron du pois III. Activitys enzymatiques exocellulaires. Entomophaga 29: 185-201.

- Li, W., D.P. Roberts, P.D. Dery, S.L.F. Meyer, S. Lohrke, R.D. Lumsden, and K.P. Hebbar. 2002. Broad spectrum anti-biotic activity and disease suppression by the potential biocontrol agent *Burkholderia ambifaria* BC-F. *Crop Protection* 21: 129-135.
- Lindsey, D.L. and M.S. Clayshulte. 1982. Influence of initial population densities of *Meloidogyne incognita* on three chile cultivars. *Journal of Nematology* 14: 353-358.
- Lopez-Llorca, L.V. and W. M. Robertson. 1992. Ultrasructure of infection of cyst nematode eggs by the nematophagous fungus *Verticillium suchlasporium*. *Nematologica* 39: 65-74.
- Lopez-Llorca, L.V., C. Olivares-Bernabeu, J. Salinas, H.B. Jasson, and P.E. Kolattukudy. 2002. Pre-penetration events in fungal parasitism of nematode eggs. *Mycological Research* 106: 499-506.
- Mai, W.F. 1985. Plant-parasitic nematodes their threat to agriculture. pp. 11-17. In Sasser, J.N., and C.C. Carter (eds.). *An Advanced Treatise on Meloidogyne*, Vol. 1: Biology and control. North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- Mankau, R. 1980. Biological control of nematode pest by natural enemies. *Annual Review of Phytopathology* 18: 415-440.
- Meyer, S.L.F., I.A. Zasada., M. Tenuta, and D.P. Roberts. 2005. Application of a biosolid soil amendment, calcium hydroxide, and *Streptomyces* for management of root-knot nematode on cantaloupe. *Hort Technology* 15: 635-641.
- Meyer, S.L.F., D.P. Roberts, D.J. Chitwood, L.K. Carta, R.D. Lumsden, and W. Mao. 2001. Application of *Burkholderia cepacia* and *Trichoderma virens*, alone and in combinations, against *Meloidogyne incognita* on bell pepper. *Nematropica* 31: 75-86.
- Micklos, D.A. and G.A. Freyer. 2003. *DNA science: a first course*, 2nd Edition. Cold Spring Harbor Laboratory Press. : New York.
- Mittal, N., G. Saxena, and K.G. Mukerji. 1995. Integrated control of root-knot disease in three crop plants using chitin and *Paecilomyces lilacinus*. *Crop Protection* 4(8): 647-651.
- Morgan-Jones, G., G. Godoy, and R. Rodriquez-Kabana. 1981. *Verticillium chlamydosporium*, fungal parasite of *Meloidogyne arenaria* females. *Nematropica* 11: 115-120.

- Morgan-Jones, G., J.F. White, and R. Rodriguez-Kabana. 1983. Phytonematode pathology: Ultrastructural studies parasitism of *Meloidogyne arenaria* eggs and larvae by *Paecilomyces lilacinus*. *Nematropica* 14: 57-71.
- Nickle, W.R. 1992. Manual of agricultural nematology. Marcel Dekker, Inc.: New York.
- Nitao, J.K., S.L.F. Meyer, W.F. Schmidt, J.C. Fettingner, and D.J. Chitwood. 2001. Nematode-antagonistic trichothecenes from *Fusarium equiseti*. *Journal of Chemical Ecology* 27: 859-869.
- Olivares-Bernabeu, C. M., and L. V. Lopez-Llorca. 2002. Fungal egg-parasites of plant-parasitic nematodes from Spanish soils. *Revista Iberoamericana de Micologia* 19: 104-110.
- Oostendorp, M., D.W. Dickson, and D.J. Mitchell. 1990. Host range and ecology of isolates of *Pasteuria* spp. from the Southeastern United States. *Journal of Nematology* 22: 525-531.
- Orion, D., G. Kritzman., S.L.F. Meyer., E.F. Erbe, and D.J. Chitwood. 2001. A role of the gelatinous matrix in the resistance of root-knot nematode (*Meloidogyne* spp.) eggs to microorganisms. *Journal of Nematology* 33(4): 203-207.
- Osman, H.A., A.M. Korayem, H.H. Ameen, and S.M.S. Badr-Eldin. 1990. Interaction of root-knot nematode and mycorrhizal fungi on common bean *Phaseolus vulgaris* L. *Journal of Pest Science* 63: 129-131.
- Papavizas, G.C. 1985. *Trichoderma* and *Gliocladium* biology, ecology and potential for biocontrol. *Annual Review of Phytopathology* 23: 23-54.
- Paris, S. and P. Feron. 1997. Study of the virulence of some mutants of *Beauveria brogniartii*. *Journal of Invertebrate Pathology* 34: 71-77.
- Perry, R.N. and D.J. Wright. 1998. The physiology and biochemistry of free-living and plant parasitic nematodes. Biddles Ltd.: Guildford and King's Lynn.
- Persson, C. and H.B. Jasson. 1999. Rhizosphere colonization and control of *Meloidogyne* spp. by nematode-trapping fungi. *Journal of Nematology* 31 : 164-171.
- Rajoka, M.I. and A. Yasmeen. 2005. Induction , and production studies of a novel glucoamylase of *Aspergillus niger*. *World Journal of Microbiology & Biotechnology* 21: 179-187.

- Roberts, D.P., S.M. Lohrke, S.L.F. Meyer, J.S. Buyer, J.H. Bowers, C.J. Baker, W. Li, J.T. de Souza, J.A. Lewis, and S. Chung. 2005. Biocontrol agents applied individually and in combination for suppression of soilborn diseases of cucumber. *Crop Protection* 24 : 141-155.
- Sahai, A.S. and M.S. Manocha. 1993. Chitinase of fungi and plants: their involvement in morphogenesis and host-parasite interaction. *Microbiology Letters* 11: 317-338.
- Samson, R.A., H.C. Evans, and J.P. Latge. 1988. *Atlas of entomopathogenic fungi*. Springer-Verlag: Heidelberg.
- Santos, M.A., S. Ferraz, and J. J. Muchovej. 1992. Evaluation of 20 species of fungi from Brazil for biocontrol of *Meloidogyne incognita* race 3 . *Nematropica* 22: 183-192.
- Sayre, R.M. and W.P. Wergin. 1977. Bacteria parasite of a plant nematode: morphology and ultrastructure. *Journal of Bacteriology* 129: 1091-1101.
- Schellart, J.A., F.M.W. Visser, T. Zandstra, and W.J. Middelhoven. 1976. Starch degradation by the mould *Trichoderma viride* I. The mechanism of starch degradation. *Antonie van Leeuwenhoek* 42: 229-238.
- Schenck, S., T.C. JR., W.D. Rosenzweig, and D. Pramer. 1980. Collagenase production by nematode-trapping fungi. *Applied and Environmental Microbiology* 40:567-570.
- Seger, R., T.M. Butt., B.R. Kerry, and J.F. Peberdy. 1994. The nematophagous fungus *Verticillium chlamydosporium* produce a chymoelastase-like protease which hydrolyses host nematode protein *in situ*. *Microbiology* 140: 2715-2723.
- Siddiqui, I.A. and S. Ehteshamul-Haque. 2001. Suppression of the root rot-root knot disease complex by *Pseudomonas aeruginosa* in tomato: The influence of inoculum density, nematode populations, moisture and other plant-associated bacteria. *Plant and Soil* 237 : 81-89.
- Siddiqui, I.A., S.A . Qureshi., V. Sultana., S. Ehteshamul-Haque, and A. Ghaffar. 2000. Biological control of root-knot disease complex of tomato. *Plant and Soil* 227: 163-169.
- Sikora, R. A. 1992. Management of the antagonistic potential in agriculture ecosystems for the Biological control of plant parasitic nematodes. *Annual Review of Phytopathology* 30: 245-247.

- Skouboe, P., J.C. Frisvad, J. W. Taylor, D. Lauritsen, M. Boysen, and L. Rossen. 1999. Phylogenetic analysis of nucleotide sequences from the ITS region of tervercillate *Penicillium* species. *Mycology Research* 103: 873-881.
- Somogyi, M. 1952. Notes on sugar determination. *Journal of Biological Chemistry*. 195: 19-23.
- Sosa-Moss, C. 1985. Report on the status of *Meloidogyne* research in Mexico, Central America and the Caribbean countries. pp. 327-346. In Sasser, J.N., and C.C. Carter (eds.). *An Advanced treatise on Meloidogyne*, Vol. 1. Biology and control. North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- Stirling, G. R. 1984. Biological control of *Meloidogyne javanica* with *Bacillus penetrans*. *Phytopathology* 74: 55-60.
- Stirling, G. R. 1991. Biological control of plant parasitic nematodes : progress, problems and prospects. Redwood Press Ltd.: Melksham.
- Stirling, G. R. and R. Mankau. 1978. Parasitism of *Meloidogyne* eggs by a new fungal parasite. *Journal of Nematology* 10: 236-240.
- Stirling, G. R. and R. Mankau. 1979. Mode of parasitism of *Meloidogyne* and other nematode eggs by *Dactylella oviparasitica*. *Journal of Nematology* 11: 282-288.
- Stirling, G. R., M. V. McKenry, and R. Mankau. 1979. Biological control of root-knot nematodes (*Meloidogyne* spp.) on peach. *Phytopathology* 69: 806-809.
- Sun, M.H., L. Gao., Y.X. Shi., B.J. Li., and X.Z. Liu. 2006. Fungi and actinomycetes associated with *Meloidogyne* spp. eggs and females in China and their biocontrol potential. *Journal of Invertebrate Pathology* 93: 22-28.
- Takaya, N., D. Yamasaki., H. Ohta, and M. Takagi. 1998. Intracellular chitinase gene from *Rhizopus oligosporus*: Molecular cloning and characterization. *Microbiology* 144: 2647-2654.
- Talavera, M., K. Itou, and T. Mizukubo. 2002. Combined application of *Glomus* sp. and *Pasteuria penetrans* for reducing *Meloidogyne incognita* (Tylenchida: Meloidogynidae) populations and improving tomato growth. *Applied Entomology and Zoology* 37: 161-167.

- Taylor, A. L. and J. N. Sasser. 1978. Biological identification and control of root-knot nematodes (*Meloidogyne* speices). North Carolina State University and U.S. Agency for International Development., Raleigh, North Carolina.
- Tedford, E.C. and B.A. Fortnum. 1988. Weed hosts of *Meloidogyne arenaria* and *M. incognita* common in tobacco fields in South Carolina. *Annals of Applied Nematology* 22: 102-105.
- Tedford, E.C., B.A. Jaffee., A.E. Muldoon., C.E. Anderson, and B.B. Westerdahl. 1993. Parasitism of *Heterodera schachtii* and *Meloidogyne javanica* by *Hirsutella rhossiliensis* in microplots over two growing seasons. *Journal of Nematology* 25(3): 427-433.
- Thienhirun, P. 1997. Efficacy of *Trichoderma* spp. in controlling root-knot nematode (*Meloidogyne incognita*). PH.D. Thesis, Kasetsart University.
- Thomas, S.H., L.W. Murray, and M. Cardenas. 1995. Relationship of preplant population densities of *Meloidogyne incognita* to damage in three chile pepper cultivars. *Plant Disease* 79: 557-559.
- Thorne, G. 1961. Principles of Nematology. McGraw-Hill Book Co.: New York.
- Tikhonov, V.E., L.V. Lopez-Llorca., J. Salinas, and H.B. Jasson. 2002. Purification and characterization of chitinases from the nematophagous fungi *Verticillium chlamydosporium* and *V. suchlasporium*. *Fungal Genetics and Biology* 35: 67-78.
- Tuite, J. 1969. Plant pathology methods: Fungi and bacteria. Burgess Publishing Company: Minneapolis.
- Verdejo-Lucas,S., F.J. Sorribas, C. Ornat, and M. Galeano. 2003. Evaluating *Pochonia chlamydosporia* in double-cropping system of lettuce and tomato in plastic house infested with *Meloidogyne jacanica*. *Plant Pathology* 52: 521-528.
- Viaene, N. M. and G. S. Abawi. 1998. Fungi parasitic on juveniles and egg masses of *Meloidogyne hapla* in organic soil from New York. Supplement to the *Journal of Nematology* 30: 632-638.
- Vilgalys lab. 1994. Conserved primer sequences for PCR amplification and sequencing from nuclear ribosomal RNA. (cited 5 March 2006). Available from: URL: <http://www.biology.Duck.edu/fungi/mycolab/primers.html>.

- Volckaert, G., P. Verhasselt, M. Voet, and J. Robben. 1993. DNA sequencing, pp. 257-316. *In* Rehm, H.-J., and G. Reed (eds.), *Biotechnology*, 2nd Completely revised edition. VCH Verlagsgesellschaft mbH: Weinheim.
- Watson, J.D., T.A. Baker, S.P. Bell, A. Gann, M. Levine, and R. Losick. 2004. *Molecular biology of the gene*, 5th Edition. Pearson Education Inc.: San Francisco.
- Weibelzahl-Fulton, E., D.W. Dickson, and E. B. Whitty, 1996. The suspension of *Meloidogyne incognita* and *Meloidogyne javanica* by *Pasteuria penetrans* in tobacco field soil. *Journal of Nematology* 28: 43-49.
- Wharton, D.A. 1986. *A functional biology of nematodes*. Biddles Ltd.: Guildford and King's Lynn.
- White, T.J., T. Bruns, S. Lee, and J. Taylor. 1990. Amplification and direct sequencing of fungal ribosomal DNA for phylogenetics, pp. 315-322. *In* M. A. Innes, D. H. Gelfand, J. J. Sninsky and T. J. White (eds.) *PCR protocols: a guide to methods and applications*. Academic Press, Inc.: San Diego, Calif.
- Wilson, R.K. and E.R. Mardis. 1997. Fluorescence-based DNA sequencing, pp. 301-395. *In* Birren, B., E.D. Green, S. Klapholz, R.M. Myers, and J. Roskams (eds.), *Genome analysis: a laboratory manual, Analyzing DNA vol. 1*. Cold Spring Harbor Laboratory Press: New York.
- Windham, G. L., M.T. Windham, and G.A. Pederson. 1993. Interaction of *Trichoderma harzianum*, *Meloidogyne incognita* and *Meloidogyne arenaria* on *Trifolium repens*. *Nematropica* 23: 99-103.
- Yang, S.S. and Y. Wang. 1999. Protease and amylase production of *Streptomyces rimosus* in submerged and solid state cultivations. *Bot. Bull. Acad. Sin.* 40: 259-265.
- Zare, R. and W. Gams. 2004. A monograph of *Verticillium* section *Prostrata*. Rostaniha. No3. Agriculture Research & Education Organization: Iran.
- Zareen, A., I.A. Siddiqui., F. Aleem., M.J. Zaki and S.S. Shaukat. 2001. Observations the nematicidal effect of *Fusarium solani* on the root-knot nematode, *Meloidogyne javanica*. *Journal of Plant Pathology* 83: 207-214.
- Zuckerman, B.M., M. Matheny, and N. Acosta. 1994. Control of plant-parasitic nematodes by nematicidal strain of *Aspergillus niger*. *Journal of chemical ecology* 20: 33-43.