

## รายการอ้างอิง

### ภาษาไทย

วรศักดิ์ โชติเลอศักดิ์. 2547. โรคพันธุกรรมเมแทบอลิก: แนวทางการวินิจฉัยและดูแลรักษา. ใน พันธุศาสตร์คลินิกในเด็ก, หน้า 189. กรุงเทพมหานคร: เท็กซ์ แอนด์ เจอร์นัล พับลิเคชั่น.

### ภาษาอังกฤษ

- Caldwell, E. F., Mayor, L. R., Thomas, M. G., Danpure, C. J. 2004. Diet and the frequency of the alanine:glyoxylate aminotransferase Pro11Leu polymorphism in different human populations. *Hum. Genet.* 115:504-509.
- Cellini, B., Bertoldi, M., Montioli, R., Paiardini, A. and Voltattorni, C. B. 2007. Human wild-type alanine:glyoxylate aminotransferase and its naturally occurring G82E variant: functional properties and physiological implications. *Biochem J.*, 408:39-50.
- Coulter-Mackie, M. B., Lian, Q. and Wong, S. G. 2005. Overexpression of human alanine:glyoxylate aminotransferase in *Escherichia coli*: renaturation from guanidine-HCl and affinity for pyridoxal phosphate co-factor. *Protein Expression and Purification.* 41:18-26.
- Danpure, C. J. and Jennings, P. R. 1986. Peroxisomal alanine:glyoxylate aminotransferase deficiency in primary hyperoxaluria type I. *FEBS Lett.* 201:20-24.
- Danpure, C. J., Cooper, P. J., Wise, P. J. and Jennings, P. R. 1989. An enzyme trafficking defect in two patients with primary hyperoxaluria type 1: peroxisomal alanine/glyoxylate aminotransferase rerouted to mitochondria. *J Cell Biol.* 108:1345-1352.
- Danpure, C. J., Purdue, P. E., Fryer, P., Griffiths, S., Allsop, J., Lumb, M. J., et al. 1993. Enzymological and mutational analysis of a complex primary hyperoxaluria type 1 phenotype involving alanine:glyoxylate aminotransferase peroxisome-to-mitochondrion mistargeting and intraperoxisomal aggregation. *Am J Hum Genet.* 53:417-432.

- Danpure, C. J., Scriver, C. R., Beauder, A. L., Sly, W. S., Valle, D., Childs, B., et al. Hyperoxaluria. in *The Metabolic and Molecular Bases of Inherited Disease*, 8th edition. pp.3323-3367. New York: McGraw Hill.
- Danpure, C. J. and Rumsby, G. 2004. Molecular aetiology of primary hyperoxaluria and its implications for clinical management. *Expert Rev Mol Med*. 6:1-16.
- Danpure, C. J. 2005. Primary hyperoxaluria: from gene defects to designer drugs?. *Nephrol Dial Transplant*. 20:1525-1529.
- Danpure, C. J. 2006. Primary hyperoxaluria type 1: AGT mistargeting highlights the fundamental differences between the peroxisomal and mitochondrial protein import pathways. *Biochimica et Biophysica Acta*. 1763:1776-1784.
- Harambat, J., Fargue, S., Bacchetta, J., Acquaviva, C. and Cochat, P. 2011. Primary Hyperoxaluria. *Int J Nephrol*. 2011:1-11.
- Heijne, G. Von. 1986. Mitochondrial targeting sequences may form amphiphilic helices. *EMBO J*. 5:1335-1342.
- Hoppe, B. and Langman, C. B. 2003. A United States survey on diagnosis, treatment, and outcome of primary hyperoxaluria. *Pediatr Nephrol*. 18:986-991.
- Lumb, M. J., Drake, A. F. and Danpure, C. J. 1999. Effect of N - terminal  $\alpha$  - helix formation on the dimerization and intracellular targeting of alanine:glyoxylate aminotransferase. *J Biol Chem*. 274:20587-20596.
- Lumb, M. J. and Danpure, C. J. 2000. Functional synergism between the most common polymorphism in human alanine:glyoxylate aminotransferase and four of the most common disease-causing mutations. *J Biol Chem*. 275:36415-36422.
- Masyuk T. V., Huang B. Q., Ward C. J., Masyuk A. I., Yuan D., Splinter P. L., et al. 2003. Defects in cholangiocyte fibrocystin expression and ciliary structure in the PCK rat. *Gastroenterology* 125:1303–1310.
- Motley, A., Lumb, M. J., Oatey, P. B., Jennings, P. R., De Zoysa, P. A., Wanders, R. J., Tabak, H. F. and Danpure, C. J. 1995. Mammalian alanine/glyoxylate aminotransferase 1 is imported into peroxisomes via the PTS1 translocation pathway. Increased degeneracy and context specificity of the mammalian PTS1

- motif and implications for the peroxisome-to-mitochondrion mistargeting of AGT in primary hyperoxaluria type 1. *J Cell Biol.* 131:95-109.
- Purdue, P. E., Takada, Y. and Danpure, C. J. 1990. Identification of mutations associated with peroxisome-to-mitochondrion mistargeting of alanine:glyoxylate aminotransferase in primary hyperoxaluria type 1. *J Cell Biol.* 111:2341-2351.
- Purdue, P. E., Lumb, M. J., Fox, M., Griffo, G., Hamon-Benais, C., Povey, S. et al. 1991. Characterization and chromosomal mapping of a genomic clone encoding human alanine:glyoxylate aminotransferase. *Genomics.* 10:34-42.
- Purdue, P. E., Lumb, M. J., Allsop, J., Minatogawa, Y. and Danpure, C. J. 1992. A glycine-to-glutamate substitution abolishes alanine:glyoxylate aminotransferase catalytic activity in a subset of patients with primary hyperoxaluria type 1. *Genomics.* 13:215-218.
- Rumsby, G., Weir, T. and Samuelli, C. T. 1997. A semiautomated alanine:glyoxylate aminotransferase assay for the tissue diagnosis of primary hyperoxaluria type 1. *Ann Clin Biochem.* 34:400-404.
- Santana, A., Salido, E., Torres, A. and Shapiro, L. J. 2003. Primary hyperoxaluria type 1 in the Canary Islands: a conformational disease due to I244T mutation in the P111L-containing alanine:glyoxylate aminotransferase. *Proc Natl Acad Sci U S A.* 100:7277-7282.
- Takada, Y., Kaneko, N., Esumi, H., Purdue, P. E. and Danpure, C. J. 1990. Human peroxisomal L-alanine: glyoxylate aminotransferase. Evolutionary loss of a mitochondrial targeting signal by point mutation of the initiation codon. *Biochem J.* 268:517-520.
- Tantbirojn, P., Kittikowit, W., and Kingwattanakul, P. 2007. Primary hyperoxaluria. *J Med Assoc Thai.* 90:1669-1672.
- Walter, M. J. and Dang, C. V. 1998. Pancytopenia secondary to oxalosis in a 23-year-old woman. *Blood.* 91:4394.
- Wasant, P., Svasti, J., Srisomsap, C. and Liammongkolkul S. 2002. Inherited metabolic disorders in Thailand. *J Med Assoc Thai.* 85:700-709.

- Williams, E. L., Acquaviva, C., Amoroso, A., Chevalier, F., Coulter-Mackie, M., Monico, C. G., et al. 2009. Primary hyperoxaluria Type 1: Update and Additional Mutation Analysis of the AGXT Gene. *Human Mutation*. 30:910-917.
- Woerden, C. S., Groothoff, J. W., Wanders, R. J., Davin, J. C. and Wijburg, F. A. 2003. Primary hyperoxaluria type1 in The Netherlands: prevalence and outcome. *Nephrol Dial Transplant*. 18:273-279.
- Zhang, X., Roe, S. M., Hou, Y., Bartlam, M., Rao, Z., Pearl, L. H. et al. 2003. Crystal structure of alanine:glyoxylate aminotransferase and the relationship between genotype and enzymatic phenotype in primary hyperoxaluria type 1. *J Mol Biol*. 331:643-652.