

เอกสารอ้างอิง

- กลิน ศุภบรม. 2534. การใช้ผลิตภัณฑ์กำจัดแมลงในบ้านเรือน. ใน : การพ่นเคมีควบคุม
ยุงลาย, หน้า 56-61. กรุงเทพฯ : กองกีฏวิทยาทางแพทย์
กรมวิทยาศาสตร์การแพทย์.
- _____. 2535. กรมวิทยาศาสตร์การแพทย์พัฒนาเครื่องทดสอบการใช้สารกำจัดยุง.
ข่าวกรมวิทยาศาสตร์การแพทย์. 6(4) : 10-12.
- โครงการพัฒนาเทคนิคการทำสมุนไพร. 2524. การใช้สมุนไพร เล่ม 2. กรุงเทพฯ :
บริษัทมวลชน จำกัด.
- จรรยา พรหมชุม. 2530. วัชพืชในภาคตะวันออกเฉียงเหนือ 1. แมงลักป่า. แก่นเกษตร.
15(5) : 201-204.
- ชุมศักดิ์ พงษ์พานิช. 2533. ใช้เลือดออก : สถานการณ์ปัจจุบันและข้อมูลทางเทคนิค.
กสิกรรม. 14(9) : 21-23.
- ดร. เพ็ชรพลาย, จารีย์ บันลือ, ฤดีรา จันทรสุวานิชย์, ประถม ทองศรีรักษ์ และ
ชาติรี ชาญประเสริฐ. 2533. สมุนไพรพื้นบ้านฉบับรวม. กรุงเทพฯ : กองวิจัยและ
พัฒนาสมุนไพร กรมวิทยาศาสตร์การแพทย์.
- ทิตยา จิตติहरษา. 2532. การใช้สารเคมีธรรมชาติไล่แมลง. ว. กีฏ. สัตว.
11(2) : 78-86.
- ทวีผล เดชาติวงศ์ ณ อยุธยา. 2522. วิธีเตรียมขี้ผึ้งโพลีเอทาป้องกันยุงกัด. ว.กรมวิทย์.พ.
21(3) : 187-191.
- ธาวดี ผ่องลักษณ์. 2524. พืชที่ใช้ฆ่าแมลงและไล่แมลง. ว.วิทยาศาสตร์.
35(8) : 559-569.
- ธำรงค์ ผลชีวิน และ ประคอง พันธุ์อุไร. 2524. ผลของสารละลายสารส้มต่อการตายของ
ลูกน้ำยุงลาย *Aedes aegypti* L. ในห้องปฏิบัติการ. ว. กรมวิทย์.พ. 22(3) :
81-86.
- ธวัชชัย สัตติสุข. 2521. พันธุ์ไม้ป่าที่ให้น้ำมันหอมระเหยในประเทศไทย. ว.วิทยาศาสตร์.
ปีที่ 32 (2-3) : 47-58.

- นิจศิริ สัตติสุข. 2534. เครื่องเทศ. กรุงเทพฯ : โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย.
- นันทวัน บุณยะประภัทร. 2530. ก้าวไปกับสมุนไพร. เล่ม 1. กรุงเทพฯ : ธรรมกมลการพิมพ์.
- _____. 2531. ก้าวไปกับสมุนไพร. เล่ม 2. กรุงเทพฯ : ธรรมกมลการพิมพ์.
- นิภา เบญจพงศ์. 2529. การจำแนกชนิดของยุงที่มีความสำคัญในประเทศไทยอย่างง่าย ๆ.
ว. กรมวิทย. พ. 28(4) : 459-471.
- นิโรบล วาณิชชา. 2527. การศึกษาประสิทธิภาพของสมุนไพรบางชนิดใช้ทาป้องกันยุงพาหะ
ไข้มาลาเรีย. วารสารโรคติดต่อ. 10(2) : 135-143.
- บัญญัติ สุขศรีงาม. 2527. เครื่องเทศที่ใช้เป็นสมุนไพร เล่ม 2. กรุงเทพฯ :
โรงพิมพ์อมรการพิมพ์.
- บุญล้วน พันธุมจินดา. 2515. ยุงลาย. ว.กรมวิทย.พ. 14(1) : 47-54.
- _____. 2526. ปัญหาใช้เลือดออกในบ้านเรา. ว.กรมวิทย.พ. 25(3) :
175-183.
- บรรยง มาตย์คำ, วิรัตน์ สมุทรพงษ์, สมเกียรติ บุญยะบัญชา, ธารงค์ ผลชีวิน และบุญล้วน
พันธุมจินดา. 2530. การใช้ไม้ทาทบรินเพื่อควบคุมยุงลายในระดับหมู่บ้าน.
ว.กรมวิทย.พ. 29(4) : 317-327.
- ประคอง พันธุ์อุไร. 2520. การศึกษาสารป้องกันยุง. ว. กรมวิทย. พ. 19(2) : 115-118.
- _____. 2528. ชีววิทยาและนิเวศวิทยาของยุงลาย ยุงรำคาญ และยุงพาหะ
นำโรคใช้สมองอีกเสบ ใน : การควบคุมแมลงที่สำคัญทางการแพทย์, หน้า 6-24.
กรุงเทพฯ : โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย จำกัด.
- ประคอง พันธุ์อุไร และบุญล้วน พันธุมจินดา. 2519. การสำรวจแหล่งเพาะพันธุ์และ
นิสัยการกัดของยุงลาย (*Aedes aegypti*) ในกรุงเทพฯ ธนบุรี พ.ศ. 2516-2517.
ว.กรมวิทย.พ. 18(3) : 81-91.
- _____. 2522. การเปลี่ยนแปลงความชุกชุมของยุงลาย
หลังไล่ยุง เบทาไนซาคูกันแมด และปล่อยปลาหางนกยูงในตม่น้ำ. ว.กรมวิทย.พ. 21(3) :
173-185.
- ประเสริฐ ทองเจริญ. 2520. ใช้เลือดออก. กรุงเทพฯ : อักษรสมัย.
- พงษ์สิทธิ์ กิตติบำรุงสุข. 2523. การศึกษาน้ำมันหอมระเหยจากพืชบางชนิดที่มีผลต่อแมลงวัน
ผลไม้. วิทยานิพนธ์ปริญญาโทมหาบัณฑิต. บัณฑิตวิทยาลัย มหาวิทยาลัยเกษตรศาสตร์.

พูนยศ เรี่ยวแรงบุญญา และบุญล้วน พันธุมจินดา. 2520. การใช้เกลือใส่ในจานรองขาตู้กันมด เพื่อควบคุมมยุงลาย. ว.กรมวิทย์.พ. 19(3) : 157-161.

พยอม ตันติวัฒน์. 2521. สมุนไพร. กรุงเทพฯ : สมาคมสมุนไพรแห่งประเทศไทย.

พร้อมจิต ศรลัมพ์, รุ่งระวี เต็มศิริฤกษ์กุล, วงศ์สกิตร์ ฉั่วกุล, อาทร รื่นไพบูลย์, สมภพ ประธานธรรารักษ์, จุฑามณี จารุจินดา และ เพชรรัตน์ พงษ์เจริญสุข. 2535.

สมุนไพรสวนสิริรุกษชาติ. กรุงเทพฯ : บริษัท อมรินทร์พริ้นติ้งกรุ๊ป จำกัด.

ลัดดาวัลย์ บุณรัตน์กรกิจ และณอมจิต สุภาวิดา. 2526. ชื่อพืชสมุนไพรและประโยชน์.

กรุงเทพฯ : แผนกวิชาเภสัชพฤกษศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

วิรัตน์ สมุทรพงษ์. 2528. เคมี่ฆ่าแมลง เครื่องพ่นเคมี และวิธีใช้ที่ถูกต้อง. ใน การควบคุมแมลงที่สำคัญทางการแพทย์, หน้า 82-102. กรุงเทพฯ : โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย จำกัด.

ศศิธร วสุวัต, ทวีศักดิ์ สุนทรธนาศาสตร์, ศิริเพ็ญ จริเกษม, ณัฐมาศ พุฒศรี, อัจฉราพร พันธุ์รักสวงศ์, ศิรินันท์ จันทร และ อินเเสน คล่องการงาน. 2533. ประสิทธิภาพป้องกันยุงกัดของครีมตะไคร้หอม วท.วิทยาศาสตร์และเทคโนโลยี. 5(2) : 62-68.

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม. 2529ก. มาตรฐานผลิตภัณฑ์อุตสาหกรรมยาทาป้องกันยุง.

กรุงเทพฯ : สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม กระทรวงอุตสาหกรรม.

_____. 2529ข. ร่างมาตรฐานผลิตภัณฑ์อุตสาหกรรมยาฉีด

พ่นฆ่ายุงและแมลงวันในบ้านเรือน. กรุงเทพฯ : สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม กระทรวงอุตสาหกรรม.

สุจิตรา นิยมานนิตย์. 2528. โรคไข้เลือดออก. ใน การควบคุมแมลงที่สำคัญทางการแพทย์, หน้า 141-149. กรุงเทพฯ : โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย จำกัด.

สุธรรม อารีกุล, ประเทืองศรี ลินชัยศรี และ แสน ตักวัฒนานนท์. 2530. การวิจัยเพื่อค้นหาพืชไทยที่มีคุณสมบัติในการป้องกันและกำจัดแมลงวันทอง. กรุงเทพฯ : โครงการหลวงภาคเหนือ มหาวิทยาลัยเกษตรศาสตร์.

สุภาณี พิมพ์สมาน. 2532. พืช : แหล่งของสารเคมีธรรมชาติในการป้องกันกำจัดแมลง.

แก่นเกษตร. 17(6) : 370-372.

สมเกียรติ บุญยะบัญชา. 2528. การควบคุมยุงลาย. ใน การควบคุมแมลงที่สำคัญทางการแพทย์, หน้า 70-81. กรุงเทพฯ : โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย จำกัด.

- สมเกียรติ บุญยะบัญชา และบรรยง มาตย์คำ. 2529. แหล่งเกาะพักของยุงลายภายในบ้านเรือนจังหวัดระยอง. ว.กรมวิทย.พ. 28(4) : 378-385.
- สมเกียรติ บุญยะบัญชา และวิรัตน์ สมุทรพงษ์. 2528. ผลของสารละลายน้ำส้มสายชูต่อการตายของลูกน้ำยุงลาย. ว.กรมวิทย.พ. 27(3) : 251-256.
- สิริกา แสงธราทิพย์. 2530. พืชสมุนไพรไล่ยุง. กรุงเทพฯ : ฝ่ายโรคติดต่อไวรัสและโรคติดเชื้อ กองโรคติดต่อทั่วไป.
- สุรพล วิเศษสรรค์. 2528. แนวโน้มการนำสารพิษที่สกัดได้จากพืชตามธรรมชาติมาทดแทนสารเคมี. ข่าวสารวัดภูมิพิช. 12(2) : 58-67.
- อุดมลักษณ์ อุ่นจิตต์วารณะ. 2526. น้ำมันตะไคร้. ข่าวสารวัดภูมิพิช. 10(5) : 157-160.
- _____. 2534. น้ำมันหอมระเหยจากพืชใช้เป็นวัดภูมิพิช. ข่าวสารวัดภูมิพิช. 18(3) : 125-128.
- อุษาวดี กวาระ และประคอง พันธุ์อุไร. 2524. ผลของสารละลายปูนแดงต่อการตายของลูกน้ำยุงลาย (*Aedes aegypti*) ในห้องปฏิบัติการ. ว.กรมวิทย.พ. 23 (3) : 135-141.
- Abbott, W.S. 1925. A method of computing the effectiveness of an insecticide. J.Econ.Entomol. 18 : 265-267.
- Balatrín M.F., J.A. Lloco, E.S. Wurtele and W.H. Bolongar. 1985. Natural plant chemicals : Sources of industrial and medicinal materials. Science. 228 : 1154-1160.
- Bang, Y.H. and C.P. Pant. 1972. A field trial of abate larvicide for the control of *Aedes aegypti* in Bangkok, Thailand. Bull.Wld.Hlth.Org. 46 : 416-425.
- Bang, Y.H. and R.J. Tonn. 1969. Effectiveness of different insecticides and formulations against *Aedes aegypti* larvae in ant traps in Bangkok, Thailand. Bull.Wld.Hlth.Org. 41 : 320-324.
- Bowers, W.S., R. Nishida. 1980. Juvocimenes : Potent juvenile hormone mimics from sweet basil. Science. 209 : 1030 - 1031.
- Brown, A.W.A. 1973. Surveillance system for *Aedes aegypti* and related stegomyia mosquitoes in terms of density. WHO/VBC/73.464.

- Busvine, J.R. 1971. A critical review of the techniques for testing insecticide. London : Commonwealth Agricultural Bureaux.
- Chowanadisai, L., N. Benjaphong and B. Phanthumachinda. 1984. Laboratory observation on *Toxorhynchites splendens* Wiedeman in Thailand. Southeast Asian J. Trop. Med. Pub. Hlth. 15 : 337-341.
- Feeny, P. 1985. Coevolution of plants and insects. In Natural products for innovative pest management, pp. 167-185. Whitehead, D.L. and W.S. Bowers, eds. Oxford : Pergamon Press.
- Finney, D.J. 1962. Probit analysis. London : Cambridge University Press.
- _____. 1971. Probit analysis. London : Cambridge University Press.
- Gomez, K.A. and A.A. Gomez. 1984. Statistical procedures for agricultural research. 2nd ed. New York : John Wiley and Sons.
- Gouck, H.K. and C.E. Schreck. 1965. An olfactometer for use in the study of mosquito attractants. J. Econ. Entomol. 58 (3) : 589-590.
- Grainge, M. and S. Ahmed. 1988. Handbook of plants with pest-control properties. United States of America : John Wiley and Sons. Inc.
- Granett, P. and E.B. Starnes. 1960. Screening chemical repellents. In Methods of testing chemicals on insects, pp. 101-119. Shepard, H.H. ed. United States of America : Burgess Publishing Company.
- Harinasuta, C. 1984. Mosquito-borne diseases in southeast Asia. Mosquito-Borne Dis. Bull. 1(1) : 1-11.
- Heinrichs, E.A., S. Chelliah, S.L. Valencia, M.B. Arceo, L.T. Fabellar, G.B. Aquino and S. Pickin. 1981. Manual for testing insecticides on rice. Philippines : International rice research institute.

- Jacobson, M. 1989. Botanical pesticides past, present and future, pp. 1-9. In Arnason, J.T., B.J.R. Philogene, P. Morand. Eds. Insecticide of plant origin. Washinton D.C. : American Chemistry Society.
- Lawrence, B.M., J.W. Hogg, S.J. Terhune and N. Pichitakul. 1972. Essential oils and their constituents. IX. The oils of *Ocimum sanctum* and *Ocimum basilicum* from Thailand. The Flavour Industry. January : 47-49.
- Lee, H.L. and W.H. Cheong. 1987. Field evaluation of the efficacy of *Bacillus thuringiensis* H-14 for the control of *Aedes* (Stegomyia) albopictus (Skuse). Mosquito-Borne Dis.Bull. 3 (3) : 57-63.
- Loong, K.P., S. Naidu, E.S. Thevasagayam and W.H. Cheong. 1985. Evaluation of the effectiveness of permethrin and DDT impregnated bed-nets against *Anopheles maculatus*. Southeast Asian J.Trop.Med.Pub.Hlth. 16 (4) : 554-559.
- Mansour, F., U. Ravid and E. Putievsky. 1986. Studies of the effects of essential oils isolated from 14 species of Labiatae on the carmine spider mite, *Tetranychus cinnabarius* Phytoparasitica. 14 : 137-142.
- Majori, G., G. Sabatinelli and M. Coluzzi. 1987. Efficacy of permethrin-impregnated curtains for malaria vector control. Medical and Veterinary Entomology. 1 : 185-192.
- Mount, G.A., D.G. Haile, N.W. Pierce and K.F. Baldwin. 1987. Aerasols of permethrin and propoxur for control of adult mosquitoes. Mosquito News. 38 (1) : 38-42.
- Musui, K. and H. Kochi. 1974. Camphor and tricyclodecane in deodorants and insect repelling compositions. CA 82 : 165913 F.

- Pant, C.P. 1979. Methods for Surveillance and control of vectors of Dengue Haemorrhagic Fever. New Delhi : Research study group meeting on DHF epidemiology.
- Pant, C.P., G.A. Mount, S. Jatanasen, and H.L. Mathis. 1971. Ultra-low-volume ground aerosols of technical malathion for the control of *Aedes aegypti* L. Bull.Wld.Hlth.Org. 45 : 805-817.
- Pant, C.P. and M. Yasuno. 1970 a. Indoor resting sites of *Aedes aegypti* in Bangkok, Thailand. WHO/VBC/ 70.235.
- _____. 1970 b. Field studies on the gonotrophic cycle of *Aedes aegypti* the vector of dengue haemorrhagic fever in Bangkok, Thailand. WHO/VBC/ 70.242.
- Phanthumachinda, B., and P. Wattanachai. 1978. Effectiveness of methoprene (altosid) in water jars in Bangkok, Thailand for the control of *Aedes aegypti* (L.). WHO/VBC/78.699.
- Roberts, R.H. 1983. Evaluation of cypermethrin as an ULV cold aerosol against caged mosquitoes. Mosquito News. 43 (2) : 156-158.
- Ross, H.H., C.A. Ross, J.R.P. Ross. 1982. A textbook of entomology. New York : John Wiley & sons.
- Rutledge, L.C., D.M. Collister, V.E. Meixsell, and G.H.G. Eisenberg. 1985. Comparative sensitivity of representative mosquitoes (Diptera :Culicidae) to repellents. J. Med. Entomol. 20(5) : 506-510.
- Samutrapongse, W., and C.P. Pant. 1973. Sequential application of ULV sumithion for sustained control of *Aedes aegypti* Linn. use for Fontan a back pack portable mist blower. WHO.VBC/73.432.
- Service, M.W. 1983. Mosquito control. In : Pest and vector management in the tropics, pp. 265-280. Youdeowei, A and M.W. Service, eds. pp. 265-280. London : Longman.

- Sharma, R.N. and K.N. Sexena. 1974. Orientation and developmental inhibition in the housefly by certain terpenoids. J. Med. Entomol. 11(5) : 617-621.
- Sheppard, P.M., W.W. Macdonald, R.J. Tonn and B. Grab. 1969. The dynamics of an adult population of *Aedes aegypti* in relation to dengue haemorrhagic fever in Bangkok. J. Anim. Ecol. 38 : 661-702.
- Sholdt, L.L., C.E. Schreck, A. Qureshi, S. Mammino, A. Azia and M. Iqbal. 1988. Field bioassays of permethrin-treated uniforms and A new extended duration repellent against mosquitoes in Pakistan. Journal of American Mosquito Control Association. 4 (3) : 233-236.
- Skovmand, O. 1988. Novo : The computer program for probit analysis. Denmark : Novo Alle.
- Southwood, T.R.E., G. Murdie, M. Yasuno, and R.J. Tonn. 1972. Studies on the life budget of *Aedes aegypti* in Wat Samphaya, Bangkok, Thailand. Bull. Wld. Hlth. Org. 46 : 211-266.
- Tanataranit, P. and P. Jiratrangan. 1985. Formulation of herbal mosquito repellent cream. Special project submitted in part fulfilment for the degree of Bachelor of Pharmacy. Faculty of Pharmacy, Mahidol University.
- Verma, M. M. 1981. The isolation and identification of a cockroach repellent in bay leaves and a fluorescence method for determination of protein in wheat. Diss Abstr Int B. 41 : 4514.
- Wirat, S., B. Somkiat, M. Banyong, G. Monkol, R. Poonyos, and P. Boonluan. 1982. Tests of insecticides applied by ULV ground and thermal fogging equipment for the control of *Aedes aegypti* in Thailand. WHO/VBC/82.869.

- Wirtz, R.R., J.D. Turrentine, and L.C. Rutledge. 1980. Mosquito area repellents : Laboratory testing of candidate materials against *Aedes aegypti*. Mosquito News. 40(3) : 432-439.
- World Health Organization. 1981. Instruction for determining the susceptibility or resistance of adult mosquitoes to organochlorine, organophosphate and carbamate insecticides-diagnostic test. WHO/VBC/81.806.
- Xaasan, C.C., S.P. Franco Piozzi, J.P. Schmid. 1981. Constituents of the essential oil of *Ocimum canum*. J. Nat. Prod. 44 : 752-753.
- Yasuno, M., and R.J. Tonn. 1970 b. Bionomics of *Toxorhynchites Splendens* in the larval habitats of *Aedes aegypti* in Bangkok, Thailand. Bull.Wld.Hlth.Org. 43 : 762-766.
- Zhung-Ming, T. and D.J. Finney. 1984. Quant 13 : The computer program assays based on quantal responses, Version of 85.03.19.