

เอกสารอ้างอิง

- จิตตานันท์ ศรีสุวรรณ. (2550). ผลของการเตรียมคลอดโดยให้ครอบครัวมีส่วนร่วมต่อความรู้ความวิตกกังวล ระดับความเจ็บปวด และพฤติกรรมการเผชิญความเจ็บปวดของมารดาวัยรุ่นครรภ์แรก. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลครอบครัว, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- เจือกุล อโนธารมณ. (2546). การบรรเทาปวดโดยไม่ใช้ยา. วารสารพยาบาล, 52(2), 73-83.
- ฉวี เบาทรวง และ สุพิศ รุ่งเรืองศรี. (2537). ผลของการสัมผัสต่อการเผชิญความเจ็บปวดในระยะคลอดและการรับรู้ประสบการณ์การคลอด. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- ครรชนี ลิ้มประเสริฐ. (2539). ผลของดนตรีต่อการเผชิญความเจ็บปวดในระยะคลอดของผู้คลอดครรภ์แรก. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่และเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ธิดารัตน์ คำบุญ. (2551). พลังสัมผัส: พลังบำบัดจากกายสู่จิตใจ. พยาบาลสาร, 35(4): 77-85.
- บุญทวี สุนทรลัมศิริ, ศรีสมร ภูมนสกุล, และอรพินธ์ เจริญผล. (2553). ผลของการพยาบาลแบบสนับสนุนระดับประจักษ์ในระยะคลอดต่อความเครียดและการรับรู้ประสบการณ์การคลอดของมารดาวัยรุ่นครรภ์แรก. รามาธิบดีพยาบาลสาร, 15(3), 361-372.
- ประไพรัตน์ แก้วศิริ, สร้อย อนุสรณ์ธีรกุล, นิลุบล รุจิรประเสริฐ, และ วรณชนก จันทชุม. (2544). กิจกรรมการดูแลตนเองของมารดาวัยรุ่นในระยะคลอดตามการรับรู้ของตนเองและพยาบาล. วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น, 24(2), 33-42.
- พงศ์ภารดี เจาทะเกษตริน. (2547). แนวคิดและทฤษฎีความปวด. คณะแพทยศาสตร์ศิริราชพยาบาล: ทีมสัจจำกั.
- เขวลักษณ์ เสรีเสถียร. (2530). ความสัมพันธ์ระหว่างการรับรู้ประสบการณ์การคลอด อึดมโนทัศน์กับสัมพันธ์ภาพระหว่างมารดาและบุตรในมารดาที่มีภาวะเสี่ยง. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- รายงานเฉพาะกิจ โรงพยาบาลสายใยรักแห่งครอบครัว. (2553). อัตราแม่ที่มีอายุน้อยกว่า 20 ปีคลอดบุตร. สืบค้น ธันวาคม 6, 2553, จาก http://www.saiyairakhospital.com/newdemo/admin/user_report.html.

- ลักษณ์ สุวะจันทร์. (2551). *ความต้องการการดูแล การรับรู้พฤติกรรมการดูแล และความพึงพอใจในพฤติกรรม การดูแลที่ได้รับจากพยาบาลของหญิงตั้งครรภ์วัยรุ่น*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลมารดาและทารกแรกเกิด, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- วาริรัตน์ จิตติถาวร. (2552). *ผลของการนัดและสุคนธ์บำบัดต่อความเจ็บปวดในการคลอดของผู้คลอดครั้งแรก*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่และเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- วาสนา แหวนหล่อ. (2540). *ผลของการเตรียมมารดาเพื่อการคลอด ต่อการรับรู้ประสบการณ์การคลอดและสัมพันธภาพระหว่างมารดาและทารกในมารดาวัยรุ่น*. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์ บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- วิภารัตน์ สอดส่อง. (2548). *ผลของการพยาบาลแบบสนับสนุนประคับประคองในระยะคลอด ต่อพฤติกรรมการเผชิญความเจ็บปวด และการรับรู้เกี่ยวกับประสบการณ์การคลอดของมารดาครั้งแรก*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลมารดาและทารกแรกเกิด, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ศศิธร พุ่มดวง. (2546). *การลดปวดในระยะคลอดโดยไม่ใช้ยา*. *สงขลานครินทร์เวชสาร*, 21(4). 291-300.
- ศศิธร มณีแสง. (2538). *ความสัมพันธ์ระหว่างการสนับสนุนทางสังคม การรับรู้ประสบการณ์การคลอดกับการปรับตัวของมารดาวัยรุ่น*. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ศิริพร พงษ์โกคา. (2549). *การบรรเทาความเจ็บปวดในระยะคลอด*. ใน ศิริพร พงษ์โกคา, อรุณช เชาว์ปรีชา, ชลดา จันทร์ขาว, และพรทิพย์ ชีวะพัฒน์ (บรรณาธิการ), *การพยาบาลมารดาในระยะคลอด* (หน้า 32-43). กรุงเทพฯ: บางกอกบลู๊ต.
- ศรีสมร ภูมณสกุล, อรพินธ์ เจริญผล และเพลินพิศ พรหมรักษ์. (2548). *ผลของโปรแกรมการจัดการความเจ็บปวดแบบผสมผสานต่อความเจ็บปวดในระยะคลอด ระยะที่หนึ่งของการคลอด และประสบการณ์การคลอดของมารดาครั้งแรก*. *รามธิบดีพยาบาลสาร*, 11(3), 179-188.
- สมพิศ ดุษดี และชมพูนุช โสภากาจริย. (2551). *ผลของการเตรียมตัวคลอดที่เน้นผู้คลอดต่อการรับรู้ประสบการณ์การคลอดของผู้คลอดครั้งแรก*. *วารสารพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย*, 20(3), 8-19.

สุกัญญา ปรีชญกุล และ นันทพร แสนศิริพันธ์. (2550). *การพยาบาลสตรีในระยะคลอด*.

เชียงใหม่: โครงการตำรา คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

สุปราณี อัทธเสรี และ เขียวลักษณ์ เสรีเสถียร. (2531). *การศึกษาความสัมพันธ์ระหว่างปัจจัยบาง*

ประการกับการรับรู้ประสบการณ์การคลอด. ภาควิชาการพยาบาลสูติศาสตร์นรีเวชวิทยา,
คณะพยาบาลศาสตร์ มหาวิทยาลัยมหิดล.

สุพิศ ฌ เชียงใหม่. (2533). *ความสัมพันธ์ระหว่างเหตุการณ์ในชีวิต สัมพันธภาพของคู่สมรส การ*

สนับสนุนทางการพยาบาลและการรับรู้ประสบการณ์การคลอดของสตรีหลังคลอด.

วิทยานิพนธ์ปริญญาครุศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.

อารีย์วรรณ อ่วมตานี และสุชาดา รัชกุล. (2546). *การสนับสนุนทางการพยาบาลในการคลอดของ*

หญิงคลอดครั้งแรก. วารสารพยาบาลจุฬาลงกรณ์มหาวิทยาลัย, 15(2), 11-19.

อุดม เชาวรินทร์. (2551). *การตั้งครรภ์ในสตรีวัยรุ่น*. ใน *เยื้อน ดันนรินทร และ วรพงศ์ ภู่งศ์*

(บรรณาธิการ), เวชศาสตร์มารดาและทารกในครรภ์ (พิมพ์ครั้งที่ 2., หน้า 150-156).

กรุงเทพฯ: พิมพ์ดี จำกัด.

อุษา เชื้อหอม. (2534). *ผลของการเตรียมตัวคลอดต่อความวิตกกังวล ความเจ็บปวด ระยะเวลา*

คลอด และการรับรู้ประสบการณ์การคลอด. วิทยานิพนธ์ปริญญาวิทยาศาสตร

มหาบัณฑิต, สาขาวิชาพยาบาลศาสตร์ บัณฑิตวิทยาลัยมหาวิทยาลัยมหิดล.

Adams, E. D., & Bianchi, A. L. (2008). A practical approach to labor support. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 37(1), 106-115.

Ambadekar, N. N., Khandait, D. W., Zodpey, S. P., Kasturwar, N. B., & Vasudeo, N. D. (1999).

Teenage pregnancy outcome: A record based study. *Indian Journal of Medical Science*, 53(1), 14-17.

Arthur, A., Unwin, S., & Mitchell, T. (2007). Teenage mothers' experiences of maternity services:

A qualitative study. *British Journal of Midwifery*, 15(11), 672-677.

Ball, J. W., & Bindler, R. C. (2003). *Pediatric nursing: Caring for children* (3rd ed.). Upper

Saddle River, N.J.: Prentice Hall.

Birch, E. R. (1986). The experience of touch received during labor: Postpartum perceptions of

therapeutic value. *Journal Nurse Midwifery*, 31(6), 270-276.

Blackburn, S. T., & Loper, D. L. (1992). *Maternal, fetal and neonatal physiology*. Philadelphia:

W.B. Saunders.

- Bowers, B. B. (2002). Mothers' experiences of labor support: Exploration of qualitative research. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 31(6), 742-752.
- Browning, C.A. (2000). Using music during childbirth. *Birth*, 27(4), 272-276.
- Bryanton, J., Fraser-Davey, H., & Sullivan, P. (1994). Woman's perceptions of nursing support during labor. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 23(8), 638-644.
- Bryanton, J., Gagnon, A. J., Johnston, C., & Hatem, M. (2008). Predictors of women's perceptions of the childbirth experience. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 37(1), 24-34.
- Bunting, L., & McAuley, C. (2004). Research review: Teenage pregnancy and motherhood: The contribution of support. *Child and Family Social Work*, 9, 207-215.
- Burns, N., & Grove, S.K. (2005). *The practice of nursing research: Conduct, critique, and utilization* (5th ed.). St. Louis: Elsevier saunders.
- Bystrova, K., Ivanova, V., Edhborg, M., Matthiesen, A.S., Ransjo-Arvidson, A.B., Mukhamedrakhimov, R., Uvnas-Moberg, K., & Widstrom, A.M. (2009). Early contact versus separation: Effects on mother-infant interaction one year later. *Birth*, 36(2), 97-109.
- Callister, L. C. (1993). The role of the nurse in childbirth: Perceptions of the childbearing woman. *Clinical Nurse Specialist*, 7(6), 288-293.
- Callister, L.C., Vehvilainen-Julkunen, K., & Lauri, S. (1996). Cultural perceptions of childbirth: A cross-cultural comparison of childbearing women. *Journal of Holistic Nursing: Official Journal of the American Holistic Nurses' Association*, 4(1), 66-78.
- Campbell, D.A., Lake, M.F., Falk, M., & Backstrand, J.R. (2006). A randomized control trial of continuous support in labor by a lay doula. *Journal Obstetric, Gynecologic, and Neonatal Nursing*, 35(4), 456-464.
- Chang, M. Y., Chen, C. H., & Huang, K. F. (2006). A comparison of massage effects on labor pain using the McGill Pain Questionnaire. *The Journal Nursing Research*, 14(3), 190-197.
- Charlton, J. E. (2005). Pain in pregnancy and labor. *Core curriculum for professional education in pain* (3rd ed., pp. 1-5). Retrieved from <http://www.iasp-pain.org/AM/Template.cfm?Section=Home&Template=/CM/HTMLDisplay.cfm&ContentID=2307#TOC>.

- Cheung, W., Ip, W., & Chan, D. (2007). Maternal anxiety and feelings of control during labour: A study of Chinese first-time pregnant women. *Midwifery*, 23(2), 123–130.
- Corbett, C. A., & Callister, L. C. (2000). Nursing support during labor. *Clinical Nursing Research*, 9(1), 70-83.
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Hauth, J. C., Gilstrap III, L. C., & Wenstrom, K. D. (2005). *Williams obstetrics* (22nd ed.). New York: The McGraw-Hill Companies.
- Davidson, M. R., London, M. L., & Ladewig, P. A. W. (2008). Processes and stage of labor and birth. In M.R., Davidson, M.L., London, & Ladewig, P.A.W. (Eds.). *Old's maternal-newborn nursing and women's health across the lifespan* (8th ed., pp. 576-601). Saddle River, N.J.: Prentice Hall.
- D'Arcy, Y. (2007). Recognizing and easing procedural pain. *American Nurse Today*, 2(9), 11-13.
- Dick-Read, G. (2004). *Childbirth without fear: The principles and practice of natural childbirth*, London: Pinter & Martin.
- East, P. L., Slonim, A., Horn, E. J., Trinh, C., & Reyes, B. T. (2009). How an adolescent's childbearing affects siblings' pregnancy risk: A qualitative study of Mexican American youths. *Perspectives on Sexual and Reproductive Health*, 41(4), 210–217.
- Fessler, K. B., & Rackham, H. H. (2005). Adolescent mothers' perceptions and management of stigma. *Journal of Adolescent Health*, 36(2), 95-110.
- Fischer, S., & Johnson, P. G. (1999). Therapeutic touch: A viable link to midwifery practice. *Journal of Nurse-Midwifery*, 44(3), 300-309.
- Fox, J. K., Halpern, L. F., Ryan, J. L., & Lowe, K. A. (2010). Stressful life events and the tripartite model: Relations to anxiety and depression in adolescent females. *Journal of Adolescence*, 33(1), 43–54.
- Gupta, S., Kumar, G. S. A., & Singhal, H. (2006). Acute pain-labour analgesia. *Indian Journal of Anaesthesia*, 50(5), 363-369.
- Garrison, W., & Felice, M. E. (2009). Adolescence. In W.B. Carey (Ed.), *Developmental-behavioral pediatrics* (4th ed., pp. 62–73). Philadelphia: Saunders Elsevier.
- Gross, M. M., Hecker, H., & Keirse, M. J. N. C. (2005). An evaluation of pain and “fitness” during labor and its acceptability to women. *Birth*, 32(2), 122-128.

- Hamilton, A. (2009). Comfort and support in labour. In D.M. Fraser & M.A. Cooper (Eds.), *Myles textbook for midwives* (15th ed., pp. 493-507). Edinburgh: Churchill Livingstone.
- Hodnett, E. (1996). Nursing support of the laboring woman. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 25(3), 257-264.
- Hodnett, E. (2000). Caregiver support for women during childbirth. *Cochrane Data Base of Systematic Reviews*, 2(2), 1-22.
- Hodnett, E. D., Gates, S., Hofmeyr, G. J., & Sakala, C. (2003). Continuous support for women during childbirth. *Cochrane Database Systematic Review (Online)*, (3): CD003766. Retrieved October 20, 2010 from <http://www.ncbi.nlm.nih.gov/pubmed/12917986>.
- Hodnett, E. D., Gates, S., Hofmeyr, G. J., & Sakala, C. (2007). Continuous support for women during childbirth. *Cochrane Database Systematic Review (Online)*, (3):CD003766. Retrieved October 20, 2010 from <http://www.ncbi.nlm.nih.gov/pubmed/17636733>.
- Hodnett, E. D., Gates, S., Hofmeyr, G. J., & Sakala, C. (2009). Continuous support for women during childbirth (Review). *The Cochrane Collaboration and published in The Cochrane Library*, 1. The Cochrane Collaboration. Published: John Wiley & Sons, Ltd.
- Hodnett, E. D., Lowe, N. K., Hannah, M. E., Willan, A. R., Stevens, B., Weston, J. A., et al. (2002). Effectiveness of nurses as providers of birth labor support in North American hospitals: A randomized controlled trial. *The Journal of the American Medical Association*, 288(11), 1373-1381.
- Hodnett, E. D., & Osborn, R. W. (1989). Effects of continuous intrapartum professional support on childbirth outcomes. *Research in Nursing & Health*, 12(5), 289-297.
- House, L. D., Bates, J., Markham, C. M., & Lesesne, C. (2010). Competence as a predictor of sexual and reproductive health outcomes for youth: A systematic review. *Journal of Adolescent Health*, 46(3), S7-22.
- Hunter, L. P. (2002). Being with woman: A guiding concept for the care of laboring women. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 31(6), 650-657.
- Joshi, M. (2006). Evaluation of pain. *Indian Journal of Anaesthesia*, 50(5), 335-339.
- Klossner, N. J. (2006). *Introductory maternity nursing*. Philadelphia: Lippincott Williams & Wilkins.

- Lally, J. E., Murtagh, M. J., Macphail, S., & Thomson, R. (2008). More in hope than expectation: A systematic review of women's expectations and experience of pain relief in labour. *Biomed Central Medicine*, 6(7), 1-10.
- Lang, A. J., Sorrell, J. T., Rodgers, C. S., & Lebeck, M. M. (2006). Anxiety sensitivity as a predictor of labor pain. *European Journal of Pain*, 10, 263-270.
- Lanzi, R. G., Bert, S. C., Jacobs, B. K., & The Centers for the Prevention of Child Neglect. (2009). Depression among a sample of first-time adolescent and adult mothers. *Journal of Child and Adolescent Psychiatric Nursing*, 22(4), 194-202.
- Larkin, P., Begley, C. M., & Devane, D. (2009). Women's experiences of labour and birth: An evolutionary concept analysis. *Midwifery*, 25, e49-e59.
- Leap, N., Sandall, J., Buckland, S., & Huber, U. (2010). Journey to confidence: Women's experiences of pain in labour and relational continuity of care. *Journal of Midwifery and Women's Health*, 55(3), 234-242.
- Leifer, G. L. (2008). Adolescent childbearing. In G.L. Leifer (Ed.), *Maternity nursing: An introductory text* (10th ed., pp. 370-380). Missouri: Saunders.
- Littleton, H. L., Breitkopf, C. R., & Berenson, A. B. (2007). Correlates of anxiety symptoms during pregnancy and association with perinatal outcomes: A meta-analysis. *American Journal of Obstetrics and Gynecology*, 196(5), 424-432.
- Logsdon, M. C., & Davis, D. W. (2003). Social & professional support for pregnant and parenting women. *The American Journal of Maternal Child Nursing*, 28(6), 371-376. Retrieved from www.cinahl.com/cgi-bin/refsvc?jid=236&accno=2004021287.
- Low, L. K., Martin, K., Sampsel, C., Guthrie, B., & Oakley, D. (2003). Adolescents' experiences of childbirth: Contrasts with adults. *Journal of Midwifery & Women's Health*, 48(3), 192-198.
- Lowdermilk, D. L., & Perry, S. E. (2006). *Maternity nursing* (7th ed.). St. Louis: Mosby.
- Lowe, N. K. (2002). The nature of labor pain. *American Journal of Obstetrics and Gynecology*, 186(5), S16-24.
- Marut, J. S., & Mercer, R. T. (1979). Comparison of primipara's perceptions of vaginal and cesarean births. *Nursing Research*, 28(5), 260-266.

- McCormick, C. (2009). The first stage of labour: Physiology and early care. In D.M. Fraser, & M.A. Cooper (Eds.), *Myles textbook for midwives* (15th ed., pp. 457-475). Edinburgh: Churchill Livingstone.
- Mercer, R. T. (1985). Relationship of the birth experience to later mothering behaviors. *Journal of Nurse-Midwifery*, 30, 204-210.
- Mercer, R.T., Hackley, K.C., & Bostrom, A.G. (1983). Relationship of psychosocial and perinatal variables to perception of childbirth. *Nursing Research*, 32, 202-207.
- Miltner, R. S. (2000). Identifying labor support actions of intrapartum nurses. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 29, 491-499.
- Montgomery, K. S. (2003). Nursing care for pregnant adolescents. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 32(2), 249-257.
- Morhason-Bello, I.O., Adedokun, B.O., Ojengbede, O.A., Olayemi, O., Oladokun, A., & Fabamwo, A.O. (2009). Assessment of the effect of psychosocial support during childbirth in Ibadan, south-west Nigeria: A randomised controlled trial. *The Australian and New Zealand Journal Obstetrics and Gynaecology*, 49(2), 145-150.
- Murray, S. S., & Mckinney, E. S. (2006). *Foundations of maternal newborn nursing* (4th ed.). St. Louis, Missouri: Saunders Elsevier.
- Ndala, R. (2005). Pain relief in labor. In D. Stables, & J. Rankin (Eds.). *Physiology in childbearing : With anatomy and related biosciences* (2nd ed., pp. 495-507). Edinburgh: Elsevier.
- Nilsson, C., & Lundgren, I. (2009). Women's lived experience of fear of childbirth. *Midwifery*, 25(2), e1-e9.
- Nilsson, C., Bondas, T., & Lundgren, I. (2010). Previous birth experience in women with intense fear of childbirth. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 39(3), 298-309.
- Niven, C.A., & Murphy-Black, T. (2000). Memory for labor pain: A review of the literature. *Birth*, 27(4), 244-253.
- Nystedt, A., Hogberg, U., & Lundman, B. (2005). The negative birth experience of prolonged labour: A case - referent study. *Journal of Clinical Nursing*, 14(5), 579-586


- Orashan, S. A. (2008). *Maternity, newborn, and woman's health nursing: Comprehensive care across the lifespan*. Philadelphia: Lippincott Williams & Wilkins.
- Paterno, M. T. (2010). Fear factor: Anxiety disorders in the intrapartum environment. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 39, S125-131.
- Pavlova-Greenfield, T., Sutija, V. G., & Gudavalli, M. (2000). Adolescent pregnancy: Positive perinatal outcome at a community hospital. *Journal of Perinatal Medicine*, 28(6), 443-446.
- Perry, S. E. (2006). *Maternal child nursing care* (3rd ed.). Missoururi: Mosby Elsevier.
- Pillitteri, A. (2007). *Maternal & child health nursing: Care of the childbearing & childrearing family*. Philadelphia: Lippincott Williams & Wilkins.
- Reeder, S. J., Martin, L. L., & Koniak-Griffin, D. (1997). Adolescent sexuality, pregnancy, and childrearing. In S.T. Reeder, L.L. Martin, & D. Koniak-Griffin (Eds.), *Maternity nursing* (8th ed., pp 939). New York, Philadelphia: Lippincott.
- Sauls, D. J. (2002). Effects of labor support on mothers, babies, and birth outcomes. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 31(6), 733-741.
- Sauls, D. J. (2004). Adolescents' perception of support during labor. *Journal of Perinatal Education*, 13(4), 36-42.
- Sauls, D. J. (2006). Dimensions of professional labor support for intrapartum practice. *Journal of Nursing Scholarship*, 38(1), 36-41.
- Sauls, D. J. (2010). Promoting a positive childbirth experience for adolescents. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 39(6), 703-712.
- Schaefer, C., Coyne, J. C., & Lazarus, R. S. (1981). The health-related functions of social support. *Journal of Behavioral Medicine*, 4(4), 381-405.
- Scott, K. D., Klaus, P. H., & Klaus, M. H. (1999). The obstetrical and postpartum benefits of continuous support during childbirth. *Journal of Women's Health and Gender-Based Medicine*, 8(10), 1257-1264.
- Simkin, P. (1991). Just another day in a woman's life? Woman's long-term perceptions of their first birth experience. Part I. *Birth*, 18(4), 203-210.
- Simkin, P. (1995). Reducing pain and enhancing progress in labor: A guide to nonpharmacologic methods for maternity caregivers. *Birth*, 22(3), 161-170.

- Simkin, P. (2002). Supportive care during labor: A guide for busy nurses. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 31(6), 721–732.
- Simkin, P. P., & O'Hara, M.A. (2002). Nonpharmacologic relief of pain during labor: Systematic reviews of five methods. *American Journal of Obstetrics and Gynecology*, 186(5), S131-159.
- Sittner, B., Hudson, D. B., Grossman, C. C., & Gaston-Johansson, F. (1998). Adolescents' perceptions of pain during labor. *Clinical Nursing Research*, 7(1), 82-93.
- Treffers, P. E., Olukoya, A. A., Ferguson, B. J., & Liljestrand, J. (2001). Care for adolescent pregnancy and childbirth. *International Journal of Gynaecology and Obstetrics*, 75(2), 111-121.
- Victorian Quality Council. (2007). *Acute pain management measurement toolkit*. Retrieved June 7, 2011 from http://www.health.vic.gov.au/qualitycouncil/downloads/apmm_toolkit.pdf.
- Wahn, E. H., Post, I., & Nissen, E. (2007). A description of Swedish midwives' reflections on their experience of caring for teenage girls during pregnancy and childbirth. *Midwifery*, 23(3), 269–278.
- Waldenstrom, U. (1999). Experience of labor and birth in 1111 women. *Journal of Psychosomatic Research*, 47(5), 471-82.
- Waldenstrom, U., Hildingsson, I., Rubertsson, C., & Radestad, I. (2004). A negative birth experience: Prevalence and risk factors in a national sample. *Birth*, 31(1), 17-27.
- Wee, M. (2005). How painful is labour? *Women's Health Medicine*, 2(4), 15-16.
- Williamson, A., & Hoggart, B. (2005). Pain: A review of three commonly used pain rating scales. *Journal of Clinical Nursing*, 14(7), 798-804.
- Wood, S. (2002). Pain: Nursing care and implications for nursing. *Nursing Times*, 98(40), 39-42.
- World Health Organization. (1998). *Nutritional status of adolescent girls and woman of reproductive age*. New Delhi: The Organization.
- World Health Organization. (2004a). *WHO library cataloguing-in-publication data: Adolescent pregnancy*. Switzerland: Geneva.
- World Health Organization. (2004b). *Adolescent pregnant: Issues in adolescent health and development*. Geneva.

World Health Organization. (2006). *Pregnant adolescent delivering on global promises of hope*. Geneva.

World Health Organization. (2008). *Adolescent pregnancy: Fact sheet*. Switzerland: Geneva.

Yuenyong, S., Jirapaet, V., & O'Brien, B. (2008). Support from a close female relative in labour: The ideal maternity nursing intervention in Thailand. *Journal Medication Association Thailand*, 91(2), 253-260. Retrieved from <http://www.medassocthaiorg/journal>.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved