

เอกสารอ้างอิง

1. World Health Organization :Report of the 5th Working Group on the Establishment of Ischemic Heart Registers, Copenhagen, WHO, 1971.
2. World Health Organization. WHO criteria for the diagnosis of acute myocardial infarction. Proposal for the multinational monitoring of trends and determinants of cardiovascular disease. Geneva : Cardiovascular Disease Unit, WHO, 1981.
3. Lee THH, Rouan GW, weiberg MC, et al. Sensitivity of routine clinical criteria for diagnosing myocardial infarction within 24 hours of hospitalization. Ann Intern Med 1987 ; 106 : 181-6.
4. Kannel WB. Prevalence and clinical aspects of unrecognized myocardial infarction and sudden unexpected death. Circulation 1987; 75 (suppl II) : II4-II5.
5. Grimm RH, Tillinghast S, Daniels K, et al. Unrecognized myocardial infarction : Experience in the multiple risk factor intervention trial (MRFIT). Circulation 1987;75 (suppl II) : II6-II8.
6. Mc Queen MJ, Holder D, El-Maraghi NRH. Assessment of accuracy of serial electrocardiograms in the diagnosis of myocardial infarction. Am Heart J 1983 ; 105 : 258-61.
7. Behar S, Schor S, Kavir I, Barrel V, Modan B. Evaluation of electrocardiogram in emergency room as a decision making tool. Chest 1977 ; 717 : 486-91.
8. Rude RE, Poole WR, Muller JE, et al. Electrocardiographic and clinical criteria for recognition of acute myocardial infarction case on analysis of 3697 patients. Am J Cardiol 1983 ; 52 : 936-42.
9. Drexel H, Dworzak E, Kirchmair W, Milz MM, Puschendorf B, Dienstl F. Myoglobinemia in the early phase of acute myocardial infarction. Am Heart J 1983 ; 105 : 642-51.
10. Lee TH, Goldman L. Serum enzyme assay in the diagnosis of acute myocardial infarction. Ann Intern Med 1986 ; 105 : 221-33.
11. White RD, Grande P, Califf L, Palmeri ST, Califf RM, Wagner GS. Diagnostic and prognostic significance of minimally elevated creatine kinase-MB in suspected acute myocardial infarction. Am J Cardiol 1985 ; 55 : 1478-84.
12. Ellis AK. Serum protein measurements and the diagnosis of acute myocardial infarction. Circulation 1991 ; 83 : 1107-9.

13. Katus HA, Remppis A, Looser S, Hallermeier K, Scheffold T, Kubler W. Enzyme linked immunoassay of cardiac troponin T for the detection of acute myocardial infarction in patients. *J Mol Cell Cardiol* 1989 ; 21 : 1349-53.
14. Pearlstone JR, Carpenter MR, Smillie LB. Amino acid sequence of rabbit cardiac troponin T. *J Biol Chem* 1986 ; 261 : 16795-810.
15. Briggs MM, Schachat F.N-terminal amino acid sequences of three functionally different troponin T isoforms from rabbit fast skeletal muscle. *J Biol* 1989 ; 206 : 245-9.
16. Katus HA, Looser S, Hallermayer K, et al. Development and in vitro characterization of a new immunoassay of cardiac troponin T. *Clin Chem* 1992 ; 38 : 386-93.
17. Katus HA, Remppis A, Diederich KW, Scheffold T, Kubler W. Serum concentration changes of cardiac troponin T in patients with reperfused and non-reperfused myocardial infarction. *Am J Cardiol* 1991 ; 65 : 259-64.
18. Scheffold T, Remppis A, Kubler W. Only one troponin T isoform is expressed in the failing human heart. *Eur Heart J* 1991 ; 12 (suppl) : 215.
19. Wu AHB, Valdes R, Apple FS, et al. Cardiac troponin T immunoassay for diagnosis of myocardial infarction. *Clin Chem* 1994; 40: 900-7.
20. Mair J, Dworzak ER, Lechleitner P, et al. Cardiac troponin T in diagnosis of acute myocardial infarction. *Clin Chem* 1991 ; 37 : 845-52.
21. Katus HA, Remppis A, Neumann FJ, et al. Diagnostic efficiency of troponin T measurements in acute myocardial infarction. *Circulation* 1991 ; 83 : 902-12.
22. Hamm CW, Katus HA, Ravkilde J. et al. Identification of high risk patients with unstable angina pectoris by troponin T release. *Circulation* 1990 ; 82 (Suppl III) : III7.
23. Katus HA, Remppis A, Scheffold T, Diederich KW, Kubler W. Intracellular compartmentation of cardiac troponin T and its release kinetics in patients with reperfused and nonreperfused myocardial infarction. *Am J Cardiol* 1991 ; 67 : 1360-7.
24. Yamahara Y, Asayama J, Ohta B, et al. Release kinetics and correlation with hemodynamic dysfunction of cardiac troponin T in coronary effluent from isolated rat hearts during reperfusion. *Basic Res Cardiol* 1993 ; 88 : 307-13.
25. Gerhardt W, Ljungdaahl L, Herbert AK. Troponin T and CK MB (mass) in early diagnosis of ischemic myocardial injury. The Helsingborg study, 1992. *Clin Chem* 1993 ; 26 : 231-40.

26. Gerhardt W, Ljungdahl L. Rational diagnostic strategy in diagnosis of ischemic myocardial injury. S-troponin T and S-CK MB (mass) time series using individual baseline values. Scand J Clin Lab Invest 1993 ; 53 (suppl 215) : 47-59.
27. Omura T, Teragaki M, Tani T, et al. Estimation of infarct size using serum troponin T concentration in patients with acute myocardial infarction. Jpn Circ J 1993 ; 57 : 1062-70.
28. Hamm CW, Ravkilde J, Gerhardt W, et al. The prognostic value of serum troponin T in unstable angina. N Engl J Med 1992 ; 327 : 146-50.
29. Collinson PO, Mosely D, Stubbs PJ, Carter GD. Troponin T for the differential diagnosis of ischemic myocardial damage. Ann Clin Biochem 1993 ; 30 : 11-6.



วิทยาลัยการแพทย์ มหาวิทยาลัยขอนแก่น