

เอกสารอ้างอิง

- กรมควบคุมโรค กระทรวงสาธารณสุข. (2550). *แนวทางการดูแลรักษาผู้ติดเชื้อเอชไอวีและผู้ป่วยโรคเอดส์ในประเทศไทย ปี พ.ศ. 2549/2550*. กรุงเทพฯ: ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย.
- กรมสุขภาพจิต กระทรวงสาธารณสุข. (2548). *คู่มือการให้การปรึกษาสำหรับผู้ประสบปัญหาแอลกอฮอล์*. กรุงเทพฯ: ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย.
- ก่องพงษ์ ทศพรพงศ์. (2551). การตอบสนองของ CD4 ในผู้ติดเชื้อ HIV/AIDS ต่อต้านไวรัส GPO-virS ในโรงพยาบาลมะเร็ง. *วารสารวิชาการสาธารณสุข*, 17(1), 139-145.
- เกียรติ รักษ์รุ่งธรรม. (2541). ลักษณะทางคลินิก และระยะต่างๆ ของการติดเชื้อ HIV. ใน เกียรติ รักษ์รุ่งธรรม (บรรณาธิการ), *การประมวลและสังเคราะห์องค์ความรู้เอดส์: การวิจัยทางคลินิก* (หน้า 22-38). กรุงเทพฯ: ชวนพิมพ์.
- เกียรติ รักษ์รุ่งธรรม. (2546). แนวทางการรักษา HIV infection. ใน วิทยา ศรีดามา และธานีท์ อินทรกำธรชัย (บรรณาธิการ), *Evidence based clinical practice guideline ทางอายุรกรรม* (หน้า 296-304). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- คลินิกเฉพาะโรคเชิงผสมผสาน โรงพยาบาลเสลภูมิ จังหวัดร้อยเอ็ด. (2554). *รายงานเวชระเบียนผู้ติดเชื้อเอชไอวี/เอดส์ประจำปี 2554*. ร้อยเอ็ด: งานผู้ป่วยนอก กลุ่มการพยาบาล โรงพยาบาลเสลภูมิ สำนักงานสาธารณสุขจังหวัดร้อยเอ็ด.
- คลินิกโรคเอดส์ โรงพยาบาลสุวรรณภูมิ จังหวัดร้อยเอ็ด. (2554). *รายงานเวชระเบียนผู้ติดเชื้อเอชไอวี/เอดส์ประจำปี 2554*. ร้อยเอ็ด: ฝ่ายสุขภาพและป้องกันโรค กลุ่มงานเวชปฏิบัติ ครอบครัวและชุมชน โรงพยาบาลสุวรรณภูมิ สำนักงานสาธารณสุขจังหวัดร้อยเอ็ด.
- จตุพล อภิวงค์งาม. (2547). *ความคิดเห็นของนักเรียนมัธยมศึกษาตอนปลายต่อพฤติกรรมเสี่ยงทางเพศของวัยรุ่น*. วิทยานิพนธ์ศึกษาศาสตรมหาบัณฑิต สาขาวิชาจิตวิทยาการศึกษาและการแนะแนว, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.
- จิราพร เกศพิชญวัฒนา, สุวิณี วิวัฒน์วานิช, และ จันทร์เพ็ญ แสงเทียนฉาย. (2553). การมีส่วนร่วมของบิดามารดาในการกินยาต้านไวรัสของบุตรวัยผู้ใหญ่ที่ติดเชื้อเอชไอวี. *วารสารวิชาการสาธารณสุข*, 19(4), 586-595.

- จุฬา ช่วยเมือง. (2550). ผลของโปรแกรมการเสริมสร้างพลังอำนาจต่อการปฏิบัติตัวด้านสุขภาพของผู้ป่วยที่ได้รับยาต้านไวรัสเอดส์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- จุฬารัตน์ สุริยาทัย. (2547). ผลของการเสริมสร้างพลังอำนาจแบบกลุ่มต่อความสามารถในการดูแลตนเองของผู้ติดเชื้อเอชไอวี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ณัฐชา ช้อนจำ, ประณีต ส่งวัฒนา, และ กิตติกร นิลมานัต. (2551). คุณภาพชีวิตของผู้ติดเชื้อเอชไอวี/เอดส์ภายใต้ระบบการดูแลอย่างครบถ้วนและต่อเนื่องในภาคใต้ตอนล่าง. วารสาร โรคเอดส์, 20(1), 46-57.
- นงลักษณ์ เกษม. (2549). โรคติดเชื้อฉวยโอกาสและการเปลี่ยนแปลงของจำนวนเซลล์เม็ดเลือดขาวและซีดี4 ในผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์ที่ได้รับการรักษาด้วยยาต้านไวรัสเอดส์ ในจังหวัดแพร่. วิทยานิพนธ์สาธารณสุขศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- นันทวดี ปินปันคง. (2549). การเสริมสร้างพลังของผู้ติดเชื้อเอชไอวี/เอดส์ ของสำนักงานป้องกันควบคุมโรคที่ 10. วิทยานิพนธ์ศึกษาศาสตรมหาบัณฑิต สาขาวิชาการส่งเสริมสุขภาพ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- นุชรา บุญนะ. (2549). การประเมินต้นทุนและผลได้ในการรักษาผู้ติดเชื้อเอชไอวี/เอดส์ด้วยยาต้านไวรัสของโรงพยาบาลลำปาง. วิทยานิพนธ์เศรษฐศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- นุศรา คำปาเชื้อ. (2552). ปัจจัยที่มีความสัมพันธ์กับการดื้อยาต้านไวรัสของผู้ติดเชื้อเอชไอวี/เอดส์ ณ โรงพยาบาลเชียงรายประชานุเคราะห์. วิทยานิพนธ์สาธารณสุขศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- บุญเดือน เหลืองเลิศขจร. (2547). ผลของโปรแกรมการเสริมพลังอำนาจต่อความรู้ ความคาดหวังในความสามารถของตนเองและพฤติกรรมการป้องกันสารเสพติดในนักเรียนมัธยมศึกษาตอนปลาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลชุมชน, บัณฑิตวิทยาลัย มหาวิทยาลัยบูรพา.
- ปรีชา อรุณสวัสดิ์. (2531). การสร้างแบบทดสอบวัดบุคลิกภาพความเป็นชายและความเป็นหญิงสำหรับนักเรียนชั้นประถมศึกษาปีที่ 6. วิทยานิพนธ์การศึกษามหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยศรีนครินทรวิโรฒ.

ปวีณา ชื่นจิตร. (2548). ปัจจัยที่มีความสัมพันธ์ต่อความร่วมมือในการรักษาของผู้ติดเชื้อเอชไอวี

และผู้ป่วยเอดส์ในจังหวัดราชบุรี. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชา

วิทยาการระบาด, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

พรทิพย์ ลีลาอนันตกุล. (2546). ผลการสอนแบบมีแบบแผนและการใช้กลุ่มระดับประคองต่อการ

เพิ่มความร่วมมือในการรักษาของผู้ป่วยที่ได้รับยาต้านไวรัสเอดส์. วิทยานิพนธ์

พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย

มหาวิทยาลัยสงขลานครินทร์.

พัฒน์ มหาโชคเลิศวัฒนา, สุวรรณ เรืองกาญจนเศรษฐ์, วิจิตร นุญสิทธิ, และ วิโรจน์ อริย์กุล.

(2547). กลยุทธ์การดูแลและสร้างเสริมสุขภาพ “วัยรุ่น”. กรุงเทพฯ: ชัยเจริญ.

ลัดดาวัลย์ ไวยสุระสิงห์, จิรพรรณ โพธิ์ทอง, สุภาภรณ์ วรอรุณ, และ ทิพา มหาพรหม. (2549). ผล

ของโปรแกรมการเสริมสร้างพลังอำนาจการออกกำลังกายของนักศึกษาพยาบาลศาสตร

บัณฑิต วิทยาลัยพยาบาลบรมราชชนนี สุพรรณบุรี. การพยาบาลและการศึกษา, 1(2),

70-77.

วรรณทิพย์ ตั้งสถิตพร. (2552). ความสม่ำเสมอในการรับประทานยาต้านไวรัสในผู้ติดเชื้อเอชไอวี

และผู้ป่วยเอดส์โรงพยาบาลตรัง. วารสาร โรคเอดส์, 21(3), 158-168.

วันเพ็ญ วนาภรณ์, เขมารดี มาสิงบุญ, และ สุภาภรณ์ ค้วงแพง. (2553). ปัจจัยทำนายคุณภาพชีวิต

ผู้ติดเชื้อเอชไอวี/เอดส์ที่ได้รับการรักษาด้วยยาต้านไวรัส. วารสารคณะพยาบาลศาสตร์

มหาวิทยาลัยบูรพา, 18(1), 13-20.

วารุณี ฟองแก้ว, ปรียกมล รัชกุล, และ กังวาล ฟองแก้ว. (2549). ความสำคัญของการป้องกัน

เอชไอวี/เอดส์ในเด็กวัยรุ่น. ใน วารุณี ฟองแก้ว (บรรณาธิการ), คู่มือการสร้างแกนนำ

เด็กวัยรุ่นตอนต้นเพื่อป้องกันเอชไอวี/เอดส์ (หน้า 1-7). เชียงใหม่: นพบุรีการพิมพ์.

วิมลศิริ ศรีคันทะ. (2553). ผลของการสอนบนเว็บต่อความรู้และการปฏิบัติในการป้องกันการติดเชื้อ

เอชไอวีในกลุ่มชายที่มีเพศสัมพันธ์กับชาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต

สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.

วิรัตน์ ทองรอด. (2551). ยารักษาโรคเอดส์. Retrieved March 1, 2011, from

<http://www.thailabonline.com/hiv010.htm>

วีณา พร้อมประเสริฐ. (2549). การติดตามความสม่ำเสมอในการรับประทานยาของผู้ป่วยติดเชื้อ

เอชไอวี โรงพยาบาลทุ่งสง. วารสาร โรคเอดส์, 18(2), 79-88.

ศุภกรณ์ ปัญธิษฐ์. (2552). การศึกษาผู้ป่วยเอชไอวีในคลินิกเฉพาะโรคของโรงพยาบาลเถิน จังหวัด

ลำปาง. วารสาร โรคเอดส์, 22(1), 1-10.

ศูนย์ปฏิบัติการป้องกันและแก้ไขปัญหายาเสพติดจังหวัดร้อยเอ็ด. (2554). รายงานเวชระเบียนผู้ติดเชื้อ เอชไอวี/เอดส์จังหวัดร้อยเอ็ดประจำปี 2554. ร้อยเอ็ด: สำนักงานสาธารณสุขจังหวัด ร้อยเอ็ด.

สมชาย แสงกิจพร. (2550). เชื้อเอชไอวี: ไวรัสวิทยาและการตรวจทางห้องปฏิบัติการ. ใน ทิพย์วรรณ ชื่นจิตร, สุดา ลุยศิริโรจนกุล, และ จันทพงษ์ ะสี (บรรณาธิการ), *แนวทางการตรวจการ ติดเชื้อเอชไอวีคู่มือสำหรับห้องปฏิบัติการ* (หน้า 22). กรุงเทพฯ: บพิธการพิมพ์

สมภพ เรืองตระกูล. (2548). พยาธิกำเนิดและลักษณะทางคลินิก. ใน สมภพ เรืองตระกูล (บรรณาธิการ), *ตำราจิตเวชสำหรับแพทย์เวชศาสตร์ครอบครัวชุดที่ 8 โรคเอดส์ อาการทางจิตเวชและการรักษา* (หน้า 10-18). กรุงเทพฯ: เรือนแก้วการพิมพ์.

สำนักโรคเอดส์ วัณโรค และโรคติดต่อทางเพศสัมพันธ์ กรมควบคุมโรค กระทรวงสาธารณสุข. (2554). *สถานการณ์ผู้ป่วยเอดส์ ณ วันที่ 31 มีนาคม พ.ศ.2554*. Retrieved July 29, 2011, from http://www.boe.moph.go.th/files/report/20110401_78586368.pdf

สำนักโรคเอดส์ วัณโรค และโรคติดต่อทางเพศสัมพันธ์ กรมควบคุมโรค กระทรวงสาธารณสุข. (2549). *แนวทางการติดตามและส่งเสริมการรับประทานยาต้านไวรัสอย่างสม่ำเสมอ และต่อเนื่อง*. กรุงเทพฯ: ชุมชนสหกรณ์การเกษตรแห่งประเทศไทย.

สำนักโรคเอดส์ วัณโรค และโรคติดต่อทางเพศสัมพันธ์ กรมควบคุมโรค กระทรวงสาธารณสุข. (2552). *ความรู้เบื้องต้นเกี่ยวกับโรคเอดส์*. Retrieved March 28, 2010, from <http://203.157.45.67/napha9/aidsdata/aidsbasic.html>

สำนักโรคเอดส์ วัณโรค และโรคติดต่อทางเพศสัมพันธ์ กรมควบคุมโรค กระทรวงสาธารณสุข, และ ศูนย์ความร่วมมือไทย-สหรัฐ ด้านสาธารณสุข. (2551). *การป้องกันเพื่อส่งเสริมสุขภาพผู้ติดเชื้อเอชไอวีในสถานบริการสุขภาพ*. กรุงเทพฯ: ชุมชนสหกรณ์การเกษตรแห่งประเทศไทย.

สิริวรรณ ชาญผล. (2548). *ค่านิยมทางเพศและพฤติกรรมเสี่ยงทางเพศของสตรีวัยรุ่น*. วิทยานิพนธ์ พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสตรี, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สุทธิลักษณ์ ตั้งอุรบริบูรณ์, วิณา นานาสีลป์, นิลาวรรณ จันทะปรีดา, และ กฤตยา แสงเจริญ. (2541). *รายงานการวิจัยเรื่อง ทัศนคติต่อการบริการทางเพศ ความเชื่อ อารมณ์ภายใน-ภายนอกตน ด้านสุขภาพและพฤติกรรมทางเพศที่เสี่ยงต่อการติดเชื้อโรคเอดส์ของ นักศึกษาอาชีวศึกษาและนักเรียนมัธยมศึกษาตอนปลาย ในจังหวัดขอนแก่น*. ขอนแก่น: มหาวิทยาลัยขอนแก่น.

- สุภาภรณ์ ปัญหาราช. (2547). พฤติกรรมเสี่ยงทางเพศและการรับรู้ภาวะเสี่ยง: การศึกษาเชิงบรรยาย
ในวัยรุ่นในเขตเทศบาลนครขอนแก่น. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต
สาขาวิชาการพยาบาลเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- อนงค์ ประสานนันทกิจ, ประณีต ส่งวัฒนา, และ บุญดี เพชรรัตน์. (2552). ความเชื่อเกี่ยวกับ
เพศสัมพันธ์ รูปแบบพฤติกรรมทางเพศของวัยรุ่น. *สงขลานครินทร์เวชสาร*, 27(5),
369-380.
- อนุกุล เอกกุล. (2551). การศึกษาการประเมินผลรูปแบบการเสริมพลังอำนาจเพื่อเพิ่มประสิทธิภาพ
การดูแลตนเองในผู้ติดเชื้อเอชไอวี โรงพยาบาลปากเกร็ด จังหวัดนนทบุรี.
วารสารวิชาการสาธารณสุข, 17(2), 540-550.
- อรทัย จินดาไตรรัตน์. (2549). บทบาทของกลุ่มเพื่อนช่วยเพื่อนในการช่วยเหลือผู้ติดเชื้อ เอชไอวี
ให้มีวินัยในการรักษาด้วยยาต้านไวรัสเอชไอวี. วิทยานิพนธ์สาธารณสุขศาสตร
มหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- อรอุษา จันทรวีรุช. (2544). ปัจจัยที่มีอิทธิพลต่อพฤติกรรมเสี่ยงทางเพศของวัยรุ่น ในโรงเรียน
มัธยมศึกษา สังกัดกรมสามัญศึกษา จังหวัดขอนแก่น. วิทยานิพนธ์ศิลปศาสตร
มหาบัณฑิต สาขาวิชาสังคมวิทยาการพัฒนา, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- โอภาส การย์กวินพงศ์, สมบัติ แทนประเสริฐสุข, และ สันชัย ชาสสมบัติ. (2551). การดื้อยาด้าน
ไวรัสเอชไอวีภายหลังการดำเนินโครงการพัฒนาระบบบริการผู้ป่วยด้วยยาต้านไวรัส
จังหวัดอุบลราชธานี. *วารสาร โรคเอดส์*, 20(3), 115-126.
- Abaasa, A. M., Todd, J., Ekoru, K., Kalyango, J. N., Levin, J., Odeke, E., et al. (2008). Good
adherence to HAART and improved survival in a community HIV/AIDS treatment
and care programme: the experience of The AIDS Support Organization (TASO),
Kampala, Uganda. *BioMed Central Health Services Research*, 8(241), 1-10.
- Alp, E., Bozkurt, I., & Doganay, M. (2011). Epidemiological and clinical characteristics of
HIV/AIDS patients followed-up in Cappadocia Region: 18 years experience.
Microbiology Bulletin, 45(1), 125-136.
- Anderson, M., Elam, G., Solarin, I., Gerver, S., Fenton, K., & Easterbrook, P. (2009). Coping
with HIV: Caribbean people in the United Kingdom. *Qualitative Health Research*,
19(8), 1060-1075.
- Arnett, J. J. (2001). *Adolescence and emerging adulthood*. New Jersey: Printice-Hall.

- Azar, M. M., Springer, S. A., Meyer, J. P., & Altice, F. L. (2010). A systematic review of the impact of alcohol use disorders on HIV treatment outcomes, adherence to antiretroviral therapy and health care utilization. *Drug and Alcohol Dependence*, 112(3), 178-193.
- Bangberg, D. R., Hech, F. M., Charlbois, E. D., Zolopa, A. R., Holodniy, M., Sheiner, L., et al. (2000). Adherence to protease inhibitor, HIV-1 viral load, and development of drug resistant in an indigent population. *AIDS*, 14(4). 357-366.
- Belzer, M. E., Fuchs, D. N., Luftman, G. S., & Tucker, D. J. (2000). Antiretroviral adherence issues among HIV-positive adolescents and young adults. *Journal of Adolescent Health*, 25, 316-319.
- Bongiovanni, M., Bini, T., Chiesa, E., Cicconi, P., Adorni, F., & Monforte, A. A. (2004). Lopinavir/ritonavir vs. indinavir/ritonavir in antiretroviral naive HIV-infected patients: Immunovirological outcome and side effects. *Antiviral Research*, 62, 53-56.
- Bova, C., & Durante, A. (2003). Sexual functioning among HIV-infected women. *AIDS Patient Care STDS*, 17, 75-83.
- Bruno, R., Sacchi, P., Maiocchi, L., Zocchetti, C., & Filici, G. (2005). Hepatotoxicity and nelfinavir: A meta-analysis. *Clinical Gastroenterology and Hepatology*, 3, 482-488.
- Calza, L., Manfredi, R., & Chiodo, F. (2003). Hyperlipidaemia in patients with HIV-1 infection receiving highly active antiretroviral therapy: Epidemiology, pathogenesis, clinical course and management. *International Journal of Antimicrobial Agents*, 22, 89-99.
- Center for Disease Control and Prevention. (2003). Incorporating HIV prevention into the medical care of persons living with HIV. Recommendations of CDC, the Health Resources and Services Administration, the Nation Institutes of Health, and the HIV Medicine Association of the Infectious Disease Society of America. *Morbidity and Mortality Weekly Report*, 52(12), 1-24.
- Dave, S. S., Stephenson, J., Mercey, D. E., Panahmand, N., & Jungmann, E. (2006). Sexual behavior, condom use, and disclosure of HIV status in HIV infected heterosexual individuals attending an inner London HIV clinic. *Sexual Transmission Infection*, 82(2), 117-119.

- Dietz, E., Clum, G. A., Chung, S., Leonard, L., Murphy, D. A., Perez, L. V., et al. (2010). Adherence to scheduled appointments among HIV-infected female youth in five U.S. cities. *Journal of Adolescent Health, 48*(3), 278-283.
- Duggan, J. M., Locher, A., Fink, B., Okonta, C., & Chakraborty, C. (2009). Adherence to antiretroviral therapy: a survey of factors associated with medication usage. *AIDS Care, 21*(9), 1141-1147.
- Eisele, T. P., Mathews, C., Chopra, M., Brown, L., Silvestre, E., & Daries, V. (2008). High levels of risk behavior among people living with HIV initiating and waiting to start antiretroviral therapy in Cape Town South Africa. *AIDS and Behaviors, 12*(4), 570-577.
- Eisele, T. P., Mathews, C., Chopra, M., Lurie, M. N., Brown, L., Dewing, S., et al. (2009). Changes in risk behavior among HIV-positive patients during their first year of antiretroviral therapy in Cape Town South Africa. *AIDS and Behaviors, 13*(6), 1097-1105.
- Elkington, K. S., Bauermeister, J. A., Brackis-Cott, E., Dolezal, C., & Mellins, C. A. (2009). Substance use and sexual risk behaviors in perinatally human immunodeficiency virus-exposed youth: Roles of caregivers, peers and HIV Status. *Journal of Adolescent Health, 45*(2), 133-141.
- Gazzard, B. G., Moyle, G. L., Weber, J., Johnson, M., Bingham, J. S., Brettle, R., et al. (1997). British HIV association guidelines for antiretroviral treatment of HIV seropositive individuals. *The Lancet, 349*, 1086-1092.
- Gibson, C. H. (1993). *A study of empowerment in mother of chronically children*. Unpublished doctoral dissertation, Boston College.
- Giday, A., & Shiferaw, W. (2010). Factors affecting adherence of antiretroviral treatment among AIDS patients in an Ethiopian tertiary university teaching hospital. *Ethiopia Medicine Journal, 48*(3), 187-194.
- Harries, K., Zachariah, R., Manzi, M., Fermenich, P., Mathela, R., Drabo, J., et al. (2010). Baseline characteristics, response to and outcome of antiretroviral therapy among patients with HIV-1 HIV-2 and dual infection in Burkina Faso. *Transactions of the Royal Society of Tropical Medicine and Hygiene, 104*(2), 154-161.

- Hassan, A., Babadoko, A. A., Mamman, A. I., & Ahmed, S. A. (2009). Zidovudine induced pure red cell aplasia: a case report. *Niger Journal Medicine*, 18(3), 332-333.
- Hawkins, T. (2010). Understanding and managing the adverse effects of antiretroviral therapy. *Antiviral Research*, 85, 201-209.
- Hendershot, C. S., Magnan, R. E., & Bryan, A. D. (2010). Associations of marijuana use and sex-related marijuana expectancies with HIV/STD risk behavior in high-risk adolescents. *Psychology of Addictive Behaviors*, 24(3), 404-414.
- Holstad, M. K., Pace, J. C., De, A. K., & Ura, D. R. (2006). Factors associated with adherence to antiretroviral therapy. *Journal of the Association of Nurse in AIDS Care*, 17(2), 4-15.
- Holzemer, W. L., Human, S., Arudo, J., Rosa, M. E., Hamilton, M. J., Corless, I., et al. (2009). Exploring HIV stigma and quality of life for persons with HIV infection. *Journal of the Association of Nurses in AIDS Care*, 20(3), 161-168.
- Introcaso, C. E., Hines, J. M., & Kovarik, C. L. (2010). Cutaneous toxicities of antiretroviral therapy for HIV Part I: Lipodystrophy syndrome, nucleoside reverse transcriptase inhibitors, and protease inhibitors. *Journal of the American Academy Dermatology*, 63, 549-561.
- Joint United Nations Programme on HIV/AIDS. (2000). *AIDS and men who have sex with men*. Retrived March 16, 2011 from http://data.unaids.org/publications/irc-pub03/mentu2000_en.pdf
- Jong, B. C., Prentiss, D., McFarland, W., Machekano, R., & Israelski, D. M. (2005). Marijuana use and its association with adherence to antiretroviral therapy among HIV-infected persons with moderate to severe nausea. *Journal Acquired Immune Deficiency Syndrome*, 38(1), 43-46.
- Kiene, S. M., Barta, W. D., Tennen, H., & Armeli, S. (2009). Alcohol, helping young adults to have unprotected sex with casual partners: findings from a daily diary study of alcohol use and sexual behavior. *Journal of Adolescent Health*, 44, 73-80.
- Knowlton, A. R., Arnsten, J. H., Eldred, L. J., Wilkinson, J. D., Shade, S. B., & Bohnert, A. S., et al. (2010). Antiretroviral use among active injection- drug users: the role of patient-provider engagement and structural factors. *AIDS Patient Care and STDs*, 24(27), 421-428.

- Lalezari, J. P., Henry, K., O'Hearn, M., Montaner, J. S. G., Piliero, P. J., Trottier, B., et al. (2003). Enfuvirtide, an HIV-1 fusion inhibitor, for drug-resistant HIV infection in North and South America. *The New England Journal of Medicine*, 348(22), 2175-2185.
- Ma, A., Chen, D. M., Chau, F. M., & Saberi, P. (2010). Improving adherence and clinical outcomes through an HIV pharmacist's interventions. *AIDS Care*, 22(10), 1189-1194.
- Marelich, W. D., & Murphy, D. A. (2003). Effects of empowerment among HIV-positive women on the patient-provider relationship. *AIDS Care*, 15(4), 475-475.
- Martinez J., Bell, D., Camacho, R., Henry-Reid, L. M., Bell, M., Watson, C., et al., (2000). Adherence to antiviral drug regimens in HIV-infected adolescent patients engaged in care in a comprehensive adolescent and young adult clinic. *Journal of the National Medical Association*, 92(2), 55-61.
- Melanie-Anne, A.J., Rhemtula, Y.A., Menezes, C.N., & Grobusch, M.P. (2008). Lamivudine induced red cell aplasia. *Journal of Medical Microbiology*, 57, 1032-1035.
- Morse, E. V., Simon, P. M., Coburn, M., Hyslop, N., Greenspan, D., & Balson, P. M. (1991). Determinant of subject compliance within an experimental anti-HIV drug protocol. *Social Science Medicine*, 32, 1161-1167.
- Moyer, T. P., Temesgen, Z., Enger, R., Estes, L., Charlson, J., Oliver, L., et al. (1999). Drug monitoring of antiretroviral therapy of HIV-1 infection: Method validation and resultants of a pilot study. *Clinical Chemistry*, 45, 1465-1476.
- Murphy, D. A., Belzer, M., Durako, S. J., Sarr, M., Wilson, C. M., & Muenz, L. R (2005). Longitudinal antiretroviral adherence among adolescents infected with human immunodeficiency virus. *Archives of Pediatric and Adolescent Medicine*, 159(3), 764-770.
- Nugent, N. R., Brown, L. K. Belzer, M., Harper, G. W., Nachman, S., & Naar-King, S. (2010). Youth living with HIV and problem substance use: Elevated distress is associated with non adherence and sexual risk journal of the international. *Association of Physician in AIDS Care*, 9(2), 113-115.
- Palepu, A., Raj, A., Horton, N. J., Tibbetts, N., Meli, S., & Samet, J. H. (2005). Substance abuse treatment and risk behaviors among HIV-infected persons with alcohol problems. *Journal of Substance Abuse Treatment*, 28, 3-9.

- Pinheiro, C. A. T., Carvalho-Leite, J. C., Drachler, M. L., & Silveira, V. L. (2002). Factors associated with adherence to antiretroviral therapy in HIV/AIDS patients: A cross-sectional study in Southern Brazil. *Brazilian Journal of Medical and Biological Research*, 35, 1173-1181.
- Polit, D. F., & Beck, C. T. (Ed.). (2008). *Nursing research generating and assessing evidence for nursing practice* (8th ed.). Philadelphia: Lippincott.
- Raj, A., Reed, E., Santana, M. C., Walley, A. Y., Welles, S. L., Horsburgh, C. R., et al. (2009). The associations of binge alcohol use with HIV/STI risk and diagnosis among heterosexual African American men. *Drug and Alcohol Dependence*, 101, 101-106.
- Rudy, B. J., Murphy, D. A., Harries, D. R., Muenz, L., & Ellen, J. (2009). Patient-related risks for nonadherence to antiretroviral therapy among HIV-infected youth in the United States: A study of prevalence and interactions. *AIDS Patient Care and STDs*, 23(3), 185-194.
- Russell, J., Krantz, S., & Neville, S. (2004). The patient-provider relationship and adherence to highly active antiretroviral therapy. *Journal of the Association of Nurses in AIDS Care*, 15(5), 40-47.
- Salami, A. K., Fadeyi, A., Ogunmodede, J. A., & Desalu, O. (2010). Factors influencing adherence to antiretroviral medication in Ilorin, Nigeria. *Journal of the International Association of Physicians in AIDS Care*, 9(3), 191-195.
- Sarna, A., Luchters, S., Geibel, S., Chersich, M. F., Munyao, P., Kaai, S., et al. (2008). Short- and long-term efficacy of modified directly observed antiretroviral treatment in Mombasa, Kenya: A randomized trial. *Journal of Acquired Immune Deficiency Syndromes*, 48(5), 611-619.
- Shuper, P. A., Joharchi, N., Irving, H., & Rehm, J. (2009). Alcohol as a correlate of unprotected sexual behavior among people living with HIV/AIDS: Review and meta-analysis. *AIDS Behavior*, 13, 1021-1036.
- Simoni, J. M., Kurth, A. E., Pearson, C. R., Pantalone, D. W., Merrill, J. O., & Frick, P. A. (2006). Self-report measures of antiretroviral therapy adherence: A review with recommendations for HIV research and clinical management. *AIDS Behavior*, 10, 227-245.

- Sirivongrangson, P., Bollen, L.J.M., Chaovavanich, A., Suksripanich, O., Jirarojwat, N., Virapat, P., et al. (2006). Sexual transmitted infection services as a component of HIV care: finding of a demonstration project among HIV-infected women in Thailand. *Journal Acquired Immune Deficiency Syndrome*, 41(5), 671-674.
- Steiner, M. J., Taylor, D., Hylton-Kong, T., Mehta, N., Figueroa, J. P., Bourne, D., et al. (2007). Decreased condom breakage and slippage rates after counseling men at a sexually transmitted infection clinic in Jamaica. *Contraception*, 75, 289-293.
- Tanney, M. R., Naar-King, S., Murphy, D. A., Parsons, J. T., & Janisse, H. (2010). Multiple risk behaviors among youth living with human immunodeficiency virus in five U.S. Cities. *Journal of Adolescent Health*, 46(1), 11-16.
- Thanh, D. C., Hien, N. T., Tuan, N. A., Thang, B. D., Long, N. T., & Fylkesnes, K. (2009). HIV risk behaviors and determinants among people living with HIV/AIDS in Vietnam. *AIDS Behaviors*, 13, 1151-1159.
- Tsu, R. C., Michael, B. A., Burm, L., Gilhooly, J. A., & Selis, C. W. (2002). Telephone vs. face-to-face notification of HIV results in high-risk youth. *Journal of Adolescent Health*, 30, 154-160.
- Uglietti, A., Novati, S., Gulminetti, R., & Maserati, R. (2009). Correlations between atazanavir trough and hyperbilirubinemia: a case report. *Journal of Medical Case Reports*, 3(9307), 1-4.
- Ungvarski, P. J. (1998). Improving patient compliance with HIV treatment regimens. *Journal of the American Medical Association*, 280, 1745-1746.
- Volberding, P.A., & Deeks, S.G. (2010). Antiretroviral therapy and management of HIV infection. *The Lancet*, 376, 49-62.
- Walsha, T. L., Freziera, R. G., Peacock, K., Nelson, A. L., Clark, V. A., Bernstein, L., et al. (2004). Effectiveness of the male latex condom: combined results for three popular condom brands used as controls in randomized clinical trials. *Contraception*, 70, 407-413.
- World Health Organization, & Joint United Nations Programme on HIV/AIDS. (2010a). *Global summary of the AIDS epidemic 2009*. Retrieved December 5, 2010, from http://www.who.int/hiv/data/2009_global_summary.png

- World Health Organization, & Joint United Nations Programme on HIV/AIDS. (2010b). *Towards universal access scaling up priority HIV/AIDS interventions in the health sector: Progress report 2010*. Retrieved September 5, 2010, from http://www.who.int/hiv/pub/2010progressreport/full_report_en.html
- World Health Organization. (2003a). *Adherence to antiretroviral therapy in scaling up antiretroviral therapy in resource-limit setting: treatment guidelines for a public health approach*. Retrieved September 5, 2010, from <http://www.who.int/publications/2003/9241545991.html>
- World Health Organization. (2007). *WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adult and children*. Retrieved September 5, 2010 from <http://www.who.int/hiv/pub/guidelines/HIVstaging150307.pdf>
- World Health Organization. (2009a). *HIV testing, treatment and prevention: Generic tools for operational research*. Retrieved December 7, 2009, from http://www.who.int/hiv/pub/operational/or_generic_tools.
- World Health Organization. (2009b). *Towards universal access scaling up priority HIV/AIDS interventions in the health sector: Progress report 2009*. Retrieved September 5, 2010, from http://www.who.int/hiv/pub/2010progressreport/full_report_en.html
- World Health Organization. (2010a). *Antiretroviral therapy for HIV infection in adults and adolescent: Recommendation for a public health approach 2010 revision*. Retrieved September 5, 2010, from http://www.searo.who.int/LinkFiles/HIVAIDS_ARTguidelines2010.html
- Wouters, E., Van Damme, W., Van Loom, F., Van Rensburg, D., & Meulemans, H. (2009). Public-sector ART in the Free state Province, South Africa: Community support as an important determinant of outcome. *Social Science & Medicine*, 69(8), 1177-1185.