

เอกสารอ้างอิง

- กรมสุขภาพจิต. (2543). คู่มือการใช้ยาจิตเวชสำหรับแพทย์ทั่วไป. นนทบุรี: โรงพิมพ์ ร.ส.พ..
- กรมสุขภาพจิต. (2550). แผนยุทธศาสตร์กรมสุขภาพจิต ในช่วงแผนพัฒนาเศรษฐกิจและสังคมแห่งชาติ ฉบับที่ 10 (พ.ศ.2550 – 2554). (พิมพ์ครั้งที่ 2). นนทบุรี: กรมสุขภาพจิต กระทรวงสาธารณสุข.
- กรมสุขภาพจิต. (2551). แนวทางการดูแลเฝ้าระวังโรคซึมเศร้าระดับจังหวัด (พิมพ์ครั้งที่ 2) อุบลราชธานี: หจก.ศิริธรรมออฟเซต.
- กรมสุขภาพจิต. (2552). แนวทางการดูแลเฝ้าระวังโรคซึมเศร้าระดับจังหวัด (ฉบับปรับปรุงครั้งที่ 1). นนทบุรี: โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย จำกัด.
- กรมสุขภาพจิต. (2554). แนวทางการดูแลเฝ้าระวังโรคซึมเศร้าระดับจังหวัด(ฉบับปรับปรุงครั้งที่ 2,2554). อุบลราชธานี: หจก.ศิริธรรมออฟเซต.
- กุลธิดา สิทธิวัง (2554). ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้า โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่. การค้นคว้าแบบอิสระ ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- จิตร สิทธิอมร, อนุวัฒน์ ศุภชุตินกุล, สงวนสิน รัตนเลิศ และเกียรติศักดิ์ ราชบริรักษ์. (2543). *Clinical Practice guideline: การจัดทำและการนำไปใช้*. กรุงเทพฯ: ดีไซน์.
- จิตราวดี จิตจันทร์. (2550).การประเมินผลการใช้แนวปฏิบัติทางคลินิกสำหรับการดูแลผู้ป่วยระยะสุดท้ายในหอผู้ป่วยกึ่งวิกฤตอายุกรรม โรงพยาบาลมหาราชนครเชียงใหม่. การค้นคว้าอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ฉวีวรรณ ธงชัย. (2547). การพัฒนาแนวปฏิบัติทางคลินิก: *Clinical Practice Guideline Development*. วารสารสภาการพยาบาล, 20(2), 63-76.
- ฉวีวรรณ ธงชัย. (2547). แบบประเมินคุณภาพการพัฒนาแนวปฏิบัติ. เอกสารประกอบการบรรยายในการอบรมเรื่อง การพัฒนาคุณภาพการปฏิบัติโดยอาศัยหลักฐานอ้างอิง. จัดโดยศูนย์ความรู้เชิงประจักษ์. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

- ณัฐทิพร ชัยประทาน.(2547). ผลของการให้การปรึกษารายบุคคลโดยใช้แนวคิดการปรับเปลี่ยนความคิดและพฤติกรรม ร่วมกับการฝึกผ่อนคลายใจและการฝึกผ่อนคลายกล้ามเนื้อในผู้ป่วยโรควิตกกังวล. กลุ่มงานจิตเวช โรงพยาบาลหนองบัวลำภู ภาควิชาสุขภาพจิตและการพยาบาลจิตเวช คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.
- ทัศนีย์ ทิพสูงเนิน. (2544). ปัจจัยที่มีอิทธิพลต่อการให้ความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภทโรงพยาบาลจิตเวชนครราชสีมา. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชา สุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- ธรณินทร์ กองสุข. (2550). โรคซึมเศร้า รักษาหายได้. (พิมพ์ครั้งที่ 3). อุบลราชธานี: หจก.ศิริธรรมออฟเซต.
- ธรณินทร์ กองสุข, พันธุ์ภา กิตติรัตนไพบูลย์, เกษราภรณ์ เคนบุปผา, สุพัตรา สุขาว, ศิริจันทร์ สุขใจ, จินตนา ลีจิ่งเพิ่มพูน. (2551). ความชุกของโรคซึมเศร้า : การสำรวจระดับชาติ ปี 2551. กรมสุขภาพจิต.
- ธิดาพร จิรวัฒน์ไพศาล. (2548). แนวทางการติดตามและส่งเสริมการรับประทานยาต้านไวรัสอย่างต่อเนื่องสม่ำเสมอ. สำนักโรคเอดส์ วัณโรค และโรคติดต่อทางเพศสัมพันธ์ กรมควบคุมโรค.
- บั้งอร เผ่าน้อย. (2548). ประสิทธิภาพของการจัดการกับอาการปวดหลังผ่าตัดตามมาตรฐานทางคลินิก. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- บุญใจ ศรีสถิตนรากร. (2547). ระเบียบวิธีการวิจัยทางพยาบาลศาสตร์. (พิมพ์ครั้งที่ 3) กรุงเทพฯ: บริษัทยูเอเอ็นไออินเตอร์มีเดียจำกัด.
- ประเวศ ดันติพิพัฒนสกุล และ สุรสิงห์ วิสสุตรรัตน์. (2547). การฆ่าตัวตาย:การสอบสวนการหาสาเหตุและการป้องกัน. กรุงเทพฯ:พลัสเพลส.
- ปราโมทย์ สุคนิชย์ และมาโนช หล่อตระกูล. (2541). เกณฑ์การวินิจฉัยโรคทางจิตเวช DSM-IV ฉบับภาษาไทย(ใช้รหัส ICD-10).กรุงเทพฯ: โรงพิมพ์ชวนพิมพ์.
- พจนันท์ ทาสกุล. (2550). ผลของโปรแกรมการดูแลผู้ป่วยจิตเวชโดยครอบครัวต่อความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคจิตเภท ในโรงพยาบาลเพชรบูรณ์. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิตสาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

พรเทพ ศิริวนารังสรรค์, ธรณินทร์ กองสุข, สุวรรณ อรุณพงษ์ไพศาล, พันธุ์ภา กิตติรัตน์ไพบูลย์, และอัจฉรา จรัสสิงห์. (2547). ความชุกของโรคทางจิตเวชในประเทศไทยการสำรวจระดับชาติปี 2546. วารสารสุขภาพจิตแห่งประเทศไทย.

พาวัญญ์ บุญประสาร. (2550). ผลของตัวแบบสัญลักษณ์ต่อความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้า โรงพยาบาลหนองฉาง จังหวัดอุทัยธานี. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิตสาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.

พิเชษฐ อุดมรัตน์, อภิชัย มงคล และ ทวี ตั้งเสรี. (2550). คู่มือจิตเวชศาสตร์สำหรับแพทย์ทั่วไป.

สงขลา : ภาควิชาจิตเวชศาสตร์ คณะแพทยศาสตร์ มหาวิทยาลัยสงขลานครินทร์

พิเชษฐ อุดมรัตน์, (บรรณาธิการร่วม) อภิชัย มงคล, ทวี ตั้งเสรี. (2548). การรักษาผู้ป่วยซึมเศร้าและป้องกันการฆ่าตัวตาย. (พิมพ์ครั้งที่ 2). สงขลา: ภาควิชาจิตเวชศาสตร์ คณะแพทยศาสตร์ มหาวิทยาลัยสงขลานครินทร์.

พิไลลักษณ์ ทองอุไร. (2542). ภาวะจิตสังคมในผู้ป่วยโรคเรื้อรัง. วารสารสงขลานครินทร์, 19, 38-48.

พูนศรี รังษิณี, ธวัชชัย กฤษณะประกรกิจ และนวนันท์ ปิยะวัฒน์กุล. (2547). จิตเวชศาสตร์สำหรับนักศึกษาแพทย์.ขอนแก่น: โรงพิมพ์คลังนานาวิทยา.

เพชรน้อย สิงห์ช่างชัย. (2551). หลักการและการใช้วิจัยเชิงคุณภาพสำหรับทางการพยาบาลและสุขภาพ. สงขลา: ชานเมืองการพิมพ์.

เพลินจันทร์ เชษฐโชติศักดิ์, และสุนีย์ สุญพันธ์. (2549). Adherence. ภาควิชาอายุรศาสตร์ คณะแพทยศาสตร์ มหาวิทยาลัยขอนแก่น.

มานิต ศรีสุรภานนท์. (2545). การใช้ยาจิตเวช. เชียงใหม่: ธนุขพรินต์.

มานิช หล่อตระกูล. (2543). โรคจิตเภท. ใน มานิช หล่อตระกูล และ ปราโมทย์ สุคนิชย์. (บรรณาธิการ), จิตเวชศาสตร์. (พิมพ์ครั้งที่ 5). กรุงเทพฯ: สหวิทยาการพิมพ์.

มานิช หล่อตระกูล และ ปราโมทย์ สุคนิชย์. (2548). ตำราจิตเวชศาสตร์. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพิมพ์ บียอนด์ เอ็นเตอร์ไพรส์ จำกัด.

มานิช หล่อตระกูล และปราโมทย์ สุคนิชย์. (2550). จิตเวชศาสตร์รามาชิต. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพิมพ์ บียอนด์ เอ็นเตอร์ไพรส์.

มานิช หล่อตระกูล. (2553). อาการ การดูแลโรคซึมเศร้า.[ระบบออนไลน์] สืบค้นเมื่อวันที่ 15 ตุลาคม 2553. จาก <http://www.thailabonline.com/mental-depress.htm>

- รัชนก สิทธิโชติวงศ์. (2550). ความร่วมมือในการรักษาและผลลัพธ์ทางคลินิกในผู้ป่วยสูงอายุที่ได้รับยาแอสเตติน แผนกผู้ป่วยนอก โรงพยาบาลสุรินทร์. วิทยานิพนธ์ ปริญญาเภสัชศาสตรมหาบัณฑิต สาขาวิชาเภสัชกรรมคลินิก, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่. โรงพยาบาลจิตเวชขอนแก่นราชนครินทร์. (2553). คู่มือระบบเฝ้าระวังดูแลช่วยเหลือผู้มีภาวะซึมเศร้าและผู้ที่เสี่ยงต่อการฆ่าตัวตาย ปีงบประมาณ 2554. กรมสุขภาพจิต กระทรวงสาธารณสุข.
- โรงพยาบาลชัยนาทนเรนทร. (มปป). สื่อการสอนอิเล็กทรอนิกส์ วิชาเภสัชวิทยา. [ระบบออนไลน์] สืบค้นเมื่อวันที่ 10 พฤศจิกายน 2553. จาก http://lms.thaicyberu.go.th/officialtcu/main/advcourse/presentstu/course/bk521/009wisawatp/_18.html.
- โรงพยาบาลบ้านโคก. (2553). ทะเบียนผู้ป่วยสุขภาพจิตโรงพยาบาลบ้านโคก. อุดรดิตถ์: กลุ่มงานการพยาบาล โรงพยาบาลบ้านโคก.
- โรงพยาบาลบ้านโคก. (2553). สรุปรายงานสุขภาพจิตระหว่างปีงบประมาณ 2550-2553. อุดรดิตถ์: วนิดา พุ่มไพศาลชัย, และสุวัฒน์ มหัตนรินทร์กุล. (2544). คู่มือการใช้ยาต้านโรคจิตฉบับการใช้ยาต้านอารมณ์ซึมเศร้า. เชียงใหม่: โรงพยาบาลสวนปรุง.
- ศักดิ์ชัย ภูเจริญ. (2552). รู้จักโรคและยาต้านเศร้า. [ระบบออนไลน์] สืบค้นเมื่อวันที่ 1 ตุลาคม 2553. จาก <http://www.dmh.go.th/news/view.asp?id=1049>
- สาธิตพร พุฒขาว. (2541). ปัจจัยที่มีผลต่อความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภท. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สมภพ เรืองตระกูล. (2543). โรคซึมเศร้าและการฆ่าตัวตาย. กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สมภพ เรืองตระกูล. (2548). ตำราจิตเวชศาสตร์. (พิมพ์ครั้งที่ 9). กรุงเทพมหานคร: เรือนแก้วการพิมพ์.
- สมพร รุ่งเรืองกลกิจ. (2546). การทำกลุ่มบำบัดสำหรับพยาบาล. กรุงเทพฯ: พิมพ์ลักษณ์การพิมพ์.
- สุตริภักดิ์ พิระกันทา. (2550). แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภทแผนกงานการพยาบาลผู้ป่วยนอกและผู้ป่วยฉุกเฉิน โรงพยาบาลมหาราชนครเชียงใหม่. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สุพรรณิ เจริญวิศิษฐ์ และคณะ. (2546). *ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับการป้องกันการเกิดแผลกดทับในผู้ป่วยศัลยกรรมประสาท*. โรงพยาบาลมหาราชนครเชียงใหม่.

สุมิตร สุวรรณ. (2552). *การเก็บรวบรวมข้อมูลเชิงคุณภาพ*. [ระบบออนไลน์] สืบค้นเมื่อวันที่ 25 มีนาคม 2553. จาก <http://pirun.ku.ac.th>.

สวนีย์ เกียรติแก้ว. (2544). *แนวคิดพื้นฐานทางการพยาบาลจิตเวช*. พิษณุโลก: คณะพยาบาลศาสตร์ มหาวิทยาลัยนเรศวร.

สวนีย์ เกียรติแก้ว. (2545). *การพยาบาลจิตเวช*. พิษณุโลก: รัตนสุวรรณการพิมพ์.

สำนักงานสาธารณสุขจังหวัดอุดรดิตถ์. (2553). *สรุปรายงานสุขภาพจิต*. อุดรดิตถ์.

สำนักงานนโยบายและยุทธศาสตร์ กระทรวงสาธารณสุข. (2552). *สถานการณ์และแนวโน้มความเจ็บป่วยทางจิตของคนไทย*. [ระบบออนไลน์] สืบค้นเมื่อวันที่ 24 ตุลาคม 2553. จาก <http://www.dmh.moph.go.th>

อรพรรณ ถีบุญรัชชัย. (2549). *การพยาบาลสุขภาพจิตและจิตเวช*. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: ด่านสุทธการพิมพ์.

อรพินท์ สมบัติพัฒนางกูร. (2551). *ประสิทธิผลการใช้แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้า แผนกผู้ป่วยนอกโรงพยาบาลพุทธชินราช จังหวัดพิษณุโลก*. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

อภิชัย มงคล, สุพิน พิมพ์เสน, และณัฐภา ราชบุตร. (2548). *คู่มือการช่วยเหลือผู้ที่มีภาวะซึมเศร้าสำหรับประชาชนเชียงใหม่*. เชียงใหม่: ศูนย์สุขภาพจิตที่ 10.

อภัยพร บุญแจ้ง. (2553). *ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้าแผนกผู้ป่วยนอกโรงพยาบาลวังโป่ง จังหวัดเพชรบูรณ์*. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

อจลรา จรัสสิงห์. (2547). *การศึกษาทบทวนองค์ความรู้ปัจจัยเสี่ยงของโรคทางจิตเวช: โรควิตกกังวล โรคซึมเศร้า โรคจิตเภท*. กรุงเทพฯ: บริษัท บีคอนด์ พับลิชชิง จำกัด.

อัมพร โอตระกูล. (2548). *สุขภาพจิต*. กรุงเทพฯ: นานาอักษรการพิมพ์.

อุมภาพร ตรังคสมบัติ. (2544). *จิตบำบัดและการให้คำปรึกษารอบครัว* (พิมพ์ครั้งที่ 5). กรุงเทพฯ: ชันดีการพิมพ์.

อำภาศรี ศรียศ. (2551). *ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภท โรงพยาบาลสมเด็จพระยุพราชนครไทย จังหวัดพิษณุโลก. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช. บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.*

Aikens J. E., et al., (2004). *Adherence to maintenance- Phase Antidepressant Medication as a Function of Patient Beliefs About Medication*. Retrieved November 20, 2010 from www.annfammed.org.

Akiskal, H. S. (2000). Mood disorders: Introduction. In Sadock, B. J. & Sadock, V. A. (Eds.), *Kaplan & Sadock's Comprehensive textbook of Psychiatry* (pp. 1284-1297). Philadelphia: Lippincott Williams & Wilkins.

American Psychiatric Association [APA]. (2000). *Diagnostic and statistical manual of mental disorders. (DSM-IV-TR)* American Psychiatric Association, Washington DC.

American Psychiatric Association [APA]. (2003). *Practice Guidelines for the assessment and treatment depression*. [online]. Retrieved September 10, 2010, from <http://www.guideline.gov>.

American Psychiatric Association[APA]. (2006). *Practice guideline for the treatment of patients with major depressive disorder (2^{ed} ed.)*. [online]. Retrieved August 10, 2009, from www.psych.org/psych_pract/treatg/pg/mdd2e_05-15-06.pdf

Barbara G., and Wells. (2000). *Pharmaco therapy Handbook*. Stamford: Appleton & Lange.

Beck, A. T. (1967). *Depression: Clinical experimental and theoretical aspects*. New York: Floeber Medical Division.

Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: The Guilford Press.

Byrne N, Livingston G, Regan C. (2006). Adherence to treatment in mood disorders. *Current Opinion Psychiatry*, 19(1), 44-49.

Davies S, Naik C, Lee A, (2001). *Depression, suicide, and the national service framework Suicide is rare and the only worthwhile strategy is to target people at high risk.* [online]. Retrieved June 22, 2010, from <http://www.pubmedcentral.nih.gov>.

Davis, M. S. (1968). Physiologic Psychological and demographic factors in patients compliance with doctor's order. *Medical Care*, 6, 115-122

- Dobson, K. S. (1989). A meta-analysis of the efficacy of cognitive therapy for depression. *Journal of Consulting and Clinical Psychology*, 57, 414-419.
- Donabedian, A.(1980). *The Quality of care: How Can It Be Assessed?*. Retrieved October 22, 2010, from [http://www.scinf.umontreal.ca/\(1996\).doc](http://www.scinf.umontreal.ca/(1996).doc)
- Dracup, K. A., & Meleis, I. A. (1982). Compliance: An interactionist approach. *Nursing Research*, 31(1), 31-36.
- Haynes, R. B., Yao, X., Degani, A., Kripalani, S., Garg, A., & McDonald, H. P. (2005). *Intervention for enhancing medication adherence*. [online]. Retrieved June 22, 2010, from <http://www.pubmedcentral.nih.gov>.
- Joyce AC, Bert Spilker. *Patient Compliance in Medical Practice and Clinical Trials*. New York:Raven Press. 1991.
- Kaplan, H. I., & Sadock, B. J. (2007). *Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences and clinical psychiatry*(10th ed.). Baltimore Lip-pincott Williams and Wilkins.
- Kampman, O., & Lehtinen, K., 1999. Compliance in psychoses. *Acta Psychiatrica Scandinavica* 100, 167–175.
- Katherine, M. F., & Patricia, A. H.(2003). *Psychiatric Nursing Care Plans*. San Diego: California.
- Katon, W., et al. (2001). *A Randomized Trial of Relapse Prevention of Depression in Primary care*. [online]. Retrieved October 1, 2009, from <http://www.archgenpsychiatry.com>.
- Keltner, N. L., Scheweke, L. H., & Bostrom, C. E. (2003). *Psychiatric Nursing* (4th ed.). Missouri: Mosby, Inc.
- Kurlowicz, L. (2003). Depression in older adults in Mezey, M., Fulmer, T., Abraham, I. (Eds.); Zwicker, D., (Managing editor). *Geriatric Nursing Protocols for Best Practice* (2nd ed.). Springer Publishing Company, Inc. [online]. Retrieved October 14, 2009, from http://www.geronurseonline.org/uploaded_documents/Geriatric%20Depression%20Scale.pdf
- Leo, R J., Fassal, K., & Bakhai, Y. D. (2005). Nonadherence with psychopharmacologic treatment among psychiatric patients. *Primary Psychiatry*.12 (5), 33-39
- Lin H.B., Von Korff, M., Katon, W., Bush, T., Simon, G. E., Walker, E., & Robinson, P. (1995). *The Role of the Primary Care Physician in Patients' Adherence to Antidepressant Therapy*. Retrieved August 12, 2010, from <http://www.jstor.org/pss/3766739>

- Lin H.B., M., Katon, J., Von Korff, M., Russo, E., Simon, G. E., Bush, T., Rutter, M., Walker, E., & Ludman, E. (1998). *Relapse of Depression in Primary Care Rate and Clinical Predictors*. [online]. Retrieved August 27, 2010, from [http:// www.archfammed.com](http://www.archfammed.com).
- McDonald, H. P., Haynes, R. B., & Garg, A. X. (2002). *Interventions to enhance patients to medication prescriptions*. *Journal of American Medical Association*, 11 (288), 2868-2879.
- Meijel, B.V., Gaag, M.V., Kahn, R.S., & Gryphonck, M.H. (2003). *Relapse Prevention in Patients With Schizophrenia : The Application of an intervention Protocol in Nursing Practice*. *Archives of Psychiatric nursing*, 17, 165-172.
- Michigan Quality Improvement Consortium. (2004). *Management of adult with Major depression*. [online]. Retrieved August 10, 2010, from http://www.icsi.org/depression_5/depression__major__in_adults_in_primary_care_3.html
- Ministry of Health. (2004). *Depression: Clinical practice guidelines*. Ministry of Health.
- Murray, C. J., Lopez, A. D., (1996) *Alternative projections of mortality and disability by cause 1990–2020: Global Burden of Disease Study*. [online]. Retrieved August 1, 2010, from http://www.iumsp.ch/Enseignement/postgraduate/Besancon/docs/murray_burden.pdf.
- National Health and Medical Research Council. (1999). *A guide to the development, Implement and evaluation of clinical practice guidelines*. [online]. Retrieved August 1, 2010, from http://www.nhmrc.gov.au/publications/_files/cp30.pdf
- National Institute for Clinical Excellence. (2003). *Management of Depression*. National Clinical Practice Guideline Number 23. [online]. Retrieved August 27, 2010, from <http://www.nice.org.uk>.
- Noreen, C. F., & Lawrence E. F. (2002). *Psychiatric mental health Nursing*. (2^{ed}). Cleveland: Ohio.
- Nose, M., Barburi, C., Gray, R., & Tan, M. (2003). *Clinical interventions for treatment non-adherence in Psychosis ;meta-analysis*. [online]. Retrieved August 05, 2010, from <http://www.bip.rcpsych.org>.


- Pampallona, S. Bollini, P., Tibaldi, G., Kupelnick, B., & Munizza, C. (2002). *Patient adherence in the treatment of Depression*. The British Journal of Psychiatry, 180, 104-109.
- Pearson, A., Field, J. & Jordan, Z. (2007). *Evidence-based clinical practice in nursing and health care*. Blackwell publishing limited.
- Perkins, D.O., Gu, H., Boteva, K., & Lieberman, J.A. (2005). *Relationship Between Duration of Untreated Psychosis and outcome in First – Episode schizophrenia : A Critical Review and Meta-Analysis*. [online]. Retrieved August 22, 2010, from <http://www.ajp.psychiatryonline.org>.
- Polit, D. F., Beck, C. T., & Hungler, B. P. (2001). *Essentials of nursing research: Method, appraisal, and utilization*. Philadelphia: Lippincott.
- Polit, D. F., Beck, C. T. (2004). *Nurse research: Principle and method*. Philadelphia: Lippincott.
- Reda, S., & Makhoul, s. (2001). *Prompt to encourage appointment attendance for people with serious mental illness. (Review)*. [online]. Retrieved August 27, 2010, from <http://www.mrw.inerscience.wiley.com/cochrane/clsysrev/articles/CD00285/pdffs.Html>
- Robert, R. E., Lewinsohn, R. M., & Seeley, J. R. (1995). Symptom of DSM III-R major depression in adolescents: Evidence from an epidemiological survey. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34, 1608-1617.
- Rochester, N. Y. (2005). *Prescription drug compliance a significant challenge for many patients, According to new national survey*. [online]. Retrieved March 29, 2010, from http://www.harrisinteractive.com/news/newsletters/wsjhealthnews/WSJOnline_HI_Health-CarePoll2005vol4_iss06.pdf
- Roe, D., & Swarbrick, M. (2007). A Recovery-Oriented Approach to Psychiatric Medication: Guidelines for Nurses. *Journal of Psychosocial Nursing*, 45(2)
- Rusch, N., & Corrigan, P. W. (2002). Motivational interviewing to improve insight and treatment adherence in schizophrenia. *Psychiatric Rehabilitation Journal*. 26(1), 23-32.
- Rush, A. J. (1998). *Mood disorder*. [online]. Retrieved June 20, 2010, from <http://www.surgeongeneral.gov/library/mentalhealth>.

- Rush, A. J. (2000). Mood disorders:treatment of depression. In Sadock, B. J. & Sadock, V. A. (Eds.), *Kaplan & Sadock's Comprehensive textbook of Psychiatry* (pp. 1377-1385). Philadelphia:Lippincott Williams & Wilkins.
- Simon, E. G. (2002). *Evidence review: Efficacy and effectiveness of antidepressant treatment in primary care* [Electronic version]. *General Hospital Psychiatry*, 24, 213-224.
- Smith, D. L. (1976). *Patient Compliance with medication regimen*. *Drug Intelligence Clinical Pharmacy*. 10, 386.
- Sullivan, PF, Neale MC, Kendler KS. (2000). Genetic epidemiology of major depression: review and meta-analysis. *Am J Psychiatry*, 157 10: 1552-1562.
- University of Michigan Health System. (2005). *Depression: Depression Guideline*. Michigan: University of Michigan.
- Valenstein, M., Copeland, L., Blow, F., McCarthy, J., Zeber, J.; Gillon, L; et al. (2002). *Pharmacy data identify poorly adherent patients with Schizophrenia at increased risk for admission*. (Abstract). [online]. Retrieved August 20, 2010, from <http://www.ncbi.nlm.nih.gov>.
- Van Vliet, M. J., Schuurmans, M. J., Grypdonck, H. F., & Duijnste, S. H. (2006). Improper intake of medication by elders-insights on contributing factor: A review of the literature. *Research and Theory for Nursing Practice*, 20(1), 79-87.
- Varcarolis, E. M. (1998). *Foundations of psychiatric-mental health nursing*. Philadelphia: W. B. Saunders Company.
- Vivian, B.G. (1996). *Reconceptualizing compliance in home health care* .*Nursing Forum*, 31(2),5-13. [online]. Retrived November 20, 2010, from <http://www.ncbi.nlm.nih.gov/pubmed>.
- Wells, K. B., Stewart, A, Hays, R.D., Burnam, M. A., Rogers, W., Daniels, M., Berry, S., Greenfield, S., & Ware, J. (1989). *The functioning and well-being of depressed patients. Results from the Medical Outcomes Study*. [online]. Retrieved September 27, 2010, from <http://www.ncbi.nlm.nih.gov/pubmed/2754791>.
- Wikipedia. (n.d.). *Compliance(medicine)*. Wikipedia; the free encyclopedia. [online]. Retrieved December 4, 2010, from [http://en.wikipedia.org/wiki/Compliance_\(medicine\)](http://en.wikipedia.org/wiki/Compliance_(medicine))

Williams, J. M. G. (1997). Depression. In D. M. Clark & C. G. Fairburn (Eds.), *Science and practice of cognitive behaviour therapy* (pp. 259-283). New York: Oxford University Press.

World Health Organization. (2006). *Depression*. [online]. Retrieved August 10, 2010, from www.searo.who.int/LinkFiles/Conquering_Depression_ment-120.pdf

World Health Organization. (2010). *Depression*. [online]. Retrieved November 16, 2010, from http://www.who.int/mental_health/management/depression/definition/en



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved