

เอกสารอ้างอิง

- กรมสุขภาพจิต. (2547). การทบทวนองค์ความรู้และงานวิจัยที่เกี่ยวข้องในเรื่องระบาดวิทยาของ
ปัญหาสุขภาพจิตและโรคทางจิตเวช. กรุงเทพมหานคร: องค์การสงเคราะห์ทหารผ่านศึก.
- กรมสุขภาพจิต. (2551). รายงานประจำปีกรมสุขภาพจิตกรมสุขภาพจิตปีงบประมาณ 2551.
กรุงเทพมหานคร: ห้างหุ้นส่วนจำกัดบางกอกบล็อกล็อก.
- กรมสุขภาพจิต. (2552). รายงานประจำปีกรมสุขภาพจิตกรมสุขภาพจิตปีงบประมาณ 2552.
กรุงเทพมหานคร: ห้างหุ้นส่วนจำกัดบางกอกบล็อกล็อก.
- กรมสุขภาพจิต. (2553). การประเมินผลการให้บริการของสถานบริการสาธารณสุขทั่วประเทศ.
ค้นเมื่อ 7 พฤษภาคม 2554, จาก <http://www.plan.dmh.go.th/download/ict/diag8-53.xls>.
- จันทิมา องค์ไวยมิต. (2545). จิตบำบัดในการปฏิบัติงานจิตเวชทั่วไป. กรุงเทพฯ: ยูเนี่ยน ครีเอชั่น
จำกัด.
- ธวัชชัย ฤกษ์ณะประกกรกิจ และนวนันท์ ปิยะวัฒน์กุล. (2546). จิตเวชศาสตร์สำหรับบุคลากรทาง
การแพทย์. ขอนแก่น: คลังนานาวิทยา.
- นิพัทธ์ กาญจนธนาเลิศ. (2548). ศิลปะการใช้ยาต้านโรคซึมเศร้า. กรุงเทพฯ: ทิมส์.
- พูนศรี รังษิณี, ธวัชชัย ฤกษ์ณะประกกรกิจ และนวนันท์ ปิยะวัฒน์กุล. (2547). จิตเวชศาสตร์สำหรับ
นักศึกษาแพทย์. ขอนแก่น: คลังนานาวิทยา.
- พองคำ ดิลกสกุลชัย. (2549). การปฏิบัติการพยาบาลตามหลักฐานเชิงประจักษ์ หลักการและวิธี
ปฏิบัติ. กรุงเทพมหานคร: ห้างหุ้นส่วนจำกัด ฟรี-วัน.
- รัชนก สิทธิโชติวงศ์. (2550). ความร่วมมือในการรักษาและผลลัพธ์ทางคลินิกของผู้ป่วยสูงอายุที่
ได้รับยากลุ่มสเตตินและมารับบริการในแผนกผู้ป่วยนอกโรงพยาบาลสุรินทร์.
วิทยานิพนธ์เกศาสตรมหาบัณฑิต สาขาวิชาเภสัชกรรมคลินิก, บัณฑิตวิทยาลัย
มหาวิทยาลัยเชียงใหม่.
- โรงพยาบาลศิริราช. (2553). รายงานการประเมินตนเอง 2553. สุโขทัย: โรงพยาบาลศิริราช.
- โรงพยาบาลศิริราช. (2552). รายงานสถิติประจำปี 2552. สุโขทัย: โรงพยาบาลศิริราช.
- โรงพยาบาลศิริราช. (2553). รายงานสถิติประจำปี 2553. สุโขทัย: โรงพยาบาลศิริราช.
- โรงพยาบาลจิตเวชขอนแก่นราชนครินทร์ กรมสุขภาพจิต. (2548). การดูแลทางสังคม จิตใจ ผู้มี
ปัญหาซึมเศร้าสำหรับบุคลากรสาธารณสุข. กรุงเทพมหานคร: องค์การสงเคราะห์
ทหารผ่านศึก.

- โรงพยาบาลจิตเวชขอนแก่นราชนครินทร์ กรมสุขภาพจิต. (2551). รายงานการประเมินผลโครงการ
ป้องกันและช่วยเหลือผู้ที่มีภาวะซึมเศร้าและเสี่ยงต่อการฆ่าตัวตาย ปีงบประมาณ 2548.
ขอนแก่น: โรงพิมพ์พระธรรมขันธ์.
- ภัทรภรณ์ พุ่มปันคำ. (2551). การทำกลุ่มจิตบำบัดสำหรับบุคลากรทางสุขภาพ. เชียงใหม่:
นันทพันธ์พรินต์ติ้ง จำกัด.
- มานิช หล่อตระกูล และปราโมทย์ สุกนิษฐ์. (2548). จิตเวชศาสตร์รามาธิบดี. กรุงเทพมหานคร:
ภาควิชาจิตเวชศาสตร์.
- มานิช หล่อตระกูล. (2550). คู่มือการใช้ยาทางจิตเวช. กรุงเทพมหานคร: พิมพ์ดี.
- มานิช หล่อตระกูล. (2544). คู่มือการดูแลผู้มีปัญหาสุขภาพจิตและจิตเวชสำหรับแพทย์. ค้นเมื่อ
8 เมษายน 2554, จาก <http://www.ra.mahidol.ac.th/mental/compliance.html>.
- ศิริรัตน์ คุปติวุฒิ. (2545). จิตวิทยาครอบครัว การให้การปรึกษาคู่ชีวิตและครอบครัวบำบัด
เบื้องต้น. กรุงเทพมหานคร: เรือนแก้วการพิมพ์.
- สมภพ เรืองตระกูล. (2548). ตำราจิตเวชศาสตร์. กรุงเทพมหานคร: เรือนแก้วการพิมพ์.
- สมโภชน์ เอี่ยมสุภาษิต. (2550) ทฤษฎีและเทคนิคการปรับพฤติกรรม. กรุงเทพมหานคร: โรงพิมพ์
จุฬาลงกรณ์มหาวิทยาลัย.
- สายฝน เอกวางกูร. (2553). รู้จัก เข้าใจ ดูแลภาวะซึมเศร้า. กรุงเทพมหานคร: บริษัท ส. เอเซียเพรส
(1989) จำกัด.
- สุครัก พิละกันทา. (2550). แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยา
ของผู้ป่วยจิตเภทแผนกงานการพยาบาลผู้ป่วยนอกและผู้ป่วยฉุกเฉิน โรงพยาบาล
มหาราชนครเชียงใหม่. การค้นคว้าแบบอิสระ พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการ
พยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สุพรรณิ เจริญวิศิษฐ์ และคณะ. (2546). ประสิทธิภาพของการใช้แนวปฏิบัติทางคลินิกสำหรับการ
ป้องกันและลดทาบในผู้ป่วยสัลยกรรมประสาท. โรงพยาบาลมหาราชนครเชียงใหม่.
- อรพิน สมบัติวัฒนางกูร. (2551). ประสิทธิภาพการใช้แนวปฏิบัติทางคลินิกสำหรับส่งเสริมความ
ร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้า แผนกผู้ป่วยนอก โรงพยาบาล
พุทธชินราช จังหวัดพิษณุโลก. การค้นคว้าแบบอิสระ พยาบาลศาสตรมหาบัณฑิต
สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

อภัยพร บุญแจ้ง. (2553). *ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับส่งเสริมความร่วมมือในการรักษาด้วยยของผู้ที่เป็นโรคซึมเศร้า แผนกผู้ป่วยนอกโรงพยาบาลวังโป่ง จังหวัดเพชรบูรณ์*. การค้นคว้าแบบอิสระ พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

อำไพวรรณ พุ่มศรีสวัสดิ์. (2543). *การพยาบาลจิตเวชและสุขภาพจิต*. กรุงเทพมหานคร: ธรรมสาร จำกัด.

Aikens, J. E., Nease, D. E., Nau, D. P., Klinkman, M. S., & Schwenk, T. M. (2005). *Adherence to Maintenance-Phase Antidepressant Medication as a Function of Patient Belief About Medication*. Retrieved June 17, 2010 from

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1466796/?tool=pubmed>.

Akincigil, A., Bowlis, J. R., Levin, C., Walkup, J. T., Jan, S., & Crystal, S., (2007) *Adherence to Antidepressant Treatment Among Privately Insured Patient Diagnosed with Depression*. Retrieved July 8, 2011 from

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2882940/pdf/nihms50009.pdf>.

American Psychiatric Association [APA]. (2010) *Practice Guideline for The Treatment of Patients With Major Depressive Disorder Third Edition*. Retrieved November 25, 2010, from <http://www.psych.org/guidelines/mdd2010>.

Appraisal of Guidelines for Research & Evaluation. (2009). *AGREE II Instrument*. Retrieved July 13, 2010 from <http://www.agreetrust.org>.

Blatt, S., Zuroff, D., Bondi, C., & Sanislow, C., (2000). *Short- and long-term effects of Medication and psychotherapy in the brief treatment of depression*. Retrieved December 23, 2010 from

<http://www.nimh.nih.gov/health/publications/depression/nimhdepression.pdf>.

British Columbia Medical Association. (2004). *Depression (MDD)-Diagnosis and Management*. Retrieved December 27, 2010 from

http://www.bcguidelines.ca/gpac/pdf/depression_full_guideline.pdf.

Callaghan, P., & Waldock, H. (2006). *Oxford Handbook of Mental Health Nursing*. Oxford: University Press.

- Cho, H. J., Lavretsky, H., Olmstead, R., Levin, M. J., Oxman, M. N., & Irwin, M. R., (2008). *Sleep disturbance and depression recurrence in community-dwelling older adults: a prospective study*. Retrieved December 23, 2010 from <http://www.nimh.nih.gov/health/publications/depression/nimhdepression.pdf>.
- Cook, P. F., Emiliozzi, S., Waters, C., & Haji, D. E. (2008). *Effects of Telephone Counseling on Antipsychotic Adherence and Emergency Department Utilization*. Retrieved August 1, 2010, from <http://www.ncbi.nlm.nih.gov/pubmed>.
- Cornwall, P. & Scott, J. (2000). *Which clinical practice guidelines for depression? An overview for busy practitioners*. Retrieved November 25, 2010, from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1313856/pdf/11141878.pdf>.
- Forsner, T., Hansson, J., Brommels, M., Wistedt, A. A., & Forsell, Y., (2008). *Implementing Clinical guidelines in psychiatry: a qualitative study of perceived facilitators and barriers*. Retrieved August 8, 2011, from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2822755/pdf/1471-244X-108.pdf>.
- Frank, E., (1997). *Enhancing patient outcomes: treatment adherence*. Retrieved August 1, 2010, from <http://www.ncbi.nlm.nih.gov/pubmed/9054903>.
- Gelenberg, A. J., Freeman, M. P., Markowitz, J. C., Jerrold F., Rosenbaum, J., F., Thase, M.E., et al. (2010). *APA Practice Guideline for The Treatment of Patients With Major Depressive Disorder, Third Edition*. Retrieved November 25, 2010, from <http://www.psych.org/guidelines/mdd2010>.
- Giese, J. L., & Cote, J. A., (2000). *Defining Consumer Satisfaction*. Retrieved August 23, 2011, from <http://www.amsreview.org/articles/giese01-2000.pdf>.
- Haynes, R. B., Ackloo, E., Sahota, N., McDonald, H. P., & Yao, X. (2005). *Intervention for Enhancing Medication Adherence*. Retrieved August 15, 2010, from <http://onlinelibrary.wiley.com/o/Cochrane/clsysrev/articles/CD000011/frame.html>.
- Interian, A., Martinez, I. E., Guarnaccia, P. J., Vega, W., & Escobar, J. I. (2008). *A qualitative analysis of the perception of stigma among Latinos receiving antidepressants*. Retrieved June 17, 2010, from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2288553/?tool=pubmed>.

- Kripalani, S., Yao, X., & Haynes, R.B. (2007). *Interventions to Enhance Medication Adherence in Chronic Medical Conditions :A Systematic Review*. Retrieved November 25, 2010, from <http://archinte.ama-assn.org/cgi/content/full/167/6/540>.
- Lin, H. B., Korff, M. V., Ludman, E. J., Rutter, C., Bush, T. M., Simon, G. E., et al. (2003). *Enhancing adherence to prevent depression relapse in primary care*. Retrieved August 1, 2010, from [http://www.ghpjournal.com/article/S0163-8343\(03\)00074-4/abstract](http://www.ghpjournal.com/article/S0163-8343(03)00074-4/abstract).
- Mahendran, R. & Yap, H. L. (2005). *Clinical practice guidelines for depression*. Retrieved August 15, 2010, from <http://www.sma.org.sg/smj/4611/4611ra1.pdf>.
- New England Medical Center [NEMC]. (1994). *Health Outcomes Research: A Primer*. Retrieved August 23, 2011, from <http://www.academyhealth.org/files/publications/healthoutcomes.pdf>.
- National Health and Medical Research Council [NHMRC]. (1999). *A guide to the development, implementation and evaluation of clinical practice guideline*. Retrieved August 14, 2010, from <http://www.nhmrc.gov.au/publications/synopses/cp65syn.htm>.
- National Institute for Health and Clinical Excellence [NICE]. (2009). *Depression in Adults with a chronic physical health problem Treatment and management*. Retrieved August 13, 2010, from <http://www.scie-socialcareonline.org.uk/profile.asp?guid=63D319E8-16F9-4886-B5E5-51E408E6B068>.
- National Institute of Mental Health [NIMH]. (2010) *Depression*. Retrieved December 23, 2010, from <http://www.nimh.nih.gov/health/publications/depression/nimhdepression.pdf>.
- Osterberg, L., & Blaschke, T., (2005). *Adherence to medication*. Retrieved July 19, 2011, from <http://www.nejm.org/doi/pdf/10.1056/NEJMra050100>.
- Prukkanone, B., Vos, T., Burgess, P., Chaiyakunapruk, N., & Bertram, M., (2010). *Adherence to antidepressant therapy for major depressive patients in a psychiatric hospital in Thailand*. Retrieved December 23, 2011, from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2936351/pdf/1471-244X-10-64.pdf>.
- Sawada, N. (2009). *Persistence and compliance to antidepressant treatment in patients with depression: A chart review*. Retrieved June 17, 2010, from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2702377/pdf/1471-244X-9-38.pdf>.

- Tamburrino, M. B., Nagel, R. W., Chahal, M. K., & Lynch, D. J. (2009) *Antidepressant Medication Adherence: A Study of Primary Care Patients*. Retrieved August 1, 2010, from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2781031/pdf/pcc11205.pdf>.
- Thase, M. E., (2003). *Achieving Remission and Managing Relapse in Depression*. Retrieved January 29, 2011, from <http://www.ncbi.nlm.nih.gov/pubmed/9054903>.
- The Health Boards Executive [HBE], (2003). *Measurement of Patient Satisfaction Guidelines Health Strategy Implementation Project 2003*. Retrieved August 23, 2011, from http://www.dohc.ie/issues/health_strategy/action48.pdf.direct=1.
- Trivedi, M.H., Lin, E.H., & Katon, W.J. (2007). *Consensus recommendations for improving adherence, self-management, and outcomes in patients with depression*. Retrieved November 25, 2010, from <http://www.ncbi.nlm.nih.gov/pubmed/17986951>.
- World Health Organization. (2006). *Depression*. Retrieved August 12, 2010, from http://www.who.int/mental_health/management/depression/definition/en/index.html.
- World Health Organization. (2006). *ICD-10 International Statistical Classification of Diseases and Related Health Problems*. Geneva: World Health Organization.