

เอกสารอ้างอิง

- กรมสุขภาพจิต.(2549) แผนปฏิบัติงานกรมสุขภาพจิต ปีงบประมาณ 2549. กรมสุขภาพจิต
กระทรวง สาธารณสุข.
- กรมสุขภาพจิต กระทรวงสาธารณสุข. (2550). จำนวนผู้ป่วยด้านสุขภาพจิตของประเทศไทย
กระจายตามเขตสาธารณสุขปี 2550. กระทรวงสาธารณสุข.
- กรมสุขภาพจิต.(2550) แผนปฏิบัติงานกรมสุขภาพจิต ปีงบประมาณ 2550. กรมสุขภาพจิต.
กระทรวงสาธารณสุข.
- กรมสุขภาพจิต กระทรวงสาธารณสุข. (2551). จำนวนผู้ป่วยด้านสุขภาพจิตของประเทศไทย
กระจายตามเขตสาธารณสุขปี 2551. กระทรวงสาธารณสุข.
- กรมสุขภาพจิต.(2552).รายงานความก้าวหน้าแผนงานวิจัยบูรณาการ: การพัฒนาระบบสุขภาพเพื่อ
แก้ไขปัญหาและป้องกันความสูญเสียเนื่องจากโรคซึมเศร้า ระยะที่ 2 ปี 2550. นนทบุรี:
บิยอนด์พับลิชชิง จำกัด.
- กรมสุขภาพจิต กระทรวงสาธารณสุข ฉบับปรับปรุงครั้งที่ 1 (2552). แนวทางการดูแลผู้ป่วยโรค
ซึมเศร้าระดับจังหวัด (Guidebook of Depressive Disorders Disorder Surveillance and
Care :Provincial Level) นนทบุรี:บิยอนด์พับลิชชิงจำกัด.
- กุลธิดา สิทธิวัง (2554). ประสิทธิภาพของการใช้แนวปฏิบัติทางคลินิกสำหรับส่งเสริมความร่วมมือ
ในการรักษาด้วยยาของผู้ป่วยโรคซึมเศร้า โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่ การ
ค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช,
บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ฉวีวรรณ ชงชัย. (2548). แบบประเมินคุณภาพการพัฒนาแนวปฏิบัติ. เอกสารประกอบการบรรยาย
ในการอบรมเรื่อง การพัฒนาคุณภาพการปฏิบัติโดยอาศัยหลักฐานอ้างอิง. จัดโดยศูนย์
ความรู้เชิงประจักษ์. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- ฉวีวรรณ ชงชัย. (2548). การพัฒนาแนวปฏิบัติทางคลินิก. วารสารสภาการพยาบาล.20(2),63-76.
- ดวงฤดี ลาสุขะ. (2553).เอกสารประกอบการเรียนการสอนกระบวนวิชา 562702 การทบทวน
วรรณกรรมอย่างเป็นระบบและการใช้ผลการวิจัยออกแบบวิจัย. คณะพยาบาลศาสตร์
มหาวิทยาลัยเชียงใหม่.

- ธรณินทร์ กองสุข, สุวรรณ อรุณพงศ์ไพศาล, เกษราภรณ์ เคนบุปผา, สุพัตรา สุขาวท, รุ่งมณี ยิ่งยืน, ศักดา จำคม, ศิริจันทร์ สุขใจ, และจินตนา ลีจิ่งเพิ่มพูน. (2551). *ความชุกโรคซึมเศร้า: การสำรวจระดับชาติปี 2551*. อุบลราชธานี: ศิริธรรมออฟเซต.
- ธวัชชัย ฤกษ์ประกรกิจ และนวนันท์ ปิยะวัฒน์กุล. (2546). *จิตเวชศาสตร์สำหรับบุคลากรทางการแพทย์*. (พิมพ์ครั้งที่ 1) ขอนแก่น: โรงพิมพ์คลังน่านาวิทยา
- พูนศรี รังษิณี, ธวัชชัย ฤกษ์ประกรกิจ และนวนันท์ ปิยะวัฒน์กุล. (2547). *จิตเวชศาสตร์สำหรับนักศึกษาแพทย์*. ขอนแก่น: โรงพิมพ์คลังน่านาวิทยา.
- พองคำ ดิลกสกุลชัย (2549) *การปฏิบัติการพยาบาลตามหลักฐานเชิงประจักษ์หลักการและวิธีปฏิบัติ*. (พิมพ์ครั้งที่ 1) กรุงเทพฯ: ฟรี-วันจำกัด
- มาโนช หล่อตระกูล. (2545). *ผู้ป่วยไม่ร่วมมือในการรักษา*. วารสารคลินิก, 167(14), 761-765.61
- มาโนช หล่อตระกูล. (2547). *การใช้ยาทางจิตเวช*. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: พิมพ์ดี.
- มาโนช หล่อตระกูล. (2550). *คู่มือการใช้ยาจิตเวช* (พิมพ์ครั้งที่ 4). กรุงเทพฯ: บิยอนด์เอนเทอร์ไพรซ์.
- มาโนช หล่อตระกูล. (2553). *การฆ่าตัวตาย การรักษา และป้องกัน* (พิมพ์ครั้งที่ 1). กรุงเทพฯ: บิยอนด์เอนเทอร์ไพรซ์.
- มาโนช หล่อตระกูล และปราโมทย์ สุคนิชย์. (2548). *จิตเวชศาสตร์รามาธิบดี*. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: บิยอนด์เอนเทอร์ไพรซ์.
- รัชนก สิทธิโชติวงศ์. (2550). *ความร่วมมือในการรักษาและผลลัพธ์ทางคลินิกในผู้สูงอายุที่ได้รับยาสดเตติน แผนกผู้ป่วยนอก โรงพยาบาลสุรินทร์*. วิทยานิพนธ์ปริญญาเภสัชศาสตรมหา
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2550). *รายงานบริการคลินิกสุขภาพจิตและให้การปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของประจำปีงบประมาณ 2550*. เขียงราย.
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2551). *รายงานบริการคลินิกสุขภาพจิตและให้การปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของประจำปีงบประมาณ 2551*. เขียงราย.
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2551). *รายงานตัวชี้วัดคุณภาพทางการพยาบาลของบริการคลินิกสุขภาพจิตและให้การปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของประจำปีงบประมาณ 2551*. เขียงราย.
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2552). *รายงานบริการคลินิกสุขภาพจิตและให้การปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของประจำปีงบประมาณ 2552*. เขียงราย.
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2552). *รายงานตัวชี้วัดคุณภาพทางการพยาบาลของบริการคลินิกสุขภาพจิตและให้การปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของประจำปีงบประมาณ 2552*. เขียงราย.

- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2553). รายงานบริการคลินิกสุขภาพจิตและให้การ
ปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของประจำปีงบประมาณ 2553 . เขียงราย.
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2553). รายงานDS 506 คลินิกสุขภาพจิตและให้การ
ปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของ
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2554). รายงานบริการคลินิกสุขภาพจิตและให้การ
ปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของประจำปีงบประมาณ 2554 . เขียงราย.
- โรงพยาบาลสมเด็จพระยุพราชเขียงของ. (2554). รายงานDS 506 คลินิกสุขภาพจิตและให้การ
ปรึกษาโรงพยาบาลสมเด็จพระยุพราชเขียงของ
- ละเอียด แจ่มจันทร์และ สุริ ชันธรัชวงษ์ (2549).สาระทบทวนการพยาบาลสุขภาพจิตและจิตเวช
ศาสตร์. (พิมพ์ครั้งที่ 3).กรุงเทพฯ: บริษัทจุดทอง จำกัด
- วนิดา พุ่มไพศาลชัย และ สุวัฒน์ มหัตนรินทร์. (2544). การใช้ยาต้านอารมณ์ซึมเศร้า. เขียงใหม่:
โรงพยาบาลสวนปรุง.
- วิทยา ศรีดามา. (2544). การใช้ *Clinical Practice Guideline*ใน วิทยา ศรีดามา (บรรณาธิการ).
,*Clinical Practice Guideline*ทางอายุรกรรม พ.ศ.2544. (หน้า 15-18). (พิมพ์ครั้งที่ 3).
- ศิริพร จิรวัดน์กุล. (2546). ภาวะซึมเศร้าในผู้หญิงกลางคน : มิติทางวัฒนธรรมในงานการพยาบาล
จิตเวช. (พิมพ์ครั้งที่ 1) . กรุงเทพฯ . ด่านสุทธาการพิมพ์ .
- สมภพ เรืองตระกูล. (2543) .โรคซึมเศร้าและการฆ่าตัวตาย. กรุงเทพฯ: เรือนแก้วการพิมพ์
- สมภพ เรืองตระกูล. (2548). ตำราจิตเวชศาสตร์. (พิมพ์ครั้งที่ 9). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สมภพ เรืองตระกูล. (2552). จิตสังคมบำบัดในโรคทางจิตเวชและโรคทางกาย. กรุงเทพฯ:เรือนแก้ว
การพิมพ์.
- สาธุพร พุฒขาว. (2541). ปัจจัยที่มีผลต่อความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภท.
การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและ
จิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเขียงใหม่.
- สุพรรณิ เจริญวิศิษฐ์, ชัยนิ มณีวรรณ, ธนัฐ วานิชะพงศ์, จันทิมา กาบเย็น และ กนกวรรณ
สังหรณ์.(2546). ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับป้องกันการเกิด
แผลกดทับในผู้ป่วยศัลยกรรมประสาท หอผู้ป่วยศัลยกรรมชาย 3 โรงพยาบาลมหาราช
นครเขียงใหม่. คณะแพทยศาสตร์ โรงพยาบาลมหาราชนครเขียงใหม่

- สุครัก พิละกันทา. (2550) แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภทแผนกงานการพยาบาลผู้ป่วยนอกและผู้ป่วยฉุกเฉิน โรงพยาบาลมหาวิทยาลัยเชียงใหม่. การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิตสาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช,บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สุวนีย์ เกียวกิ่งแก้ว. (2544). แนวคิดพื้นฐานทางการพยาบาลจิตเวช. พิษณุโลก: คณะพยาบาลศาสตร์ มหาวิทยาลัยนเรศวร.
- สำนักงานสาธารณสุขจังหวัดเชียงราย. (2550).รายงานสรุปข้อมูลผลการดำเนินงานสุขภาพจิตปีงบประมาณ 2552.เชียงราย: สำนักงานสาธารณสุขจังหวัดเชียงราย.
- อรพรรณ ลือบุญรัชชัย. (2545). การพยาบาลสุขภาพจิตและจิตเวช. กรุงเทพฯ: ด่านสุทธาการพิมพ์.
- อรพรรณ ลือบุญรัชชัย. (2549). การพยาบาลสุขภาพจิตและจิตเวช. (พิมพ์ครั้งที่ 2).กรุงเทพฯ: ด่านสุทธาการพิมพ์.
- อรพรรณ ลือบุญรัชชัยและพิรพนธ์ ลือบุญรัชชัย. (2553). การบำบัดรักษาทางจิตสังคมสำหรับโรคซึมเศร้า(พิมพ์ครั้งที่ 1).กรุงเทพฯ: ธนาพรสจกััด
- อรพินท์ สมบัติวัฒนางกูร.(2551). ประสิทธิผลของแนวปฏิบัติทางคลินิกสำหรับส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้า แผนกผู้ป่วยนอกโรงพยาบาลพุทธชินราช จังหวัดพิษณุโลก .การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- อภัยพร บุญแจ้ง. (2553). ประสิทธิผลการใช้แนวปฏิบัติทางคลินิกสำหรับส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้า โรงพยาบาลกำแพงเพชร จังหวัดกำแพงเพชร. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- อัญญา สีหิรัญวงศ์และธณชัย คงสกันธ์ (2544). แบบวัด *Hamilton rating scale for depression: การวิเคราะห์การรวมกลุ่ม*.วารสารสมาคมจิตแพทย์แห่งประเทศไทย, 46(4): 311-321
- อภิชัย มงคล และคณะ. (2547). ความชุกของโรคทางจิตเวชในไทย: การสำรวจ ระดับชาติ 25 วารสารสุขภาพจิตแห่งประเทศไทย, 12 : 177 – 188
- อำไพวรรณ พุ่มศรีสวัสดิ์. (2543). การพยาบาลสุขภาพจิตและจิตเวช. กรุงเทพฯ: วีเจพรีนติ้ง.
- American Psychiatric Association[APA]. (1994). *Diagnostic and statiscal manual of mental disorder:DSM.IV* (4 th ed.). Washington D.C : APA.
- American Psychiatric Association [APA]. (2000). *Diagnostic and Statistical Manual of Mental:DSM-IV-TR Disorder*.(4th ed.). Washington.DC:Author.

- American Psychiatric Association [APA]. (2003). *Practice Guidelines for the assessment and treatment depression*. [online]. Retrieved September 10, 2010, from <http://www.guideline.gov>.
- Aikens, E. K., Neas, D. E., Nau, D. P., Klinkman, M. S., & Schwenk, T. L. (2005). *Adherence to maintenance: Phase antidepressant medication as a function of patient beliefs about medication*. Retrieved September 20, 2010, from <http://www.annfammed.org/cgi/content/full/3/1/23>
- Barbara, S. J. (1997). *Psychiatric – Mental Health Nursing Adaptation and Growth*. (4th ed) Texas : Arlinton
- Barbara, G.W., Joseph. T. D., Terry L.S., Cecily., V.D.(2009). *Pharmacotherapy Handbook*. (7th ed)
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: The Guilford Press.
- Beeber, L. S. (1996) . Pattern integretion in young depressed woman : Part I. *Archives of Psychiatric Nursing* , 10: 151 – 156 depression.New York: Guilford.
- Bollini, P., Pampallona S., Tibaldi G., Kupelnick B., & Munizza, C. (1999) Effectiveness of Antidepressants. Meta - analysis of dose - effect relationship in randomized clinical trials. *Br J Psychiatry* 174,297 -303
- Brandon, S., (1986) Management of depression in general practices. *British Medical Journal*, 292, 287 -289
- Brown, N. (2009). How depression affect personal relationship. Retrieved December 28, 2010, from <http://www.depressionhelp.org.uk/how-depression-affect-personal-relationship>
- Byrne, M. K., Deane, F. P., Lambert, G., & Coombs, T. (2004) Enhancing medication Adherence Clinician outcomes from the medication alliance training program. *Australian and New Zealand Journal of Psychiatry*, 38, 246 - 253.
- Clinical Guideline for the Treatment of Depression Disorder. 71 - 75. Retrieved August,10, 2010 from <http://www.cpg-apc.org/>.
- Cramer JA, Rosenheck R. Compliance with medication regimens for mental and physical disorders. *Psychiatr Serv* 1998;49:196-201

- Datto, C., Thompson, R., Horowitz, D., et al (2003) The pilot study of a telephone disease Management program for depression. *General Hospital Psychiatry*, 25, 169 -177.
- Donabedian, A. (1980). *The Quality of Care: How Can It Be Assessed ?*. Retrieved March 17, 2010, from [http://www.scinf.umontreal.ca/\(1996\).doc](http://www.scinf.umontreal.ca/(1996).doc)
- Gail, W. S. & Michele T. L. (2005). *Principle and Practice of Psychiatric nursing* (8th ed) South Carolina.
- Gregory E. Simon. (2000). Evidence review: efficacy and effectiveness of antidepressant treatment in primary care. Retrieved November 20, 2010 from *General Hospital Psychiatry* 24 (2002), 213-224.
- Grymonpre RE, Dibur CD, Montgomery PR, et al. Pill count, self-report and pharmacy claims data to measure medication adherence in the elderly. *Ann Pharmacother*. 1998; 32:749-754.
- Haynes, R. B., Yao, X., Degani, A., Kripalani, S., Garg, A., & McDonald, H. P. (2005). *Intervention for enhancing medication adherence*. Retrieved November 19, 2010, from <http://mrw.interscience.wiley.com>.
- Holmes, L. (2003). *How long should people with schizophrenia take antipsychotic drug*. Retrieved September 17, 2010, from [http://www.mentalhealth.About.com/cs/psychopharmacology/antipsy_2.htm](http://www.mentalhealth.about.com/cs/psychopharmacology/antipsy_2.htm)
- Kaplan, H. I., & Sadock, B. J. (1998). *Kaplan and Sadock synopsis of psychiatric* (8th ed.). Baltimore: Williams & Wilkins
- Katon W, Von Korff M, Lin E, Simon G. Rethinking practitioner roles in chronic illness: the specialist, primary care physician, and the practice nurse. *Gen Hosp Psychiatry* 2001;23:138-44
- Katon, W., et al. (2001). *A Randomized Trial of Relapse Prevention of Depressive in Primary care*. Retrieved September 19, 2010 from www.archgenpsychiatry.com
- Keller, M. B. & Shapiro, R. W. (1981). Major Depressive Disorder. initial results for a one year prospective naturalistic follow-up study. *Journal of nervous and mental disorder*, 169, 761-8.
- Keller, M. B., & Shapiro, R. W. (1996). *Major depressive disorder*. Initial results from one- year prospective naturalistic follow-up study. *J Nerv Ment Dis*, 169(12), 761-768.

- Keller, M. B., & Boland, R.J. (1998). *Implication of failing to achieve successful long-term maintenance*. Biological psychiatry, 44, 384-360.
- Lin H.B., M., Katon, J., Von Korff, M., Russo, E., Simon, G. E., Bush, T., Rutter, M., Walker, E., & Ludman, E. (1998). *Relapse of Depression in Primary Care Rate and Clinical Predictors*. [online]. Retrieved August 27, 2010, from [http:// www.archfammed.com](http://www.archfammed.com).
- McDonald, H.P., Garg, A.X., & Haynes, R.B. (2002). . Interventions to enhance patients medication prescriptions . *Journal of American Medical Association*, 11, 2868 -2879.
- Melfi, C. A., Chawla, A. J., Croghan, T. W., Hanna, M. P., Kennedy, S., & Scredl, K. (1998). *The effect of adherence to antidepressant treatment guideline relapse and recurrent of depression*. Retrieved September 20, 2010, from www.archgenpsychiatry.com
- Michigan Quality Improvement Consortium. (2004). Management of adult with Major depression. Retrieved July 10, 2010, from [www. Depression major in primary care](http://www.Depressionmajorinprimarycare.com).
- Murray CJ, Lopez AD. (1996). Alternative projections of mortal-lity and disability by cause1990-2020: Global burden of diseases study, Lancet, 349:1498:1504.
- Narthan, H. A., & Gordon, T. (1998). Evaluation of an instructional program for improving medication compliance for chronically mentally ill outpatients. *Behaviour Reseach and Therapy*, 36(1998), 849-861.
- National Health and Medical Research Council (NHMRC). (1998). *A guideline to the development implementation and evaluation of clinical practice guidelines*.Australia
- National Health and Medical Research Council. (1999). *A guide to the development, implementation and evaluation of clinical practice guidelines*. Retrieved January 29, 2010, from http://www.nhmrc.gov.au/publications/synopses/_files/cp30.pdf
- Noreen, C. F., & Lawrence E. F. (2002). *Psychiatric mental health Nursing*. (2^{ed} ed.). Cleveland:
- Nose, M., Barburi, C., Gray, R., & Tan, M.(2003). *Clinical interventions for treatment non-adherence in Psychosis ;meta-analysis*. [online]. Retrieved August 05, 2010, from <http://www.bip.rcpsych.org>.
- Obenauer, M. (2005). Depress your depression. Self help Magazine. Retrieved April 4, 2010, from [http://www.upliftprogram.com/depression stats.htm](http://www.upliftprogram.com/depressionstats.htm).
- Osterberg, L. & Blaschke, T. (2005). Adherence to Medication. *The New England urnal of Medicine*, 353, 487-497.


- Pampallona, S., Bollini, P., Tibaldi, G., Kupelnick, B., & Munizza, C. (2002). Patient adherence in the treatment of Depression. *The British Journal of Psychiatry*, 180, 104-109.
- Peden, A.R.(1996). Recovering in depression : a one year follow – up . *Journal of Psychiatric and Mental Health Nursing* . 3 , 289 – 295.
- Peveler, R., et al, (1999). *Effect of antidepressant drug counseling and information leaflets on adherence to drug treatment in primary care: randomized controlled trial*. Retrieved July 10, 2010, from www.bmj.com.
- Polit, D.F., & Hungler, B.P. (1999). *Nursing research: Principle and method*. (6th ed.) Philadelphia: J.B.Lippincott.
- Rickles, N. (2003) *A Randomized Controlled Study Evaluating the Impact of an Antidepressant Monitoring Program on Consumer Outcomes*. PhD Thesis, University of Wisconsin, Madison
- RNAO (Registered Nurse Association of Ontario), Best Practice guideline. Retrieve January 20, 2010, from <http://rnao.org/practice>
- Rochester, N. Y. (2005). Prescription drug compliance a significant challenge for many patients, According to new national survey. Retrieved March 29, 2010, from http://www.harrisinteractive.com/news/newsletters/wsjhealthnewa/WSJOnline_HI_Health-CarePoll2005vol4_iss06.pdf.
- Simon, E. G. (2002). Evidence review: Efficacy and effectiveness of antidepressant treatment in primary care. *General Hospital Psychiatry*, 24, 213-224
- Smith, D. L. (1976). *Patient compliance with medication regimen. Drug intelligence & clinical pharmacy*, 10, 386.
- Skarsater, I., Baigi, A., Halan L .(2006) . Functional status and quality of life in patient with first – episode major depression . *Journal of Psychiatric and Mental Health Nursing* 13 , 205 – 213.
- The AGREE Collaboration. (2001). Appraisal of Guidelines for Research & Evaluation (AGREE). Instrument. Retrieved June 6, 2010, from www.agreetrust.org.
- World Health Organization. (1994). ICD10 International Statistical Classification of diseases and Related Health Problems (Tenth Revision). , Geneva : switzerland

World Health Organization. (2003). Adherence to long-term therapies - Evidence for action.

Geneva: World Health Organization

WHO.Int World Health Organization. (2006). *New target network*..[Online] Available Retrieved

September 14, 2010, from <http://www.newstarget.com/001009.html>



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved