# เอกสารอ้างอิง


นำชัย เจริญเทศประสิทธิ์. 2532. ผลของการเสริมกรดอะมิโน (เมทไธโอนีนและไลซีน) ในสูตรอาหารโปรตีนระดับต่ำต่อสมรรถนะการผลิตไก่ไข่ , ไก่รุ่น , ไก่สาวและต่อสมรรถนะการให้ผลผลิตไข่ของไก่ไข่. วิทยานิพนธ์ปริญญามหาบัณฑิต สาขาสัตวศาสตร์ บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น. 133 หน้า.

ยุวเรศ สังวราภรณ์. 2538. ผลการเสริมน้ำมันปลาซาร์ดีนในอาหารไก่ไข่ต่อองค์ประกอบของไขมันในไข่แดงและสมรรถภาพการผลิตของไก่ไข่. วิทยานิพนธ์ปริญญามหาบัณฑิต สาขาสัตวบาล บัณฑิตวิทยาลัย มหาวิทยาลัยเกษตรศาสตร์. 54 หน้า.

เยาวมาลย์ ค้าเจริญ. 2523. คู่มือปฏิบัติการวิเคราะห์อาหารสัตว์. พิมพ์ครั้งที่ 2. คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น. 163 หน้า.

เยาวมาลย์ ค้าเจริญ และ สาโรช ค้าเจริญ. 2530. อาหารและการให้อาหารสัตว์ปีก. พิมพ์ครั้งที่ 2. คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น. 335 หน้า.

ศักดิ์ศรี ภูจันหา. 2539. การศึกษาการใช้เศษหนังไฮโดรไลซ์ทดแทนปลาป่นในอาหารไก่ไข่. วิทยานิพนธ์ปริญญามหาบัณฑิต สาขาสัตวศาสตร์ บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น 62 หน้า.

Achee, V.N., and J.A. Hebert. 1994. Egg cholesterol concentration from layers fed high levels of niacin. Poultry Sci. 73(Suppl. 1): 51(Abstr.).

Akiba, Y., K. Takahashi, and T. Matsumoto. 1984. Effect of diisopropyl 1,3-Dithiolan-2-Ylidenemalonate on experimental fatty livers in chicks. Poultry Sci. 63: 117-122.

Anderson, R.A. 1987. Chromium: In Trace Elements in Human and Animal Nutrition. 5th ed. Mertz, W.,ed. Academic Press Inc., San Diego, CA.

Association of Officiation Analytical Chemists. 1975. Official Methods of Ananlysis. 12th ed. Association of Officiation Analytical Chemists. Washington, D.C.

Austic, R.E. 1977. Role of the shell gland in determination of albumen quality. Poultry Sci. 56: 202-210.

Bair, C.W., W.W. Marion, and D.K. Hotchkiss. 1980. Relationship of yolk cholesterol and onset of egg production. Poultry Sci. 59: 666-668.

Baker, D.H., N.K. Allen, and A.J. Kleiss. 1973. Efficiency of tryptophan as a niacin precursor in the young chick. J. Anim. Sci. 36: 299-302.

Bartov, I., S. Bornstein, and P. Budowski. 1971. Variability of cholesterol concentration in plasma and egg yolk of hens and evaluation of the effect of some dietary oils. Poultry Sci. 50: 1357-1364.

Beyer, R.S., and L.S. Jensen. 1989. Research note: Cholesterol content of commercially produced eggs in georgia. Poultry Sci. 68: 1706-1706.

Beyer, R.S., and L. S. Jensen. 1993. Reduced plasma cholesterol and lipoprotein in laying hens without concomitant reduction of egg cholesterol in response to dietary sorbose. Poultry Sci. 72: 88-97.

Champe, P.C., and R.A. Harvey. 1994. Cholesterol and steroid metabolism : In Lippincott's Illustrated Reviews : Biochemistry. 2nd ed. pp. 205-228. Champe, P.C., and R.A. Harvey eds. Philadelphia: Lippincott Company.

Cotterill, O.J., W.W. Marion, and E.C. Naber. 1977. A nutrient re-evaluation of shell egg . Poultry Sci. 56: 1927-1934.

Couch, J.R., 1956. Fatty livers in laying hens a condition which may occur as a result of increased strain. Feedstuffs. 28 (47): 46-54.

Cupo, M.A., and W.E. Donaldson. 1987. Chromium and vanadium effects on glucoes metabolism and lipid synthesis in chick. Poultry Sci. 60: 120-126.

Donaldson, R.M., and R.F. Barreras. 1966. Intestinal absorption of trace quantitics of chromium. J. Lab. Clin. Med.68: 484-493.

Edwards, H.M. Jr., J.C. Driggers, R. Dean and J.L. Carmon. 1960. Studies on the cholesterol content of eggs from various breeds and/or strains fo chickens. Poultry Sci. 39: 487-489.

Elkin, R.G., M. Freed, B.A. Watkins, M. Srebnik, K.A. Kieft, and R.S. Newton. 1993. Evaluation of two novel biochemicals on plasma and egg yolk lipid composition and laying hen performance. Poultry Sci. 72: 513-520.

Elswyk, M.E.V., L.S. Schake, and P.S. Hargis. 1991. Research note: Evaluation of two extraction methods for the determination of egg yolk cholesterol. Poultry Sci. 70: 1258-1260.

Ensminger, M.E., J.E. Oldfield and W.W. Heinemann. 1990. Feed & Nutrion. Ensminger Pulishing Company, Clovis, California.

Evans, G.W., and T.D. Bowman. 1992. Chromium picolinate increases membrane fluidity and rate of insulin internalization. J. Inorg. Biochem. 46: 243-250.

Farrell, D.J. 1993. UNE' designer egg : In Recent Advances in Animal Nutrition in Australia. pp. 291-302. Farrell, J. ed. Arimidale , Australia; University of New England.

Feeley, R. M., P.E. Criner, and B.K. Watt. 1972. Cholesterol content of foods. J. Amer. Diet. Assoc. 60: 134-149.

Granner, D.K. 1993. Hormones of the pancreas and gastrointestinal tract: In Harper's Biochemisty. 23rd ed. pp. 557-572. Murray, R.K., D.K. Granner, P.A. Mayes, and V.W. Rodwell, eds. USA: Lange Medical Publication.

Guthrie, H.A. 1986. Other Water-Soluble Vitamin : In Basic Principle of Nutrition. 6th ed. Times Mirror and Mosby College Publishing ST, Louis.

Hargis, P.S. 1988. Modifying egg yolk cholesterol in the domestic fowl: A review. World's Poult. Sci. 44: 17-29.

Harms, R.H., A.S. Arafa, C.F. Simpson, and R.D. Miles. 1982. Infuence of protamone on fatty liver syndrome in commercial laying hens. Poultry Sci. 61: 2370-2374.

Harms, R.H., D.A. Roland, and C.F. Simpson. 1977. Experimentally induced fatty liver syndrome condition in laying hens. Poultry Sci. 56: 517-520.

Hsu, J.C., K. Tanaka, S. Ohtani, and C.M. Collado. 1987. Effects of pantethine supplementation to diets with different energy cereals on hepatic lipogenesis of laying hens. Poultry Sci. 66: 280-288.

Jensen, L.S., C.H. Chang, and D.V. Maurice. 1976a. Effect of biotin and niacin on lipid content of livers in the laying hen. Poultry Sci. 55: 1771-1773.

Jensen, L.S., C.H. Chang, and R.D. Wyatt. 1976b. Influence of carbohydrate source on liver fat accumulation in hens. Poultry Sci. 55: 700-709.

Jensen, L.S., and D.V. Maurice. 1978. Effect of chromium and corn fermentation solubles on interior egg quality. Poultry Sci. 57(Suppl. 1) : 1147(Abstr.).

Jensen, L.S., and D.V. Maurice. 1980. Dietary chromium and interior egg quality. Poultry Sci. 59: 341-346.

Jiang, Z., M. Fenton, and J.S. Sim. 1991. Comparison of four different methods for egg cholesterol determination. Poultry Sci. 70: 1015-1019.

Kim, Y.H., Y.J. Choi, L.S. Shin, B.J. Chae, and T.H. Kang. 1996a. Effect of dietary levels of chromium picolinate on growth performance, carcass quality and serum traits in broiler chicks. Asian-Aust. J. Anim. Sci. 9(3): 341-347.

Kim, Y.H., I.S. Shin, B.J. Chae, and T.H. Kang. 1996b. Effect of dietary excessive chromium picolinate on growth performance, nutrient utilizability and serum traits in broiler chicks. Asian-Aust. J. Anim. Sci. 9(3): 349-354.

Leeson, S., L.J. Caston, and J.D. Summers. 1991. Response of laying hen to supplemental niacin. Poultry Sci. 70: 1231- 1235.

Leeson, S., and J.D. Summers. 1980. Production and carcass characteristics of white leghorn pullets fed conventional or step-up protein diets. Poultry Sci. 59: 1839-1851.

Marks, H.L., and K.W. Washburn. 1977. Divergent selection for yolk lipid and reproductive efficiency of the hen. Br. Poult. Sci. 18: 179-188.

Maurice, D.V., L.S. Jensen, and H. Tojo. 1979. Comparison of fish meal and soybean meal in the prevention of fatty liver-hemorrhagic syndrome in caged layers. Poultry Sci. 58: 864-870.

Mayes, P.S. 1993. Lipid transport and storage: In Harper's Biochemistry. 23rd ed. Murray, R.K., D.K. Granner, P.A. Mayes V.W. Rodwell, eds. pp. 250-265. Prentice-Hall International Inc.: Connecticut, USA.

McDowell, L.R. 1989. Vitamins in Animal Nutrition. Academic Press Inc., New York.

McDowell, L.R. 1992. Minerals in Animal and Human Nutrition. Academic Press Inc., New York.

Mertz, W. 1969. Chromium occurrence and function in biological systems. Physiol. rev. 49: 163-239.

Mertz, W. 1975. Effects and metabolism of glucose tolerance factor. Nutr. Rev. 33: 129.

Mertz, W. 1993. Chromium in human nutrition: A review. J. Nutr. 123: 626-633.

Mertz, W., and E.E. Roginski. 1963. The effect of trivalent chromium on galactose entry in rat epididymal fat tissues. J. Biol. Chem. 238: 868-872.

Mertz, W., and E.E. Roginski. 1969. Effects of chromium(III) supplementation on growth and survival under stress in rats fed low protein diets. J. Nutr. 97: 531-536.

Miller, E.C., and C.A. Denton. 1962. Serum and egg yolk cholesterol of hens fed dried egg yolk. Poultry Sci. 41: 335-337.

Mooney, K.W., and G.L. Cromwell. 1995. Effects of dietary chromium picolinate supplementation on growth , carcass characteristics, and accretion rates of carcass tissues in growing-finishing swine. J. Anim. Sci. 73: 3351-3357.

Mossop, R.T. 1983. Effects of chromium (III) on fasting blood glucose , cholesterol and cholesterol HDL in diabetics. Cent. Afr. J. Med. 29: 80-82.

Naber, E.C. 1989. What is the real cholesterol content of an egg. Poultry Sci. 68(Suppl. 1) : 103(Abstr.).

Nakaue, H.S., and C.Y. Hu. 1997. Chromium picolinate (CrP) effect on blood and egg cholesterol levels in young and old single comb white leghorn (SCWL) laying chickens. Poultry Sci. 76(Suppl. 1) : 61(Abstr.).

National Research Council. 1984. Nutrient Requirements of Poultry. 8th ed. National Academy Press, Washington, DC.

National Research Council. 1994. Nutrient Requirements of Poultry. 9th ed. National Academy Press, Washington, DC.

Nesheim, M.C., C.A. Ivy, and M.J. Norvell. 1969. Some observations on fatty livers in laying hens. Proc. Cornell Nutr. Conf. pp. 36-41.

Nesheim, M.C., R.E. Austic, and L.E. Card. 1979. Poultry Production. 12th ed. Lea and Febiger, Philadephia.

Nockels, C.F. 1973. The influence of feeding ascorbic acid and sulfate on egg production and on cholesterol content of certain tissues of the hen. Poultry Sci. 52: 373-378.

Noble, R.C. 1987. Egg lipid : In Egg Quality Current Problems and Recent Advance. pp.159-177. Wells, R.G. and Belyavin C.G., eds. London: Butterworth & Co (Publishers).

Ohba, H., Y. Suketa, and S. Okada. 1986. Enchancement of in vitro ribonucleic acid synthesis on chromium (III)- bound chromatin. J. Inorg. Biochem. 27: 179.

O'Hea, E.K., and G.A. Leveille. 1969. Lipid biosynthesis and transport in the domestic chick (Gallus domesticus). Comp. Biochem. Physiol. 30: 149-159.

Okada, S., M. Suzuki, and H. Ohba. 1983. Enchancement of ribonucleic acid synthesis by chromium (III) in mouse liver. J. Inorg. Biochem. 19: 95.

Ouart, M.D., R.H. Harms, and H.R. Wilson. 1987. Effect of graded levels of niacin in corn-soy and wheat-soy diets on laying hens. Poultry Sci. 66: 467-470.

Page, T.G, L.L. Southern, J.A. Herbert, T.L. Ward, and V.N. Achee. 1991. Effects of chromium picolinate on serum cholesterol, egg production , egg cholesterol and egg quality of laying hens. Poultry Sci. 70:(Suppl. 1) 91: (Abstr.).

Page, T.G., S.L. Buleman, M.M. Pike, S.J. Boleman, L.L. Southrm, T.D. Bider, and J.E. Pontif. 1992. Effect of chromium picolinate on carcass trits and aging quality. J. Anim Sci. 70:(Suppl. 1) 218: (Abstr.).

Page, T.G., L.L. Southern, T.L. Ward, and D.L. Thompson, Jr. 1993. Effect of chromium picolinate on growth and serum and carcass traits of growing-finishing pigs. J. Anim Sci. 71: 656-662.

Pike, R.L., and M.L. Brown. 1984. Vitamin: In Nutrition An Integrated Approach. John Wiley and Sons Inc., New York.

Polin, D., and J.H. Wolford. 1977. Role of estrogen as a cause of fatty liver hemorrhagic syndrome. J. Nutr. 107: 873-886.

Polin, D., and J. H. Wolford. 1976. Various types of diets, sources of energy, and positive energy balance in the induction of fatty liver hemorrhagic syndrome. Poultry Sci. 55 : 325-334.

Powrie, W.D., and S. Nakai. 1986. The chemistry of eggs and egg products: In Egg Science and Technology. 3rd ed. pp. 97-139. Stadelman, W.S., and O.J. Cottreill, eds. Connecticut: AVI Publishing Co., Westport, Connecticut.

Press, R.I., J. Geller, and G.W. Evans. 1990. The effect of chromium picolinate on serum cholesterol and apoliprotein fraction in human subjects. West. J. Med. 152: 41-45.

Prirett, O.S., M.L. Bland, and J.A. Schmidt. 1962. Studies on the composition of egg lipid. J. Food. Sci. 27: 463-468.

Reynolds, S.L., and H.L. Judd. 1984. Rapid procedure for the determination of vitamin A and D in fortified skimmed milk power using high-performance liquid chromatography. pp. 66. G.F.M., Ball. ed. Fat-soluble Vitamin Assay in Food Analysis. London: Elsevier Appiled Science Publishers.

Riales, R., and M.J. Albrink. 1981. Effect of chromium chloride supplementation on glucose tolerance and serum lipids including high-density lipoprotein of adult men. Am. J. Clin. Nutr. 34: 2670-2678.

Riis, P.M. 1983. Dynamic biochemistry of animal production. Elsevier Science Publishing Company Inc., New York.

Ringrose, R.C., A.G. Manoukas, R. Hinkson, and A.E. Teeri. 1965. The niacin requirements of the hen. Poultry Sci. 44 : 1053-1065.

Roberson, R.H., and V. Trujillo. 1975. The effect of methionine, thiouracil, dienestrol diacetate and thyroprotein on the development and prevention of fatty liver in pullets. Poultry Sci. 54 : 715-721.

Robinson, D.S. 1987. The chemical basis of albumen quality: In Egg Quality Current Problems and Recent Advance. pp. 179-191. Wells, R.G., and C.G. Belyavin, eds. London : Butterworths.

Rogers, S.R., G.M. Pesti, and R.D. Wyatt. 1991. Effect of tryptophan supplementation on aflatoxicosis in laying hens. Poultry Sci. 70: 307-312.

Roginski, E.E., and W. Mertz. 1969. Effects of chromium (III)-supplementation on glucose and amino acid metabolism in rats fed a low protein diet. J. Nutr. 97: 525-530.

Rosebrough, R.W, and N.C. Steele. 1981. Effect of supplemental dietary chromium or nicotinic acid on carbohydrate metabolism during basal, starvation, and refeeding periods in poults. Poultry Sci. 60: 407-417.

Rouiller, C.H. 1963. The liver. Academic Press Inc., New York.

Schroeder, H.A. 1968. The role of chromium in mammalian nutrition. Am. J. Clin. Nutr. 21: 230-244.

Schwarz, K., and W. Mertz. 1959. Chromium (III) and the glucose tolerance factor. Arch. Biochem. Biophys. 85: 292-295.

Schuette, S.A. and R.C. Rose. 1983. Nicotinamide up take and metabolism by chick intestine, Am. J. Physiol. 245: G531-G538.

Scott, M.L., M.C. Nesheim, and R.J. Young. 1976. Nutrition of the Chicken. 2nd ed. Ithaca : M.L. Scott, and Associates.

Steel, R.G.D., and J.H. Torrie. 1980. Principles and Procedures of Statistics: A Biometrical Approach. 2nd ed. McGraw-Hill, New York.

Steele, N.C., T.G. Althen, and L.T. Frobish. 1977. Biological activity of glucose tolerance factor in swine. J. Anim. Sci. 45: 1341-1345.

Steele, N.C., and R.W. Rosebrough. 1979. Trivalent chromium and nicotinic acid supplementation for the turkey poult. Poultry. Sci. 58: 983-984.

Steele, N.C., and R.W. Rosebrough. 1981. Effect of trivalent chromium on hepatic lipogenesis by the turkey poult. Poultry Sci. 60: 617-622.

Swatland, H.J. 1994. Structure and Development of Meat Animals and Poultry. Technomic Plublishing Company, USA.

Toepfer, E.W. 1974. Separation from yeast of chromium containing material possessing glucose tolerance factor (GTF) activity. Fed. Proc. 33: 659(Abstr.).

Toepfer, E.W., W. Mertz, M.M. Polansky, E.E.Roginski, and W.R. Wolf. 1977. Preparation of chromium containing material of glucose tolerance factor activity from brewer's yeast extract and by synthesis. J. Agric. Food Chem. 25: 162-166.

Turk., D. E., and B.D. Barnett. 1971. Cholesterol content of market eggs . Poultry Sci. 50: 1303-1306.

Wagner, M.S., J.L. Kelley, E.C. Nelson, P. Alaupovic, and R.H. Thayer. 1978. Lipid metabolism in laying hens. : The relationship of plasma lipids and liver fatty acid synthetase activity to changes in liver composition. Poultry Sci. 57: 959-967.

Waldroup, P.W., H.M. Hellwig, G.K. Spencer, N.K. Smith, B.I. Fancher, M.E. Jackson, Z.B. Johnson, and T.L. Goodwin. 1985. The effects of increased levels of niacin supplementation on growth rate and carcass composition of broiler chickens. Poultry Sci. 64: 1777-1784.

Ward, T.L., and L.L. Southern. 1995. Effect of dietary chromium tripicolinate on growth performance, insulin sensitivity, and glucose clearance rate of broilers. Poultry Sci. 74: (Suppl. 1): 130(Abstr.).

Ward, T.L., L.L. Southern, and S.L. Boleman. 1993. Effect of dietary chromium picolinate on growth , nitrogen balance and body composition of growing broiler chicks. Poultry Sci. 72: (Suppl. 1): 37:(Abstr.).

Washburn, K.W., and D.F. Nix. 1974a. Genetic basis of yolk cholesterol content. Poultry Sci. 53: 109-115.

Washburn,K.W., and D.F. Nix. 1974b. A rapid technique for extraction of yolk cholesterol. Poultry Sci. 53: 1118-1122.

Washburn,K.W., and H.L. Marks. 1977. Relationship of yolk and plasma cholesterol levels to position of egg in clutch. Poultry Sci. 56: 1676-1678.

White, D.A., M. Bruce and B. Michael. 1984. Hormones and Metabolic Control. London: Edward Arnold (Publishers) Ltd.

Wolford, J.H., and D. Polin. 1972. Lipid accumulation and hemorrhages in livers of laying chickens: A study of fatty liver hemorrhagic syndrome (F.L.H.S.). Poultry Sci. 51: 1707-1713.

Yen. J.T., H.H. Jensen, and D.H. Baker. 1977. Assessment of the availability of niacin in corn, soybeans and soybean meal. J. Anim Sci. 45: 269-278.

Yoshida, M., H. Hoshii, and H. Morimoto. 1966. Studies on the vitamin requirements of poultry: 8 Genetic differences in the requirements for niacin and riboflavin of meat-type and egg type chicks. Poultry Sci. 45: 736-744.