

เอกสารอ้างอิง

- Anand KJS, Craig KD. *New perspectives on the definition of pain*. *Pain*, 1996; 67: 3-6.
- Ashburn MA, Ready LB. *Postoperative pain*. In: Loeser JD, Bulter SH, Chapman CR, Turk DC, editors. *Bonica's management of pain*. 3rd ed. Philadelphia: Lippincott Williams and Wilkins, 2001; 765-79.
- Avidan M, Harvey AMR, Ponte J, Wendon J, Ginsburg R. *Perioperative care, anesthesia, pain management and intensive care: An illustrated colour text*. London: Churchill Livingstone, 2003.
- Bamberg E, Palme R, Meingassner JG. *Excretion of corticosteroid metabolites in urine and faeces of rats*. *Lab Anim*, 2001; 35: 307-14.
- Boesch D, Steiner A, Gygax L, Stauffacher M. *Burdizzo castration of calves less than 1-week old with and without local anaesthesia: Short-term behavioural responses and plasma cortisol levels*. *Appl Anim Behav Sci*, 2008; 114: 330-45.
- Bonica JJ, Loeser JD. *History of pain concepts and therapies*. In: Loeser JD, Bulter SH, Chapman CR, Turk DC, Editors. *Bonica's management of pain*. 3rd ed. Philadelphia: Lippincott Williams and Wilkins, 2001; 3-16.
- Bowman WC, Rand D. *The immune system and inflammatory mechanism*. In: *Immunosuppressant and anti-inflammatory drugs*. Textbook of pharmacology. 2nd ed. London: Blackwell Scientific Publication, 1980; 13.1-13.35.
- Breivik H. *How to implement an acute pain service*. *Best Prac Res Clin Anesthesiol*, 2002; 16: 527-47.
- Brown JL, Wasser SK, Wildt DE, Graham LH. *Comparative aspects of steroid hormone metabolism and ovarian activity in felids, measured non-invasively in feces*. *Biol Reprod*, 1994; 51: 776-86.
- Brown JL. *Wildlife endocrinology manual*. Virginia: Conservation and Research Center; Endocrine Research Laboratory, 2008.
- Brown SA. *Clinical Techniques in Rabbits*. *Seminars in Avian and Exotic Pet Medicine*, 1997; 6: 86-95.

- Budberg SC. *Nonsteroidal anti-inflammatory drugs*. In: Gaynor JS, Muir WW, editors. *Handbook of veterinary pain management*. 2nd ed. St.Louis: Mosby, 2009; 183-209.
- Carr ECJ. *Postoperative pain: Patients' expectations and experiences*. J Adv Nurs, 1990; 15: 89-100.
- Carrier-Kohlman V, Lindsey AM, West CM. *Pathophysiologic phenomena in nursing: Human response to illness*. 3rd ed. St.Louis: Saunders, 2003; 235-54.
- Caunt H. *Reducing the psychological impact of postoperative pain*. British Journal of Nursing. 1992; 1: 13-9.
- Celotti F, Durand T. *The metabolic effects of inhibitors of 5-lipoxygenase and of cyclooxygenase 1 and 2 are an advancement in the efficacy and safety of anti-inflammatory therapy*. Prostag Other Lip Mediat, 2003; 71: 147-62.
- Chandrasekharan NV, Dai H, Roos KL, Evanson NK, Tomsik J, Elton TS, Simmons DL. *COX-3, a cyclooxygenase-1 variant inhibited by acetaminophen and other analgesic/antipyretic drugs: Cloning, structure, and expression*. Proc Natl Acad Sci, 2002; 99: 13926-31.
- Chessman HK, Frey MB, Jew KR. *Neonatal pharmacotherapy: Pain management in neonates*. Philadelphia: University of the Sciences in Philadelphia, 2003; 3: 2-32.
- Cloutier S, Newberry RC, Cambridge AJ, Tobias KM. *Behavioural signs of postoperative pain in cats following onychectomy or tenectomy surgery*. Appl Anim Behav Sci, 2005; 92: 325-35.
- Cohen SA. *Pathophysiology of pain*. In: Warfield CA, Bajwa ZH, editors. *Principles and Practice of Pain Medicine*. 2nd ed. New York: McGraw-Hill, 2004: 35-48.
- Cousins M, Power I. *Acute and postoperative pain*. In: Wall PD, Melzack R, editors. *Textbook of pain*. 4th ed. Edinburgh: Churchill Livingstone, 1999; 447-91.
- Crowther JR. *Methods in molecular biology the ELISA guidebook*. New Jersey: Humana press, 2001; 10-1.
- Dixon MJ, Robertson SA, Taylor PM. *A thermal threshold testing device for evaluation of analgesics in cats*. Res Vet Sci, 2002; 72: 205-10.
- Dobromylskyj P, Flecknell PA, Lascelles BD, Livingston A, Taylor P, Waterman-Pearson A. *Pain assessment*. In: Flecknell P, Waterman-Pearson A, editors. *Pain management in animals*. London: W.B. Saunders, 2000; 53-79.

- Dunwoody CJ, Krenzischek DA, Pasero C, Rathmell JP. *Assessment, Physiological Monitoring, Consequences of Inadequately Treated Acute Pain*. J PeriAnesth Nurs, 2008; 23: 15-27.
- Ekman E, Koman A. *Acute pain following musculoskeletal injuries and orthopaedic surgery*. J Bone Joint Surg, 2004; 86: 1361-24.
- Ersek M, Poe CM. *Pain*. In: Lewis SM, Heikemper MM, Dirksen SR, Editors. Medical- surgical nursing: Assessment and management of clinical problems. 6th ed. St. Louis: Mosby, 2004; 131-59.
- Fantone JC, Ward PA. *Inflammation*. In: Rubin E, Farber JL, editors. Pathology. 3rd ed. Philadelphia: Lippincott, 1999; 36-75.
- Fausett HJ. *Anatomy and physiology of pain*. In: Warfield CA, Bajwa ZH, editors. Principles and Practice of Pain Medicine. 2nd ed. New York: McGraw-Hill, 2004; 28-34.
- FAWC: The Farm Animal Welfare Council. *Annual Review 2008/09*, 2009; 6.
- Fiorucci S, Meli R, Bucci M, Cirino G. *Dual inhibitors of cyclooxygenase and 5-lipoxygenase. A new avenue in anti-inflammatory therapy?* Biochemical Pharmacology, 2001; 62: 1433-8.
- Flecknell PA. *Analgesia in Small Mammals*. Seminar in Avian Exotic Pet Medicine, 1998; 7: 41-7.
- Flecknell PA. *Manual of rabbit medicine and surgery*. Quedgeley: British small animal veterinary association, 2000; 120-1.
- Flecknell PA, Waterman-Pearson A. *Pain management in animals*. London: W.B. Saunders, 2000.
- Flecknell PA, Liles JH. *Pain control in laboratory animal: Evaluation of locomotor activity and food and water consumption as a method of assessing postoperative pain in rodents*. In: Short CE, Poznak AV, editors. Animal pain. New York: Churchill Livingstone, 1992; 482-8.
- Foster RL, Yucha CB, Zuck, Vojir CP. *Physiologic correlates of comfort in healthy children*. Pain Manag Nurs, 2003; 4: 23-30.
- French E, Woude SV, Granowski J, Maul D. *Assessment of pain in Lab Anim*, Proceeding of the National AALAS Meeting. California, 2000; 39: 85.

- Fu Y, Yang S, Jeong SH, Kimura S, Park K. *Orally Fast Disintegrating Tablets: Developments, Technologies, Taste-Masking and Clinical Studies*. Critical Reviews in Therapeutic Drug Carrier Systems, 2004; 21: 433-75.
- Grant D. *Pain Management in Small Animals: a Manual for Veterinary Nurses and Technicians*. Philadelphia: Elsevier, 2006.
- Griswold DE, Marshall J, Webb EF, Godfrey R, Newton Jr J, Di Martino MJ, et al. *A structure novel anti-inflammatory agent that inhibits lipoxigenase and cyclooxygenase mediated metabolism of arachidonic acid*. Biochem Pharmacol, 1987; 36: 3463-70.
- Hadley ME. *Endocrinology*. 5th ed. New Jersey: Prentice-Hall, 2000; 367.
- Hambesch B, Landgraf R, Czibere L, Touma C. *Genetic transmission of behavior and its neuroendocrine correlates*. In: Rubin RT, Pfaff DW, editors. Hormone/behavior relations of clinical importance endocrine system interacting with brain and behavior. Oxford: Academic press, 2009; 8-11.
- Hansen BD, Hardie EM, Carrol GS. *Physiological measurements after ovariohysterectomy in dogs: what's normal?* Appl Anim Behav Sci, 1997; 51: 101-9.
- Hardie EM, Hansen BD, Carrol GS. *Behavior after ovariohysterectomy in the dog: what's normal*. Appl Anim Behav Sci, 1997; 51: 111-28.
- Harper JM, Austad SN. *Fecal glucocorticoids: a noninvasive method of measuring adrenal activity in wild and captive rodents*. Physiolog Biochem Zool, 2000; 73: 12-22.
- Harcourt-Brown F. *Textbook of rabbit medicine: Infectious diseases of domestic rabbits*. Oxford: Butterworth-heinemann, 2002; 361-85.
- Hawkins P. *Recognizing and assessing pain, suffering and distress in laboratory animals: a survey of current practice in the UK with recommendations*. Lab Anim, 2002; 36: 378-95.
- Hunton E, Ascher A, Tokiwa M, Earl R, Scriffignano A, Hornstein S, et al. *Guidelines for pet owners for recognizing pain in their dogs and cats husbandry and standards of care for pet owners*. Animal Welfare Task Force. Guidelines for Preventing, Recognizing, and Treating Pain in the Hospital Setting. 2nd ed. 2007; 1-22.
- IASP: The International Association for the Study of Pain. *Pain*. Report of International Association for the Study of Pain Subcommittee on taxonomy, 1979; 6: 249-52.

- Johnston MS. *Clinical Approaches to Analgesia in Ferrets and Rabbits*. In: Gaynor JS, Muir WW, editors. *Handbook of Veterinary pain management*. 2nd ed. St. Louis: Mosby, 2009; 494-506.
- Jubran A. *Pulse oximetry*. Crit Care, 1999; 3: 11-7.
- Kamat V. *Pulse oximeter*. Ind J Anaesth, 2002; 46: 261-8.
- Karas AZ. *Postoperative analgesia in the laboratory mouse, Mus musculus*. Lab Anim, 2002; 31: 49-52.
- Kay-Mugford PA, Grimm KA, Weingarten AJ, Brianceau P, Lockwood P, Cao J. *Effect of preoperative administration of tepoxalin on hemostasis and hepatic and renal function in dogs*. Vet Therap. 2004; 5: 120-7.
- Kazmi SMI, et al. *Suppression of NFkappaB activation and NFkappaB-dependent gene expression by tepoxalin, a dual inhibitor of cyclooxygenase and 5-lipoxygenase*. J Cell Biochem, 1995; 57: 299-310.
- Kehlet H, Dahl JB. *The value of 'multimodal' or 'balanced analgesia' in postoperative pain treatment*. Anesth Anal, 1993; 77: 1048-56.
- Kirchner T, Aparicio B, Argentieri DC, Lau CY, Ritchie DM. *Effects of tepoxalin, a dual inhibitor of cyclooxygenase/5-lipoxygenase, on events associated with NSAID. induced gastrointestinal inflammation*. Prostaglandins Leukot Essent Fatty Acids, 1997; 56: 417-23.
- Kitcatt SE. *Concept of pain and the surgical patient*. In: Pudner R, Editor, *Nursing the surgical patient*. London: Horcourt, 2000; 79-95.
- Korte SM, Olivier B, Koolhaas JM. *A new animal welfare concept based on allostasis*. Physiol Behav, 2007; 92: 422-8.
- Kruk MR, Halasz J, Meelis W, Haller J. *Fast positive feedback between the adrenocortical stress response and a brain mechanism involved in aggressive behavior*. Behav Neurosci. 2004; 118: 1062-70.
- Leach MC, Allweiler S, Richardson C, Roughan JV, Narbe R, Flecknell PA. *Behavioural effects of ovariectomy and oral administration of meloxicam in laboratory housed rabbits*. Res Vet Sci, 2009; 81: 336-47.

- Lemke KA, Runyon CL, Horney BS. *Effects of preoperative administration of ketoprofen on anesthetic requirements and signs of postoperative pain in dogs undergoing elective ovariohysterectomy*. JAVMA, 2002; 221: 1268-75.
- Lipman NS, Marini RP, Erdman SE. *A comparison of ketamine/xylazine and ketamine/xylazine/acepromazine anesthesia in the rabbit*. Lab Anim Sci, 1990; 40: 395-8.
- Liu SS, Benzon H. *Outcomes and complications of acute pain management*. In: Abrams BM, Benzon HT, Hahn MB, Heaver JZ, Niv D, Parris WCV *et al.*, editors. Practical management of pain. 3rd ed. St Louis: Mosby, 2000; 871-89.
- Macintyre PE, Schug SA. *Acute Pain Management; a Practical Guide*. 3rd ed. Philadelphia: Elsevier, 2007; 25-31.
- Marquié L, Duarteb LR, Mariné C, Lauquec D, Sorum PC. *How patients and physicians rate patients' pain in a French emergency department using a verbally administered numerical rating scale and a visual analog scale*. Acute Pain, 2008; 10: 31-7.
- Melzack R, Wall PD. *Pain mechanisms: a new theory*. Sci, 1965; 150: 971-9.
- Merl S, Scherzer S, Palme R, Möstl E. *Pain causes increased concentrations of glucocorticoid metabolites in horse feces*. J Equi Vet Sci, 2000; 20: 586-90.
- Merskey H., Loeser JD., Dubner R. *The paths of pain 1975-2005*. Seattle: International association for the study of pain, 2005.
- Mich PM, Hellyer PW. *Objective, categoric methods for assessing pain and analgesia*. In: Gaynor JS and Muir WW, editors. Handbook of veterinary pain management. 2nd ed. St.Louis. Mosby, 2009; 78-109.
- Millsbaugh JJ, Washburn BE. *Use of fecal glucocorticoid metabolite measures in conservation biology research: considerations for application and interpretation*. Gen Comp Endocrinol, 2004; 138: 189-99.
- Miro J, Castarlenas E, Huguet A. *Evidence for the use of a numerical rating scale to assess the intensity of pediatric pain*. Eur J Pain, 2009; 13: 1089-95.
- Mitchell RN, Cotran RS. *Acute and chronic inflammation*. In: Kumar V, Cotran RS, Robbin SL, editors. Robbins basic pathology. 7th ed. Philadelphia: W.B. Saunders, 2003; 48-85.

- Mojzisová J, Hromada R, Valocký I, Paulík S, Hipíková V, Bajová V, *et al.* *Effect of ovariectomy on canine postsurgical leukocyte function.* Acta Vet Hung, 2003; 51: 219-27.
- Molony V, Kent JE. *Assessment of acute pain in farm animals using behavioral and physiological measurements.* J Anim Sci, 1997; 75: 266-72.
- Molony V, Kent JE, McKendrick IJ. *Validation of a method for assessment of an acute pain in lambs.* Appl Anim Behav Sci, 2002; 76: 215-38.
- Monclús R, Rödel HG, Palme R, Von Holst D, de Miguel J. *Noninvasive measurement of the physiological stress response of wild rabbits to the odour of a predator.* Chemoecol, 2006; 16: 25-9.
- Moore LL, Watson PJ. *The development of a measurement tool for the assessment of pain behaviour in real time.* Physiother, 2004; 90: 12-8.
- Morrow JD, Ramwell LJ. *Eicosanoids and platelet-activating factor.* In: Hardman JG, Limbird LE, editors. Goodman and Gilman's the pharmacological basis of therapeutics. 10th ed. New York: McGraw Hill, 2001; 669-80.
- Moya SL, Boyle LA, Lynch PB, Arkins S. *Effect of surgical castration on the behavioural and acute phase responses of 5-day-old piglets.* Appl Anim Behav Sci, 2008; 111: 133-45.
- Muir WW. *Physiology and pathophysiology of pain.* In: Gaynor JS, Muir WW, editors. Handbook of Veterinary pain management. 2nd ed. St. Louis: Mosby, 2009; 13-41.
- Murrell JC, Johnson CB. *Neurophysiological techniques to assess pain in animals.* J Vet Pharmacol Therapeut, 2006; 29: 325-35.
- Nagda J, Bajwa ZH. *Definition and classification of pain.* In: Warfield CA, Bajwa ZH, editors. Principles and Practice of Pain Medicine. 2nd ed. New York: McGraw-Hill, 2004; 51-4.
- Nolan AM. *Pharmacology of analgesic drugs.* In: Flecknell P, Waterman-Pearson A, editors. Pain management in animals. London: W.B. Saunders, 2000; 21-52.
- NRC: National Research Council of the National Academies. *Recognition and Alleviation of Pain in Laboratory Animals.* The National Academies: Washington, D. C, 2009.
- Orskov T. *Pain assessment in cats and dogs.* Ir Vet J, 2007; 63: 362-4.
- Plumb DC. *Plumb's Veterinary Drug Handbook.* 5th ed. Blackwell Publishing: Iowa, 2005; 1311.

- Pollock CG, Carpenter JW, Koch DE, Hunter RP. *Single and multiple dose pharmacokinetics of tepoxalin and its active metabolite after oral administration to rabbits (*Oryctolagus cuniculus*)*. J Vet Pharmacol Ther, 2008; 31: 171-4.
- Princz Z, Zotte AD, Radnai I, Bi'ro'-Ne'meth E, Matics Z, Gerencse'r Z *et al.* *Behaviour of growing rabbits under various housing conditions*. Appl Anim Behav Sci, 2008; 111: 342-56.
- Punke JP, Speas AL, Reynolds LR, Budsberg SC. *Effects of firocoxib, meloxicam, and tepoxalin on prostanoid and leukotriene production by duodenal mucosa and other tissues of osteoarthritic dogs*. Am J Vet Res, 2008; 69: 1203-9.
- Puntillo KA, Miaskowski C, Summer G. *Pain*. In: Carrieri VK, Lindsey AM, West CM, Editors. *Phathophysiological phenomena in nursing human response to illness*. 3rd ed. Philadelphia: W. B. Saunders, 2005; 235-49.
- Rang HP, Sale MM, Ritter JM, Moore PK. *Pharmacology*. 5th ed. Philadelphia: Elsevier, 2003.
- Reaney R. *Assessing pain in children*. Anaesth Intensive Care Med, 2007; 8: 180-3.
- Rhodes ME, McKlveen FM, Ripepi DR, Gentile NE. *Hypothalamus-pituitary-adrenal cortical axis*. In: Rubin RT, Pfaff DW, editors. *Hormone/behavior relations of clinical importance endocrine system interacting with brain and behavior*. Oxford: Academic press, 2009; 47-62.
- Richardson CA, Flecknell PA. *Anaesthesia and post-operative analgesia following experimental surgery in laboratory rodents: are we making progress?* Alter Lab Anim, 2005; 33: 119-27.
- Robinson NG. *Complementary and alternative medicine for pain management in veterinary patients*. In: Gaynor JS and Muir WW, editors. *Handbook of veterinary pain management*. 2nd ed. St.Louis. Mosby, 2009; 301-36.
- Rollin BE. *The ethics of pain management*. In: Gaynor JS, Muir WW, editors. *Handbook of Veterinary pain management*. 2nd ed. St. Louis: Mosby, 2009; 2-11.
- Ropper AH, Brown RH. *Principle of neurology*. 8th ed. New York: McGraw-Hill, 2005; 111-27.
- Roughan JV, Flecknell PA. *Behavioural effects of laparotomy and analgesic effects of ketoprofen and carprofen in rats*. Pain, 2001; 90: 65-74.

- Roughan JV, Flecknell PA. *Evaluation of a short duration behaviour-based post-operative pain scoring system in rats*. Eur J Pain, 2003; 7: 397-406.
- Rushen J. *Changing concepts of farm animal welfare: bridging the gap between applied and basic research*. Appl Anim Behav Sci, 2003; 81: 199-214.
- Sheriff MJ, Bosson CO, Krebs CJ, Boonstra R. *A non-invasive technique for analyzing fecal cortisol metabolites in snowshoe hares (Lepus americanus)*. J Comp Physiol B, 2009; 179: 305-13.
- Smith JD, Allen SW, Quandt JE. *Changes in cortisol concentration in response to stress and postoperative pain in client-owned cats and correlation with objective clinical variables*. Am J Vet Res, 1999; 60: 432-6.
- Stilwell G, Lima MS, Broom DM. *Comparing plasma cortisol and behaviour of calves dehorned with caustic paste after non-steroidal-anti-inflammatory analgesia*. Livestock Sci, 2008; 119: 63-9.
- Tam SSC, Lee DHS, Wang EY, Munroe DG, Lau CY. *Tepoxalin, a novel dual inhibitor of the prostaglandin-H synthase cyclooxygenase and peroxidase activities*. J Biol Chem, 1995; 270: 13948-55.
- Teskey-Gerstl A, Bamberg E, Steineck T, Palme R. *Excretion of corticosteroids in urine and faeces of hares (Lepus europaeus)*. J Comp Physiol B, 2000; 170: 163-8.
- The United States pharmacopeia. *The national formulary*. Maryland: The United States Pharmacopeial Convention, 2004.
- Thengchaisri N, Sattasathuchana P, Niyom S, Chantornvong W. *Comparison of carprofen, vedaprofen and tepoxalin for postoperative analgesia and serum PGE2 level in dogs after ovariohysterectomy*. Thai J Vet Med, 2010; 40: 159-64.
- Touma C, Palme R. *Measuring fecal glucocorticoid metabolites in mammals and birds: the importance of validation*. Ann N Y Acad Sci, 2005; 1046: 54-74.
- Tranquilli WJ, Grimm KA, Lamont LA. *Pain management for the small animal practitioner*. 2nd ed. Utah: Teton New Media, 2004.
- Voigt CC, Faßbender M, Dehnhard M, Wibbelt G, Jewgenow K, Hofer H *et al*. *Validation of a minimally invasive blood-sampling technique for the analysis of hormones in domestic rabbits, Oryctolagus cuniculus (Lagomorpha)*. Gen Comp Endocrinol, 2004; 135: 100-7.

Waldman SD. *Pain management*. vol. 1. Philadelphia: Saunders, 2007.

Wasser SK, Hunt KE, Brown JL, Cooper K. *A generalized fecal glucocorticoid assay for use in a diverse array of non-domestic mammalian and avian species*. Gen Comp Endocrinol, 2000; 120: 260-75.

Weiss U. *Inflammation*. Nature, 2008; 454: 427.

Wright-Williams SL, Courade JP, Richardson CA, Roughan JV, Flecknell PA. *Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse*. Pain, 2007; 130: 108-18.

Young KM, Walker SL, Lanthier C, Waddell WT, Monfort SL, Brown JL. *Noninvasive monitoring of adrenocortical activity in carnivores by fecal glucocorticoid analyses*. Gen Comp Endocrinol, 2004; 137: 148-65.

Zubrin package insert. *Tepoxalin*. Los Angeles: Schering-Plough Animal Health, 2003.