

## เอกสารอ้างอิง

1. Volz A, Boyle JM, Cann HM, Cottingham RW, Orr HT, Ziegler A.: Report of the Second International Workshop on Human Chromosome 6. *Genomics* 1994; 21: 464-72.
2. Moulds JM, Fawcett KJ, Garner RJ. eds. *Scientific and Technical Aspects of the Major Histocompatibility Complex*. Arlington, VA: American Association of Blood Banks, 1989.
3. Daar AS, Fuggle SV, Fabre JW, Ting A, Morris PJ. The detailed distribution of HLA-A, B, C antigens in normal human organs. *Transplantation* 1984;38:287-92.
4. Bishop GA, Hall BM, Suranyi MG, Tiller DJ, Horvath JS, Duggin GG. Expression of HLA antigens of renal tubular cells in culture. I. Evidence that mixed lymphocyte culture supernatants and gamma interferon increase both Class I and Class II HLA antigens. *Transplantation* 1986;42:671-9.
5. Duquesnoy RJ, Filip DJ, Tomasulo PA, Aster RH. Role of HLA-C matching in histocompatible platelet transfusion therapy alloimmunized thrombocytopenic patients. *Transplant Proc* 1977;9:1827-8.
6. Zinkernagel RM, Doherty PC. MHC restricted cytotoxic T cells. *Adv Immunol* 1979;27:51.
7. Hansen GS, Svejgaard A, Claesson MH. T cell clones restricted to "hybrid" HLA-D antigens? *J Immunol* 1982;128:2497-9.
8. Ko HS, Fu SM, Winchester RJ, Yu DTY, Kunkel HG. Ia determinants on stimulated human T lymphocytes. *J Exp Med* 1979;150: 246-55.
9. Gibbs VC, Wood DM, Garovoy MR. The response of cultured human kidney capillary endothelium to immunologic stimuli. *Hum Immunol* 1985;13:55.
10. Bodmer JG, Marsh SG, Albert ED, et al. Nomenclature for factors of the HLA system. *Tissue Antigens* 1994; 44: 1-18.

11. Koller BH, Geraghty CE, Shimizu Y, DeMars R, Orr HT. HLA-E. a novel class I gene expressed in resting T lymphocytes. *J Immunol* 1988; 141: 897-904.
12. Geraghty DE, Wei X, Orr HT, Koller BH. Human leukocyte antigen F (HLA-F): an expressed HLA gene composed of a class I coding sequence linked to a novel transcribed repetitive element. *J Exp Med* 1990; 171: 1-18.
13. Geraghty DE, Koller BH, A human histocompatibility complex class I gene that encodes a protein with a shortened cytoplasmic fragment. *Proc Natl Acad Sci U S A* 1987; 84: 9145-9.
14. Kovats S, Main EK, Librach C, et al. A class I antigen, HLA-G, expressed in human trophoblast. *Science* 1990; 248: 220-3.
15. Bodmer JG, Marsh SGE, Albert ED, et al. Nomenclature for factors of the HLA system, 1996. *Tissue Antigens* 1997; 49: 297-321.
16. Zemmour J, Parham P. HLA class I nucleotide sequences, 1992. *Tissue Antigens* 1992; 40: 221-8.
17. Browning MJ, Krausa P, Rowan A, Bicknell DC, Bodmer JG, Bodmer WF. Tissue typing the HLA-A locus from genomic DNA by sequence-specific PCR: comparison of HLA genotype and surface expression on colorectal tumor cell lines. *Proc Natl Acad Sci USA* 1993; 90: 2842-5.
18. Krausa P, Moses J, Bodmer W, Bodmer J, Browning M. HLA-A locus alleles identified by sequence specific PCR . *Lancet* 1993; 341: 121-2.
19. Sadler AM, Perronzelli F, Krausa P, et al. Low-resolution DNA typing for HLA-B using sequence-specific primers in allele-or group-specific ARMS/PCR. *Tissue Antigens* 1994;44: 148-54.
20. Bugawan TL, Apple R, Erlich HA. A method for typing polymorphism at the HLA-A locus using PCR amplification and immobilized oligonucleotide probes. *Tissue Antigens* 1994; 44: 137-47.

21. Yoshida M, Kimura A, Numano F, Sasazuki T. Polymerase-chain-reaction-based analysis of polymorphism in the HLA-B gene. *Hum Immunol* 1992;34: 257-66.
22. Bunce M, Eelsh KI. Rapid DNA typing for HLA-C using sequence-specific primers (PCR-SSP): Identification of serological and non-serologically defined HLA-C alleles including several new alleles. *Tissue Antigens* 1994;43:7-17.
23. Park MS, Terasaki PI, Barbetti A, Ham H, Cacka JM. Significant of the HLA molecular structure to transplantation. *Clinical Transplants* 1988: 301-28.
24. Dawkins RL, Christiansen FT, Kay PH, Garlepp MJ, McCluskey J, Hollingsworth PN and Zilko PJ. Disease associations with complotypes, supratypes and haplotypes. *Immunol Rev* 1983; 70: 5-22.
25. Carroll MC, Katzman P, Alicot EM, Koller BH, Geraght DE, Orr HT, Strominger JL, Spies T. Linkage map of the human major histocompatibility complex including the tumor necrosis factor genes. *Proc Natl Acad Sci USA* 1987; 84: 8535-9.
26. Dunham I, Sargent CA, Trowsdale J and Campbell RD. Molecular mapping of the human major histocompatibility complex by pulsed-field gel electrophoresis. *Proc Natl Acad Sci USA* 1987; 84: 7237-41.
27. Tiwari JL and Terasaki PI. HLA Antigens Associated with Diseases. In *HLA and Disease Associations*, Springer, New York, 1985:42-8.
28. Walker RH, Meyers MA, Phillips LM. The probability of exclusion of the HLA-A, B system in North American whites and blacks in parentage tests. *Transfusion* 1987;27:75-9.
29. Dyer P, Middleton D. eds. *Histocompatibility Testing. A practical approach.* Oxford University Press. 1993:107-142.
30. Romphruk Am, Barusrux S, Puapairoj C, Urwijitaroon Y, Romphruk Ar, Leelayuwat C. Distribution of HLA-A and B in Northeastern-Thais. *J Med Assoc Thai* 1996;79:732-6.

31. Chandanayingyong D and Chiewsilp P. HLA antigens in Thais. In: Proceeding of the Third Asia and Ocenia Histocompatibility Workshop Conference 1986: 249-51.
32. Chiewsilp P, Charoenwongse P, Chandanayingyong D. HLA Antigens in Thai-Chinese. In: Proceedings of the Third Asia and Ocenia Histocompatibility Workshop Conference 1986: 241-8.
33. Olerup O, Zetterquist H. HLA-DR typing by PCR amplification with sequence-specific primers (PCR-SSP) in 2 hours: an alternative to serological DR typing in clinical practice including donor-recipient matching in cadaveric transplantation. *Tissue Antigens* 1992; 39: 225-35.
34. Bein G, Glaser R, Kirchgner H. Rapid HLA-DRB1 genotyping by nested PCR amplification. *Tissue Antigens* 1992; 39: 68-73.
35. Olerup O, Aldener A, Fogdell A. HLA-DQB1 and -DQA1 typing by PCR amplification with sequence-specific primers (PCR-SSP) in 2 hours. *Tissue Antigens* 1993; 41: 119-34.
36. Kimura A, Sasazuki T. Eleventh International Histocompatibility Workshop Reference Protocol for the DNA Typing Technique. In: Tsuji K, Aizawa M, Sasazuki T, eds. *HLA 1991, Vol1*. Oxford: Oxford University Press, 1992: pp 397-419.
37. Saiki RK, Bugawan TL, Horn GT, Mullis KB, Erlicg Ha. Analysis of enzymatically amplified beta-globin and HLA-DQ alpha DNA with allele-specific oligonucleotide probes. *Nature* 1986; 324: 163-6.
38. Santamaria P, Boyce-Jacino MT, Lindstrom AL, Barbosa JJ, Faras AJ, Rich SS. HLA class II "typing": direct sequencing of DRB, FQB, and DQA genes. *Hum Immunol* 1992; 33: 69-81.
39. Kimura A, Hoshino S, Yoshida M, Harada H, Sasazuki T. Polymerase chain reaction-single strand conformation polymorphism (PCR-SSCP) analysis of

- HLA genes: a practical HLA-matching system. In: Tsuji K, Aizawa M, Sasazuki T, eds. HLA 1991, Oxford: University Press, 1992: 511-514.
40. Cereb N, Maye P, Lee Y, Kong Y, Yang SY. Locus-specific amplification of HLA class I genes from genomic DNA: locus-specific sequenced in the first and third introns of HLA-A,-B, and -C alleles. Tissue Antigens 1995;45:1-11.
41. Bozon MV, Delgado JC, Turbay D, et al. Comparison of HLA-A antigens typing by serology with two polymerase chain reaction based DNA typing methods: implications for proficiency testing Tissue Antigens 1996: 4; 512-8.
42. Imanishi T, Akaza T, Kimura A, Tokunaga K, Gojobori T. W15.1 Allele and haplotype frequencies for HLA and complement loci in various ethnic groups. In: Tsuji K, Aizawa M, Sasazuki T. eds. HLA 1991, Vol 1. Oxford: Oxford University Press, 1992: pp. 1075-107.



พดลสมิตถการ มหาวิทยาลัยมหิดล