

เอกสารอ้างอิง

กรมควบคุมโรค กระทรวงสาธารณสุข. (2549). *สถานการณ์โรคไม่ติดต่อ*. Retrieved from www.ddc.moph.go.th/index.php

กัณหา ปานสมุทร. (2547). *ผลของการฟื้นฟูสมรรถภาพหัวใจต่อความสามารถในการทำหน้าที่ของร่างกาย และคุณภาพชีวิต ในผู้สูงอายุหลอดเลือดหัวใจ*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

เกษม รัตนสุมาวงศ์. (2546). Congestive heart failure: Pathophysiology & diagnosis. ใน *วิลเลียม พาวีโล และ เสาวลักษณ์ พรหมพงศา (บรรณาธิการ), CARDIOLOGY 2003* (หน้า 33-47). ไม่ปรากฏสถานที่พิมพ์.

ชมรมฟื้นฟูหัวใจ สมาคมแพทย์โรคหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์. (2545). *Cardiac rehabilitation guideline* [Online]. Retrieved December 10, 2004, from <http://www.thaiheart.org/caresthai/rehabguide.htm>

ณัฐริกา โสโล. (2551). *ผลการฟื้นฟูสมรรถภาพหัวใจที่บ้านต่อคุณภาพชีวิตของผู้ป่วยภาวะหัวใจล้มเหลว*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

จุใจ ชัยวานิชศิริ. (2539). การฟื้นฟูผู้ป่วยโรคหัวใจ. ใน *เสก อักษรนุเคราะห์ (บรรณาธิการ), ตำราเวชศาสตร์ฟื้นฟู เล่ม 2* (พิมพ์ครั้งที่ 3, หน้า 865-900). กรุงเทพฯ: สมาคมเวชศาสตร์ฟื้นฟูแห่งประเทศไทย.

ทรงศักดิ์ เกียรติชูสกุล. (บรรณาธิการ). (2550). *พยาธิสรีรวิทยาของภาวะหัวใจล้มเหลว*. ใน *หัวใจล้มเหลว* (พิมพ์ครั้งที่ 2, หน้า 1-18). ขอนแก่น: แอนนาออฟเซต.

ธนวัฒน์ เบญจานุวัตร. (2547). Cardiac resynchronization therapy (CRT). ใน *อภิชาติ สุคนธธรรม และ รังสฤษฎ์ กานะวนิชย์ (บรรณาธิการ), Heart failure* (หน้า 133-148). เชียงใหม่: ไอแอมเกโนเซอร์ แอนด์ แอ็ดเวอร์ไทซิง.

ประวิทย์ ตันประเสริฐ. (2546). *ความเป็นมาและความหมายของเวชศาสตร์ฟื้นฟูหัวใจ*. ใน *วิศาล กันธรัตน์กุล และระพีพล ฤกษ์ธร ณ อยู่ธยา (บรรณาธิการ), เวชศาสตร์ฟื้นฟูหัวใจ* (หน้า 1-6). กรุงเทพฯ: สมาคมเวชศาสตร์ฟื้นฟูแห่งประเทศไทย.

ปิยนุช รักพาณิชย์. (2546). การฟื้นฟูสมรรถภาพหัวใจเมื่อกลับบ้าน. ใน วิศาล คันธารัตนกุล และ ระพีพล ฤกษ์ธร ฌ อยุธยา (บรรณาธิการ), *เวชศาสตร์ฟื้นฟูหัวใจ* (หน้า 117-139).

กรุงเทพฯ: สมาคมเวชศาสตร์ฟื้นฟูแห่งประเทศไทย.

ปิยะมิตร ศรีธรา, ปิยทัศน์ ทัศนาวินันท์, และ สายันท์ ชีพอุดมวิทย์. (2546). ปัจจัยเสี่ยง และระบาดวิทยาของโรคหลอดเลือดหัวใจ Risk factors and epidemiology of coronary artery disease. ใน วิศาล คันธารัตนกุล และ ระพีพล ฤกษ์ธร ฌ อยุธยา (บรรณาธิการ), *เวชศาสตร์ฟื้นฟูหัวใจ* (หน้า 31-42). กรุงเทพฯ: ชมรมฟื้นฟูหัวใจ สมาคมโรคหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์.

ผ่องพรรณ อรุณแสง. (2549). *การพยาบาลผู้ป่วยหัวใจ และหลอดเลือด*. ขอนแก่น: คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.

พัชรพร เถาว์พันธ์. (2544). *ผลของโปรแกรมการฟื้นฟูสมรรถภาพหัวใจต่อความสามารถในการทำหน้าที่ของร่างกาย*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

พิกุล บุญช่วง. (2541). *การพยาบาลผู้ป่วยภาวะหัวใจล้มเหลว* (พิมพ์ครั้งที่ 2). เชียงใหม่: โครงการตำรา คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

พิมพ์ใจ อนุจะโป๊ะ. (2548). *ผลของโปรแกรมการเดินออกกำลังกายต่อความสามารถในการทำหน้าที่ของร่างกายในผู้ป่วยที่มีภาวะหัวใจล้มเหลว*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

ภาริส วงศ์แพทย์, ญัฐยา จิตประไพ, วิศาล คันธารัตนกุล, และ วารี จิรอดิษฐ์. (2541). การศึกษาค่าความสัมพันธ์ระหว่างค่าความรู้สึกเหนื่อยโดยใช้ Borg's Scale ที่แปลเป็นภาษาไทยกับอัตราการเต้นของหัวใจและความแรงของการออกกำลังกาย. *เวชศาสตร์ฟื้นฟูสาร*, 7(3), 121-124.

เยี่ยมมนโนภพ บุญนาค. (2539). *การออกกำลังกายเพื่อการบำบัดโรค*. ใน เสก อักษรนุเคราะห์ (บรรณาธิการ), *ตำราเวชศาสตร์ฟื้นฟู เล่ม 1* (พิมพ์ครั้งที่ 3, หน้า 127-188). กรุงเทพฯ: สมาคมเวชศาสตร์ฟื้นฟูแห่งประเทศไทย.

ระพีพล ฤกษ์ธร ฌ อยุธยา, และ ภัทรารุณ อินทรกำแหง. (2546). ยากับกระบวนการฟื้นฟูสภาพหัวใจ Pharmacological considerations in cardiac rehabilitation. ใน วิศาล คันธารัตนกุล และ ระพีพล ฤกษ์ธร ฌ อยุธยา (บรรณาธิการ), *เวชศาสตร์ฟื้นฟูหัวใจ* (หน้า 75-86). กรุงเทพฯ: ชมรมฟื้นฟูหัวใจ สมาคมโรคหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์.

รังสฤษฎ์ กาญจนะวณิชย์. (2546). แนวทางการวินิจฉัยและการรักษาภาวะหัวใจล้มเหลวชนิดเรื้อรัง.

ใน วุฒิเดช โอภาสเจริญสุข และ อภิชาติ สุคนธสรณ์ (บรรณาธิการ), *อายุรศาสตร์ประยุกต์ เล่ม 1* (หน้า 355-380). เชียงใหม่: ไอแอมออร์เกไนเซอร์ แอนด์ แอ็ดเวอร์ไทซิง.

รังสฤษฎ์ กาญจนะวณิชย์. (2547). Heart failure management programme. ใน อภิชาติ สุคนธสรณ์ และ รังสฤษฎ์ กาญจนะวณิชย์ (บรรณาธิการ), *Heart failure* (หน้า 217-232). เชียงใหม่: ไอแอมออร์เกไนเซอร์ แอนด์ แอ็ดเวอร์ไทซิง.

รุ่งโรจน์ กฤตยพงษ์. (2543). Pathophysiology of heart failure. ใน รุ่งนิรันดร์ ประดิษฐ์สุวรรณ, สมเกียรติ วสุวิญญกุล, และ ดำรัส ศรีกุล (บรรณาธิการ), *อายุรศาสตร์ทันยุค 6 update in internal medicine* (หน้า 68-86). กรุงเทพฯ: หมอชาวบ้าน.

วรมนต์ บำรุงสุข. (2549). การฟื้นฟูสมรรถภาพหัวใจโรคหลอดเลือดแดงโคโรนารี. กรุงเทพฯ: ภาควิชาเวชศาสตร์ฟื้นฟู คณะแพทยศาสตร์ ศิริราชพยาบาล.

วรรณวรางค์ วงศ์เจริญ. (2547). Clinical assessment of heart failure. ใน อภิชาติ สุคนธสรณ์ และ รังสฤษฎ์ กาญจนะวณิชย์ (บรรณาธิการ), *Heart failure* (หน้า 1-16). เชียงใหม่: ไอแอมออร์เกไนเซอร์ แอนด์ แอ็ดเวอร์ไทซิง.

วิเชียร ทองแดง. (2543). Clinical diagnosis of heart failure. ใน รุ่งนิรันดร์ ประดิษฐ์สุวรรณ, สมเกียรติ วสุวิญญกุล, และ ดำรัส ศรีกุล (บรรณาธิการ), *อายุรศาสตร์ทันยุค 6 update in internal medicine* (หน้า 87-106). กรุงเทพฯ: หมอชาวบ้าน.

วิศาล คันทารัตนกุล. (2546). สรีรวิทยาพื้นฐานสำหรับกระบวนการฟื้นฟูสภาพหัวใจ Physiological basic in cardiac rehabilitation. ใน วิศาล คันทารัตนกุล และระพีพล ญูชกร ณ อยุธยา (บรรณาธิการ), *เวชศาสตร์ฟื้นฟูหัวใจ* (หน้า 31-41). กรุงเทพฯ: ชมรมฟื้นฟูหัวใจ สมาคมโรคหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์.

วีรัช นาวารวงศ์. (2547). Role of surgery in the treatment of congestive heart failure. ใน อภิชาติ สุคนธสรณ์ และ รังสฤษฎ์ กาญจนะวณิชย์ (บรรณาธิการ), *Heart failure* (หน้า 217-232). เชียงใหม่: ไอแอมออร์เกไนเซอร์ แอนด์ แอ็ดเวอร์ไทซิง.

สมเกียรติ แสงวัฒนาโรจน์. (2548). หัวใจล้มเหลวในเวชปฏิบัติผู้ป่วยใน. ใน วีรพันธุ์ โชวิฑูรกิจ และ ธาณินทร์ อินทรกำธรชัย (บรรณาธิการ), *เวชปฏิบัติผู้ป่วยใน* (หน้า 289-304). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.

สมชาย ทรัพย์คุณาชัย. (2547). Role of aldosterone antagonist in the treatment of heart failure. ใน อภิชาติ สุคนธสรณ์ และ รังสฤษฎ์ กาญจนะวณิชย์ (บรรณาธิการ), *Heart failure* (หน้า 71-80). เชียงใหม่: ไอแอมออร์เกไนเซอร์ แอนด์ แอ็ดเวอร์ไทซิง.

สำนักงานสถิติแห่งชาติ กระทรวงเทคโนโลยีสารสนเทศ และการสื่อสาร. (2550). *ตารางสถิติ*

จำแนกตามสาขาสถิติ สาขาสถิติสุขภาพ. Retrieved from

www.service.nso.go.th/nso/nsopublish/indicator/indsocial50.pdf

สำนักงานสถิติแห่งชาติ กระทรวงเทคโนโลยีสารสนเทศ และการสื่อสาร. *ตารางสถิติจำแนกตาม*

สาขาสถิติ สาขาสถิติสุขภาพ. (2553). Retrieved from

www.service.nso.go.th/nso/nso_center/project/search_center/23project-th.htm

อภิชาติ สุคนธสรณ์. (2547). Epidemiology and pathogenesis. ใน อภิชาติ สุคนธสรณ์ และ

รังสฤษฎ์ กานะวนิชย์ (บรรณาธิการ), *Heart failure* (หน้า 1-16). เชียงใหม่:

ไอแอมออร์เกโนเซอร์ แอนด์ แอ็คเตอร์ไทซิง.

อรินทยา พรหมนิธิกุล. (2547). B-type natriuretic peptide. ใน อภิชาติ สุคนธสรณ์ และ รังสฤษฎ์

กานะวนิชย์ (บรรณาธิการ), *Heart failure* (หน้า 41-44). เชียงใหม่: ไอแอม

ออร์เกโนเซอร์ แอนด์ แอ็คเตอร์ไทซิง.

อุดมลักษณ์ สุภาวงศ์. (2548). ปัญหาและความต้องการด้านสุขภาพของผู้ที่มีภาวะหัวใจล้มเหลวใน

สถานบริการสุขภาพพิเศษ มหาวิทยาลัยเชียงใหม่วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต

สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

American Association for Cardiovascular and Pulmonary Rehabilitation, & American Heart

Association, (2007). Performance measures on cardiac rehabilitation/secondary

prevention services. *Circulation*, 10(116), 1611-1642.

American College of Cardiology Foundation, & the American Heart Association. (2005).

ACC/AHA 2005 Guideline update for the diagnosis and management of chronic heart

failure in the adult. ACC/AHA Practice Guideline. USA.

American College of Sports Medicine. (2000). *ACSM's Guidelines for exercise testing and*

prescription (6th ed.). Philadelphia: Lippincott.

American College of Sports Medicine. (2006). *ACSM's Guidelines for exercise testing and*

prescription (7th ed.). Philadelphia: Lippincott.

American Heart Association. (2003). Exercise and heart failure a statement from the American

heart association committee on exercise rehabilitation and prevention. *Circulation*,

107(4), 1210-1225.

- American Heart Association. (2005). Medical director responsibilities for outpatient cardiac rehabilitation/secondary prevention programs: A scientific statement from the American heart association/American association for cardiovascular and pulmonary rehabilitation. *Circulation*, 107(4), 1210-1225.
- American Heart Association. (2007). Core components of cardiac rehabilitation/secondary prevention programs. *Circulation*, 10(115), 2675-2682.
- American Thoracic Society. (2002). AST statement: Guidelines for the six-minute walk test. *American Journal of Respiratory and Critical Care Medicine*, 166, 111-117.
- Aronow, S. W. (2006). ACC/AHA guideline update treatment of heart failure with reduced left ventricular ejection fraction. *Cardiology*, 61(3), 22-29.
- Baliga, R., Siva, A., & Noble, M. (2005). *Crash course: Cardiology*. Philadelphia: Elsevier.
- Berg-Emons, R., Balk, A., Bussmann, H., & Stam, H. (2004). Does aerobic training lead to a more active lifestyle and improve quality of life in patients with chronic heart failure. *The European Journal of Heart Failure*, 6, 95-100.
- Bethell, N. H. (2006). Exercise-base cardiac rehabilitation. *Medical Management of Atherosclerosis*, 34(5), 195-196.
- Burns, N., & Grove, K. S. (2005). *The Practice of Nursing Research Conduct, Critique, and Utilization* (5th ed.). USA.
- Center for Disease Control and Prevention. (2006). *Data & statistics*. Retrieved August 30, 2006 from http://www.cdc.gov/dhdsplibrary/fs_heart_failure.htm
- Collins, E., Langbein, W. E., Dilan-Koetje, J., Bammert, C., Hanson, K., Reda, D., et al. (2004). Effect of exercise training on aerobic capacity and quality of life individuals with heart failure. *Heart Lung*, 33(3), 154-161.
- Corvera-Tindel, T., Doering, L. V., Woo, M. A., Khan, S., & Dracup, K. (2004). Effects of a home walking exercise program on functional status and symptom in heart failure. *American Heart Journal*, 147(2), 339-346.
- Daly, J., Sindone, P. A., Thompson, R. D., Hancock, K., Chang, E., & Davidson, P. (2001). Barrier to participation in and adherence to cardiac rehabilitation program. *Progress in Cardiovascular Nursing*, 17(1), 8-17.

- Drexler, H., & Mass, M. B. (2004). Heart failure and cardiomyopathy. In M. H. Crawford, J. P. Dimarco, & W. J. Paulus. (Eds.), *Cardiology* (pp. 829-844). USA.
- European Society of Cardiology. (2001). Guidelines for the diagnosis and treatment of Acute and Chronic Heart Failure. *European Heart Journal*, 22, 1527-1560
- European Society of Cardiology. (2005). Guidelines for the diagnosis and treatment of Acute and Chronic Heart Failure. *European Heart Journal*, 26, 1115-1140
- European Society of Cardiology. (2008). Guidelines for the diagnosis and treatment of Acute and Chronic Heart Failure. *European Heart Journal*, 29, 2388-2442.
- Evenson, K. R., Johnson, A., & Aytur, S. A. (2006). Five-year changes in north carolina outpatient cardiac rehabilitation. *Journal of Cardiopulmonary Rehabilitation*, 26(6), 366-376.
- Francis, G. S., Tang, H. W., & Sonnenblick, H. E. (2004). Pathophysiology of heart failure. In V. Fuster, R. W. Alexander, & R. A. O. Rourke (Eds.), *The heart* (pp. 697-783). New York: McGraw-Hill.
- Froelicher, F. V., & Myers, J. (2006). Exercise testing methodology. *Exercise and the heart* (pp. 11-27). The United states of America.
- Headley, A. J., Ownby, K. K., & John, D. L. (2004). The effect of seated exercise on fatigue and quality of life in women with advance breast cancer. *Oncology Nurse Forum*, 31(5), 977-983.
- Howley, T. E. (2007). Metabolic, cardiovascular, and respiratory responses to physical activity. In C. Bouchard, N. S. Blair, & L. W. Haskell. (Eds.), *Physical activity and health* (pp. 51-66). USA.
- Klocek, M., Kubinyi, A., Bacior, B., & Kawecka-Jaszcz, K. (2005). Effect of physical training on quality of life and oxygen consumption in patients with congestive heart failure. *Internal Journal of Cardiology*, 103(3), 323-329.
- Lejemtel, H. T., Sonnenblick, H. E., & Frishman, H. W. (2004). Diagnosis and management of heart failure. In V. Fuster, R.W. Alexander, & R. A. O. Rourke (Eds.), *The heart* (pp. 697-783). New York: McGraw-Hill.

- Majani, G., Pierobon, A., Callegari, S., Opasich, C., Cobelli, F., & Tavazzi, L. (1999). Relationship between psychological profile and cardiological variable in heart failure: The role of patient subjectivity. *European Heart Journal*, 20(21), 1579-1586.
- Mandic, S., Riess, K., & Haykowsky, J. M. (2006). Exercise training for individuals with coronary artery disease or heart failure. *Physiotherapy Canada*, 58(1), 21-29.
- Massie, M. B. (2004). Management of patient with chronic heart failure. In H. M. Crawford, P. J. Dimarco, & J. W. Paulus (Eds.) *Cardiology* (pp. 879-895). USA.
- McKelvie, S. R. (2005). Heart failure. In S. J. Skinner (Ed.), *Exercise testing and exercise prescription for special case* (pp. 323-336). USA.
- Miller-Davis, C., Marden, S., & Leidy, K. N. (2006). The New York Heart Association Classes and functional status: What are we really measuring? *Heart & Lung*, 35(4), 217-224.
- Monpere, C. (1998). Cardiac rehabilitation guideline and recommendations. *Dis Manage Health Outcomes*, 4(3), 143-156.
- Myers, J., Do, D., Herbert, W., Ribisl, P., & Froelicher, V. F. (1994). A normogram to predict exercise capacity from a specific activity questionnaire and clinical data. *The American Journal of Cardiology*, 73(15), 591-596.
- Nazarko, L. (2008). Cardiac failure: Early diagnosis and treatment options. *Nursing and Presidential Care*, 10(6), 285-289.
- Nilsson, B. B., Hellesnes, B., Westheim, A., & Risberg, M. A. (2008). Group-base aerobic interval training in patients with chronic heart failure: Norwegian ullevaal model. *Physical Therapy*, 88(4), 523-535.
- Patel, R. A., & Konstam, A. M. (2004). Assessment of the patient with heart failure. In H. M. Crawford, P. J. Dimarco, & J. W. Paulus (Eds.), *Cardiology* (pp. 845-854). USA.
- Powers, K. S., & Howley, T. E. (2007). Circulatory response to exercise and respiration during exercise. In *Exercise physiology: Theory and application to fitness and performance* (6th ed., pp. 169-229). USA.
- Rankin, S. L., Briffa, T. G., Morton, A. R., & Hung, J. (1996). A specific activity questionnaire to measure the functional capacity of cardiac patients. *The American Journal of Cardiology*, 77(1), 1220-1223.

- Resnick, B. (2004). Encouraging exercise in older adults with congestive heart failure. *Geriatric Nursing*, 25(4), 204-211.
- Rocha, R. M., Albuquerque, D. C., Rozentul, A. L., Meireles, L. R., Tiengo, L. O., Candido, A. M., et al. (2004). Correlation between six minute walk test and exercise stress testing in patients with heart. *Journal of Cardiac Failure*, 10(4), S128.
- Smart, N., Haluska, B., Jeffriess, L., & Marwick, H. T. (2007). Exercise training in systolic and diastolic dysfunction effect on cardiac function functional capacity and quality of life. *American Heart Journal*, 153(4), 530-536.
- Smart, N., Haluska, B., Jeffriess, L., Case, C., & Marwick, H. T. (2006). Cardiac Contribution to exercise training responses in patients with chronic heart failure: A strain imaging study. *Echocardiography: A Journal of CV Ultrasound & Allied Tech*, 23(5), 376-382.
- Smart, N., Haluska, B., Leano, R., Case, C., Mottram, M.P., & Marwick, H. T. (2004). Determinate of Functional capacity in patients of chronic heart failure: Role of filling pressure and systolic and diastolic function. *American Heart Journal*, 149(1), 152-158.
- Tenenbaum, A., Freimark, D., Ahron, E., Koren-Morag, N., Schwamenthal, E., Fisman, E. Z., et al. (2006). Long-term versus intermediate-term supervised exercise training in advanced heart failure: effect on exercise tolerance and mortality. *Internal Journal of Cardiology*, 113(3), 364-370.
- Van Camp, P. S., & Peterson, A. R. (1986). Cardiovascular complications of outpatient cardiac rehabilitation programs. *Cardiac Rehabilitation*, 256(9), 1160-1163.
- Vibarel, N., Hayot, M., Ledermann, B., Messner Pellenc, P., Ramonatxo, M., & Prefaut, C. (2002). Effect of aerobic exercise training on inspiratory muscle performance and dyspnoea in patients with chronic heart failure. *European Journal Heart failure*, 4(6), 745-751.
- Williams, A. M., Ades, A. P., Hamm, F. L., Keteyian, J. S., Lafontaine, P. T., Roitman, L. J., et al. (2006). Clinical evidence for a health benefit from cardiac rehabilitation: An update. *American Heart Journal*, 152(5), 35-41.
- Wilson, R. J., Hanamanthu, S., Chomsky, B. D., & Davis, F. S. (1999). Relationship between exertional symptom and functional capacity in patients with heart failure. *Journal of American college of Cardiology*, 33(7), 1933-1947.

Woo, S., Derleth, C., Stratton, R. J., & Levy, C. W. (2005). The influence of age, gender, and training on exercise efficiency. *Journal of American College of Cardiology*, 47(5), 1049-1057.

Yeh. Y. G., Wood, M. J., Lorell, B. H., Stevenson, L. W., Eisenberg, D. M., Wayne, P. M., et al. (2004). Effect of tai chi mind-body movement therapy on functional status and exercise capacity in patients with chronic heart failure: A randomize controlled trail. *Clinical Studies*, 117, 541-548.

Zwisler, O. A., Soja, B. A., Rasmussen, S., Frederiksen, M., Abadini, S., Apple, J., et al. (2007). Hospital-based comprehensive cardiac rehabilitation versus usual care among patient with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease: 12 month results of a randomized clinical trail. *American Heart Journal*, 155(6), 1106-1113.