

## เอกสารและสิ่งอ้างอิง

กรมวิชาการเกษตร. 2550. **ฐานความรู้ด้านพืช กรมวิชาการ.** แหล่งที่มา: [http://www.doa.go.th/pl\\_data/02\\_LOCAL/oard4/chili/main.html](http://www.doa.go.th/pl_data/02_LOCAL/oard4/chili/main.html), 1 พฤษภาคม 2550.

กรมศุลกากร. 2550. **สถิติการนำเข้า-ส่งออก. กรมศุลกากร.** แหล่งที่มา: <http://www.customs.go.th/Statistic Result.jsp>, 1 พฤษภาคม 2550.

จริงแท้ ศิริพานิช. 2542. **สรีรวิทยาและเทคโนโลยีหลังการเก็บเกี่ยวผักและผลไม้.** สำนักพิมพ์ มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ.

\_\_\_\_\_. 2549. **ชีววิทยาหลังการเก็บเกี่ยวและการหายใจของพืช.** ภาควิชาพืชสวน คณะเกษตร กำแพงแสน มหาวิทยาลัยเกษตรศาสตร์, นครปฐม.

จวงจันทร์ ดวงพัตรา. 2529. **เทคโนโลยีเมล็ดพันธุ์.** กลุ่มหนังสือเกษตร, กรุงเทพฯ.

คนัย บุญเกียรติ. 2540. **สรีรวิทยาหลังการเก็บเกี่ยวของพืชสวน.** คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่.

ชนวัฒน์ อัมรามร. 2549. **พริก ผักกินผลร้อนแรงแห่งปี. เคนการเกษตร 30(40): 70-90.**

ธีรวรรณ ชันทอง. 2543. **ลิปด, น. 79-97. ใน พจน์ ศรีบุญลือ โสพิศ วงศ์คำ พชร บุญศิริ, บรรณาธิการ. ตำราชีวเคมี. คณะแพทยศาสตร์ มหาวิทยาลัยขอนแก่น, ขอนแก่น.**

นันทวุฒิ อิมศุณย์ และ คนัย บุญเกียรติ. 2546. **ผลของการใช้ความร้อนต่อการลดอาการระคายเคืองของมะเขือเทศ. วารสารเกษตร 19(1): 37-45.**

ปริญานุช จุลกะ. 2539. **การพัฒนาและการแก่ของเมล็ดพริกหวาน (*Capsicum annuum*).** ปัญหาพิเศษปริญญาโท. ภาควิชาพืชสวน, มหาวิทยาลัยเกษตรศาสตร์.

พยนต์ คุ่มกัย, นริศร ขจรผล และ ปรีดา จาติกวณิช. 2526. การศึกษาพันธุ์พริกในประเทศไทย. วารสารวิทยาศาสตร์การเกษตร 16(4): 295-303.

เพชรดา อยู่สุข และ ดนัย บุญเกียรติ. 2540. ผลการใช้ความร้อนและสารละลายแคลเซียมที่มีต่ออาการสะท้านหนาวในพริกหวาน. วารสารเกษตร 13(2): 137-144.

ภัทรา เขมะประสิทธิ์. 2545. การศึกษาองค์ประกอบพื้นฐานทางเคมีของพริก. ปัญหาพิเศษปริญญาตรี. สายวิชาวิทยาศาสตร์, มหาวิทยาลัยเกษตรศาสตร์.

มิ่งขวัญ มิ่งเมือง. 2546. พลังงานและกระบวนการที่เกี่ยวข้อง, น. 85-128. ใน กฤษณ์ มงคลปัญญา และ อมรา ทองปาน, บรรณาธิการ. ชีววิทยา. คณะจารย์คณะวิทยาศาสตร์ มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ.

มานิชญ์ กุลพฤกษ์. 2534. ผลกระทบของสภาพบรรยากาศที่ดัดแปลงและอุณหภูมิต่ำที่มีต่อคุณภาพและอายุการเก็บรักษาผลมะม่วง (*Mangifera indica* L.) พันธุ์น้ำดอกไม้. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์.

รุ่งทิพย์ ลิ้มปานานนท์. 2531. การพัฒนาและการแก่ของเมล็ดพริกพันธุ์“บางช้าง”. ปัญหาพิเศษปริญญาตรี. ภาควิชาพืชสวน มหาวิทยาลัยเกษตรศาสตร์

วรรณวิบูลย์ กาญจนกฤษร, สุกนธ์ชื่น ศรีงาม, สุกสาย ตริวานิช, ประศาสตร์ ฟุตระกูล, สาวิตรี จันทรานุกรักษ์, งามทิพย์ ภูวโนคม, วาณี ชนเห็นชอบ, สายสนม ประดิษฐ์ดวง. 2544. รายงานผลการวิจัยฉบับสมบูรณ์สู่ทางการใช้กระบวนการแช่เย็น/แช่แข็งเพื่อเพิ่มมูลค่าผลผลิตจากการเกษตร. สถาบันวิจัยและพัฒนาแห่งมหาวิทยาลัยเกษตรศาสตร์

วันชัย จันท์ประเสริฐ. 2542. เทคโนโลยีเมล็ดพันธุ์พริกไร้. ภาควิชาพืชไร่นา คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ.

วีรินทร์ อันทะแขก. 2535. การใช้อุณหภูมิต่ำต่อคุณภาพและอายุการเก็บรักษาของผลมะม่วงพันธุ์น้ำดอกไม้. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์.

- ศิริลักษณ์ วุฒิกุล. 2538. การห่อหุ้มพริกยักษ์แต่ละผลด้วยฟิล์มพลาสติกเพื่อยืดอายุการเก็บรักษา. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์.
- สมควร นภาพิพัฒน์. 2530. การพัฒนาและการสุกแก่ของเมล็ดพริกห้วยสีทัน. ปัญหาพิเศษปริญญาตรี ภาควิชาพืชสวน มหาวิทยาลัยเกษตรศาสตร์
- สำนักงานประสานงานวิจัยและพัฒนา “สมุนไพรรักษาคุณภาพชีวิต”. 2550. พริกไม่ใช่แค่.....พริก. **ประชาคมวิจัย** 13(73): 10-13.
- สุจิตรา รตนะมโน. 2541. ผลของแสงและอุณหภูมิต่อปริมาณรงควัตถุและแอคติวิตีของเอนไซม์ฟีนิลอลานีน แอมโมเนียไลเอส ในเปลือกผลมังคุด. วิทยานิพนธ์ปริญญาเอก มหาวิทยาลัยเชียงใหม่.
- สุชีลา เตชะวงศ์เสถียร. 2549. พริก การผลิต การจัดการและการปรับปรุงพันธุ์. ภาควิชาพืชสวน คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น, ขอนแก่น.
- สุทิน กันยะมี. 2548. ความสัมพันธ์ระหว่างอาการสะท้อนหนาวกับไฮโดรเจนเปอร์ออกไซด์และตัวต้านออกซิเดชันในมะม่วงพันธุ์ต่างๆ. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์
- อนันต์ จิตรธรรม, ศิริชัย กัลยาณรัตน์ และ เฉลิมชัย วงษ์อารี. 2545. ผลของ heat treatment และ  $\text{CaCl}_2$  ต่ออาการ Chilling injury ของผลละมุดพันธุ์มะกอก (*Archras sapota* Linn.). วารสารวิทยาศาสตร์เกษตร 33:6 (พิเศษ): 122-126.
- อ้อมอรุณ นุกุลธรประกิต. 2547. อนุมูลเสรีและตัวต้านออกซิเดชันกับอาการไลส์น้ำตาลในสับปะรด. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์
- Abe, K. 1990. Ultrastructural changes during chilling stress, pp. 71-84. In C.Y. Wang, ed. **Chilling injury of horticultural crops** . CRC Press, Boca Roton, Florida.

- Alberts, B., D. Bray, J. Lewis, M. Raff, K. Roberts and J.D. Watson. 1994. **Molecular biology of the Cell**. Garland Publishing, New York.
- Ali, A.M. and W.C. Kelly. 1992. The effects of interfruit competition on the size of sweet pepper (*Capsicum annuum* L.) fruits. **Scientia Hort.** 52: 69-76.
- Ali, M.B., E. Hahn and K. Paek. 2005. Effects of temperature on oxidative stress defence systems, lipid peroxidation and lipoxygenase activity in *Phalaenopsis*. **Plant Physiol. Biochem.** 43: 213-223.
- Ali, Z.M., L. Chin, M. Marimuthu and H. Lazan. 2004. Low temperature storage and modified atmosphere packaging of carambola fruit and their effects on ripening related texture changes, wall modification and chilling injury symptoms. **Postharvest Biol. Technol** 33: 181-192.
- Allen, R.D., R.P. Webb and S.A. Schake. 1997. Use of transgenic plants to study antioxidant defenses. **Free Radical Biology and Medicine** 23: 473-479.
- Amiot, M.J., A. Fleuiet, V. Cheynier and J. Nicolas. 1997. Phenolic compounds and oxidative mechanisms in fruit and vegetables, pp. 51-80. *In* F.A. Tomas-Barberan and R.J. Robins, eds. **Phytochemistry of Fruit and Vegetables**. Clarendon Press, Oxford.
- Anese, M. and S. Sovrano. 2006. Kinetics of thermal inactivation of tomato lipoxygenase. **Food Chem.** 95: 131-137.
- AOAC. 1995. **Official Methods of Analysis**, 16<sup>th</sup> ed. Association of Official Analytical Chemists International, Washington DC.

- Aroca, R., G. Amodo, S. Fernandez-Illescas, E.M. Herman, F. Chaumont and M.J. Chrispeels. 2005. The role of aquaporins and membrane damage in chilling and hydrogen peroxide induced changes in the hydraulic conductance of maize roots. **Plant Physiol.** 137: 341-353.
- Apel, K. and H. Hirt. 2004. Reactive oxygen species: metabolism, oxidative stress, and signal transduction. **Annu. Rev. Plant Biol.** 55: 373-399.
- Arnholdt-Schmitt, B., J.H. Costa and D.F. de Melo. 2006. AOX- a functional marker for efficient cell reprogramming under stress?. **Trends Plant Sci.** 11: 281-287.
- Ayala-Zavala, J.F., S.Y. Wang, C.Y. Wang and G.A. Gonzalez-Aguilar. 2005. Methyljasmonate in conjunction with ethanol treatment increases antioxidant capacity, volatile compounds and postharvest life of strawberry fruit. **Eur. Food Res. Technol.** 221: 731-738.
- Autio, W.R. and W.J. Bramlage. 1986. Chilling sensitivity to tomato fruit in relation to ripening and senescence. **J. Amer. Soc. Hort. Sci.** 111: 201-204.
- Bailly, C. 2004. Active oxygen species and antioxidants in seed biology. **Seed Sci. Res.** 14: 93-107.
- Bailly, C., J. Leymarie, A. Lehner, S. Rousseau and D. Come. 2004. Catalase activity and expression in developing sunflower seeds as related to drying. **J. Exp. Bot.** 55: 475-483.
- Baskaran, R., S. Puyed and Habibunnisa. 2002. Effect of modified atmosphere packaging and waxing on the storage behaviour of avocado fruits (*Persea americana* Mill). **J. Food Sci. Technol.** 39: 284-287.

Baysal, T. and A. Demirdöven. 2007. Lipoxygenase in fruits and vegetables: a review.

**Enzyme and Microbial Technol.** 40: 491-496.

Benjamin, N.D. and M.W. Montgomery. 1973. Polyphenol oxidase of Royal Ann cherries:

purification and characterization. **J. Food Sci.** 38: 799-806.

Bienert, G.P., J.K. Schjoerring and T.P. Jahn. 2006. Membrane transport of hydrogen peroxide.

**Biochim. Biophys. Acta** 1758: 994-1003.

\_\_\_\_\_, A.L.B. Møller, K.A. Kristiansen, A. Schulz, I. M. Møller, J.K. Schjoerring and

T.P. Jahn. 2007. Specific aquaporins facilitate the diffusion of hydrogen peroxide across membranes. **J. Biol. Chem.** 282: 1183-1192.

Bosland, P.W. and E.J. Votava. 1999. **Peppers: Vegetable and Spice Capsicums.** CABI

Publishing, New York.

Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram

quantities of protein utilizing the principle of protein-dye binding. **Anal. Biochem.** 72: 248-254.

Breusegem, F.V., E. Vranova, J.F. Dat and D. Inze. 2001. The role of active oxygen species in

plant signal transduction. **Plant Sci.** 161: 405-414.

Burzo, I., E. Delian and C. Craciun. 2001. Ultrastructural changes induced by the physiological

disorders in fruits and vegetables. **Acta Hort.** 553: 255-256.

Campos, P.S., V. Quartin, J.C. Ramalho and M.A. Nunes. 2003. Electrolyte leakage and lipid

degradation account for cold sensitivity in leaves of *Coffea* sp. plants. **J. Plant Physiol.** 160: 283-292.

- Cantliffe, D.J. and P. Goodwin. 1975. Red color enhancement of pepper fruits by multiple applications of ethephon. **J. Amer. Soc. Hort. Sci.** 100: 157- 161.
- Cary, J.W., A.R. Lax and W.H. Flurkey. 1992. Cloning and characterization of cDNAs coding for *Vicia faba* polyphenol oxidase. **Plant Mol. Biol.** 20: 245–253.
- Chevalier, T., D. Rigal, D. Mbégué-A-Mbégué, F. Gaillard, F. Richard-Forget and B.R. Fils-Lycaon. 1999. Molecular cloning and characterization of apricot fruit polyphenol oxidase. **Plant Physiol.** 119: 1261-1269.
- Coetzer, C., D. Corsini., S. Love, J. Pavék and N. Tumer. 2001. Control of enzymatic browning in potato (*Solanum tuberosum* L.) by sense and antisense RNA from tomato polyphenol oxidase. **J. Agric. Food Chem.** 49: 652-657.
- Concellón, A., M.C. Añón and A. R. Chaves. 2005. Effect of chilling on ethylene production in eggplant fruit. **Food Chem.** 92: 63-69.
- \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 2007. Effects of low temperature storage on physical and physiological characteristics of eggplant fruit (*Solanum melongena* L.). **LWT Food Sci. Technol.** 40: 389-396.
- Conforti, F., G.A. Statti and F. Menichini. 2007. Chemical and biological variability of hot pepper fruits (*Capsicum annuum* var. *acuminatum* L.) in relation to maturity stage. **Food Chem.** 102: 1096-1104.
- Couée, I., C. Sulmon, G. Gouesbet and A.E. Amrani. 2006. Involvement of soluble sugars in reactive oxygen species balance and responses to oxidative stress in plants. **J. Exp. Bot.** 57: 449-459.

- Dalmanndottir, S., A. Helgadottir and B. Gudleifsson. 2001. Fatty acid and sugar content in white clover in relation to frost tolerance and ice-encasement tolerance. **Ann. Bot.** 88: 753-759.
- DeEll, J.R., O. van Kooten, R.K. Prange and D.P. Murr. 1999. Application of chlorophyll fluorescence techniques in postharvest physiology. **Hort. Rev.** 23: 69-107.
- Demir, I. and R.H. Ellis. 1992. Development of pepper (*Capsicum annuum*) seed quality. **Ann. Appl. Biol.** 12: 358-399.
- Desikan, R., J. Hancock and S. Neill. 2005. Reactive oxygen species as signaling molecules, pp. 169-196. *In* N. Smirnoff, ed. **Antioxidants and Reactive Oxygen Species in Plants**. Blackwell Publishing, Oxford.
- Diang, C., C.Y. Wang, K.C. Gross and D.L. Smith. 2001. Reduction of chilling injury and transcript accumulation of heat shock proteins in tomato fruit by methyl jasmonate and methyl salicylate. **Plant Sci.** 161: 1153-1159.
- Dong, L., H.W. Zhou, L. Sonego, A. Lers and S. Lurie. 2001. Ethylene involvement in the cold storage disorder of 'Flavortop' nectarine. **Postharvest Biol. Technol.** 23: 105-115.
- Elkahoui, S., J.A. Hernandez, C. Abdelly, R. Ghrir and F. Limam. 2005. Effects of salt on lipid peroxidation and antioxidant enzyme activities of *Catharanthus roseus* suspension cells. **Plant Sci.** 168: 607-613.
- Fan, X., L. Argenta and J.P. Mattheis. 2002. Interactive effects of 1-MCP and temperature on 'Elberta' peach quality. **HortSci.** 37: 134-138.
- Faragher, J.D. and D.J. Chalmers. 1977. Regulation of anthocyanin synthesis in apple skin. III. involvement of phenylalanine ammonia-lyase. **Aust. J. Plant Physiol.** 4: 133-141.

- Feder, M. E. and G.E. Hofmann. 1999. Heat-shock proteins, molecular chaperons, and stress response: evolution and ecological physiology. **Annu. Rev. Physiol.** 61: 243-282.
- Feierabend, J. 2005. Catalases in plants: molecular and functional properties and role in stress defence, pp. 101-140. In N. Smirnoff, ed. **Antioxidants and Reactive Oxygen Species in Plants**. Blackwell Publishing, Oxford.
- Fernandez-Trujillo, J.P., A. Cano and F Artes. 1998. Physiological changes in peaches related to chilling injury and ripening. **Postharvest Biol. Technol.** 13: 109-119.
- Feussner, I. and C. Wasternack. 2002. The lipoxygenase pathway. **Annu. Rev. Plant Biol.** 53: 275-297.
- Fung, R. W.M., C.Y. Wang, D.L. Smith, K.C. Gross and M. Tian. 2004. MeSA and MeJA increase steady-state transcript levels of alternative oxidase and resistance against chilling injury in sweet peppers (*Capsicum annuum* L.). **Plant Sci.** 166: 711-719.
- Funk, M.O., R.T. Carroll, J.F. Thompson and W.R. Dunham. 1986. The lipoxygenases in developing soybean seeds, their characterization and synthesis *in vitro*. **Plant Physiol.** 82: 1139-1144.
- Gooding, P.S., C. Bird and S.P. Robinson. 2001. Molecular cloning and characterization of banana fruit polyphenol oxidase. **Planta** 213: 748-757.
- Gonzalez-Aguilar, G.A., L. Gayosso, R. Cruz, J. Fortiz, R. Baez and C.Y. Wang. 2000. Polyamines induced by hot water treatments reduce chilling injury and decay in pepper fruit. **Postharvest. Biol. Technol.** 18: 19-26.
- \_\_\_\_\_, M. Tiznado-Hernández and C.Y. Wang. 2006. Physiological and biochemical responses of horticultural products to methyl jasmonate. **Stewart Postharvest Rev.** 1: 1-9.

- Greenleaf, W.H. 1986. Pepper breeding, pp. 67-134. In M.J. Bassett, ed. **Breeding Vegetable Crops** . AVI Publishing, Westport, Connecticut.
- Gross, K.C., A.E. Watada, M.S. Kang, S.D. Kim and S.W. Lee. 1986. Biochemical changes associated with the ripening of hot pepper fruit. **Physiol. Plant.** 66: 33-36.
- Guil-Gurrero, J.L. and C. Martínez-Guirado. 2006. Nutrient composition and antioxidant activity of 10 pepper (*Capsicum annuum*) varieties. **Eur. Food Res. Technol.** 224: 1-9.
- Gulen, H. and A. Eric. 2004. Effect of heat stress on peroxidase activity and total protein in strawberry plants. **Plant Sci.** 166: 739-744.
- Gupta, A.S., R.P. Webb, A.S. Holaday and R.D. Allen. 1993. Overexpression of superoxide dismutase protects plants from oxidative stress. **Plant Physiol.** 103: 1067-1073.
- Hahlbrock, K. and D. Scheel. 1989. Physiology and molecular biology of phenylpropanoid metabolism. **Annu. Rev. Plant Physiol. Plant Mol. Biol.** 40: 347-369.
- Hakim, A., A.C. Purvis and B.G. Mullinix. 1999. Differences in chilling sensitivity of cucumber varieties depends on storage temperature and the physiological dysfunction evaluated. **Postharvest Biol. Technol.** 17: 97-104.
- Health, R.L. and L. Packer. 1968. Photoperoxidation in isolated chloroplast. I kinetics and stoichiometry of fatty acid peroxidation. **Arch. Biochem. Biophys.** 125: 189-198.
- Henzler, T. and E. Steudle. 2000. Transport and metabolic degradation of hydrogen peroxide in *Chara coralline*: model calculations and measurements with the pressure probe suggest transport of H<sub>2</sub>O<sub>2</sub> across water channels. **J. Exp. Bot.** 51: 2053-2066.

- HersHKovitz, V., S.I. Saguy and E. Pesis. 2005. Postharvest application of 1-MCP to improve the quality of various avocado cultivars. **Postharvest Biol. Technol.** 37: 252-264
- Hewajulige, I. GN, S.W. Wijeratnam and R. LC Wijesundera. 2006. Pre-harvest application of calcium to control black heart disorder in Mauritius pineapples during low-temperature storage. **J. Sci. Food Agric.** 86: 420-424.
- Hildebrand, D.F., R.T. Versluys and G.B. Collins. 1991. Changes in lipoxygenase isozymes levels during soybean embryo development. **Plant Sci.** 75: 1-8.
- Hodges, D.M. 2003. Overview: oxidative stress and postharvest produce, pp. 1-12. In D.M. Hodges, ed. **Postharvest Oxidative stress in Horticultural Crops**. Food Products Press, New York.
- Hofman, P.J., B.A. Stubbing, M.F. Adkins, R.J. Corcoran, A. White and A.B. Woolf. 2003. Low temperature conditioning before cold disinfestation improves 'Hass' avocado fruit quality. **Postharvest Biol. Technol.** 28: 123-133.
- Howard, L.R., S.T. Talcott, C.H. Brenes and B. Villalon. 2000. Changes in phytochemical and antioxidant activity of selected pepper cultivars (*Capsicum* species) as influenced by maturity. **J. Agric. Food Chem.** 48: 1713-1720.
- Ishikawa H. A. 1996. Ultrastructural features of chilling injury: injured cells and the early events during chilling of suspension-cultured mung bean cells. **Amer. J. Bot.** 83: 825-835.
- Janero, D.R. 1990. Malondialdehyde and thiobarbituric acid-reactivity as diagnostic indices of lipid peroxidation and peroxidative tissue injury. **Free Radical Biol. Med.** 9: 515-540.
- Jiang, Y., D.C. Joyce, W. Jiang and W. Lu. 2004. Effects of chilling temperatures on ethylene bind by banana fruit. **Plant Growth Regul.** 43: 109-115.

- Jiménez, A., J.M. Gómez, E. Navaro and F. Sevilla. 2002. Changes in the antioxidative systems in mitochondria during ripening of pepper fruits. **Plant Physiol. Biochem.** 40: 515-520.
- Kazuhiro, D., N. Masayasu, Y. Ichiji. 1999. Changes in phenylalanine ammonia-lyase and polyphenol oxidase activities with occurrence of browning in shredded lettuce during storage. **Food Preservation Sci.** 25: 209-212.
- Ke, D., and M.E. Saltveit. 1989. Wound-induced ethylene production, phenolic metabolism and susceptibility to russet spotting in iceberg lettuce. **Physiol. Plant.** 76: 412-418.
- King, M.M. and P.M. Lundford. 1983. Chilling injury and electrolyte leakage in fruit of different tomato cultivars. **J. Amer. Soc. Hort. Sci.** 108: 74-77.
- Kochhar, S. and V.K. Kochhar. 2005. Expression of antioxidant enzymes and heat shock proteins in relation to combined stress of cadmium and heat in *Vigna mungo* seedlings. **Plant Sci.** 168: 921-929.
- Kozukue, N. and K. Ogata. 1972. Physiological and chemical studies of chilling injury in pepper fruits. **J. Food Sci.** 37: 708-711.
- Kuk, Y.I., J.S. Shin., N.R. Burgos, T.E. Hwang, O. Han, B.H. Cho, S. Jung and J.O. Guh. 2003. Antioxidative enzymes offer protection from chilling damage in rice plants. **Crop Sci.** 43: 2109-2117.
- Kwon, S.I. and C.S. An. 2001. Molecular cloning, characterization and expression analysis of a catalase cDNA from hot pepper (*Capsicum annuum* L.). **Plant Sci.** 160: 961-969.
- Lafuente, M.T., L. Zacarias, M.A. Martinez-Tellez, M.T. Sanchez-Ballesta and E. Dupille. 2001. Phenylalanine ammonia-lyase as related to ethylene in the development of

chilling symptoms during cold storage of citrus fruits. **J. Agric. Food Chem.** 49: 6020-6025.

\_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ and A. Granell. 2003. Phenylalanine ammonia-lyase and ethylene in relation to chilling injury as effected by fruit age in citrus. **Postharvest Biol. Technol.** 29: 309-318.

Lee, S.H., A.P. Singh and G.C. Chung. 2004. Rapid accumulation of hydrogen peroxide in cucumber roots due to exposure to low temperature appears to mediate decreases in water transport. **J. Exp. Bot.** 55: 1733-1741.

\_\_\_\_\_ and C.S. An. 2005. Differential expression of three catalase genes in hot pepper (*Capsicum annuum* L.). **Mol. Cells** 20: 247-255.

Lee, S.W. 1971. Physicochemical studies on seed browning in mature green peppers stored at low temperature. Changes in intermediate metabolites and substrates in the seed browning effect. **Hanguk Sikipum Kwahoechi** 3: 29-36.

Li, Z., T. Tono, T. Kojima, S. Fujita and H. Kawasaki. 1987. Occurrence of enzymatic browning of sweet pepper seed during low temperature storage. **Bull. Fac. Agr. Saga Univ.** 63: 15-24.

Liavonchanka, A. and I. Feussner. 2006. Lipoxygenases: occurrence, functions and catalysis. **J. Plant Physiol.** 163: 348-357.

Lin, W.C., J.W. Hall and M.E. Saltveit. 1993. Ripening stage affects the chilling sensitivity of greengouse-grown peppers. **J. Amer. Soc. Hort. Sci.** 118: 791-795.

Loiseau, J., B.L. Vu, M. Macherel and Y.L. Deunff. 2001. Seed lipoxygenases: occurrence and functions. **Seed Sci. Res.** 11: 199-211.

- Lurie, S., R. Ronen and B. Aloni. 1995. Growth-regulation-induced alleviation of chilling injury in green and red bell pepper fruit during storage. **HortSci.** 30: 558-559.
- Luu, D.-T. and C. Maurel. 2005. Aquaporins in a challenging environment: molecular gears for adjusting plant water status. **Plant Cell Environ.** 28: 85-96.
- Lyons, J.M. 1973. Chilling injury in plants. **Annu. Rev. Plant Physiol.** 24: 445-466.
- Lyons, J.W. and R.W. Breidenbach. 1987. Chilling injury, pp. 305-326. *In* J. Weichmann, ed. **Postharvest Physiology of Vegetables.** Marcel Dekker Inc., New York.
- Mach, J.M. and J.T. Greenberg. 2004. Free radicals and oxidative stress, pp. 203-214. *In* L.D. Nooden, ed. **Plant Cell Death Process.** Elsevier Academic Press, San Diego
- Malacrida, C., E.M. Valle and S.B. Boggio. 2006. Postharvest chilling induces oxidative stress response in the dwarf tomato cultivar Micro-tom. **Physio. Plant.** 127: 10-18.
- Mao, L., H. Pang, G. Wang and C. Zhu. 2007. Phospholipase D and lipoxygenase activity of cucumber fruit in response to chilling stress. **Postharvest Biol. Technol.** 44: 42-47.
- Marangoni, A.G., T. Palma and D.W. Stanley. 1996. Membrane effects in postharvest physiology. **Postharvest Biol. Technol.** 7: 193-217.
- Marin, A., F. Ferreres, F.A. Tomas-Barberén and M.I. Gil. 2004. Characterization and quantitation of antioxidant constituents of sweet pepper (*Capsicum annuum* L.). **J. Agric. Food Chem.** 52: 3861-3869.
- Martinez, M.V. and J.R. Whitaker. 1995. The biochemistry and control of enzymatic browning. **Trends Food Sci. Technol.** 6: 195-200.

- Maurel, C. 1997. Aquaporins and water permeability of plant membranes. **Annu. Rev. Plant Physiol. Plant Mol. Biol.** 48: 399-429.
- Mayer, A.M. 2006. Polyphenol oxidases in plants and fungi: Going places? A review. **Phytochem.** 67: 2318-2331.
- \_\_\_\_\_ and E. Harel. 1979. Polyphenol oxidases in plants. **Phytochem.** 18: 193-215.
- Meir, S., I. Rosenberger, Z. Aharon, S. Grinberg and E. Fallik. 1995. Improvement of the postharvest keeping quality and colour development of bell pepper (cv. 'Maor') by packaging with polyethylene bags at a reduced temperature. **Postharvest Biol. Technol.** 5: 303-309.
- \_\_\_\_\_, S. Philosoph-Hadas, S. Lurie, S. Droby, M. Akerman, G. Zauberman, B. Shapiro, E. Cohen and Y. Fuchs. 1996. Reduction of chilling injury in stored avocado, grapefruit, and bell pepper by methyl jasmonate. **Can. J. Bot.** 74: 870-874.
- Mercado, J.A., M.A. Quesada, V. Valpuesta, M. Reid and M. Cantwell. 1995. Storage of bell peppers in controlled atmospheres at chilling and nonchilling temperatures. **Acta Hort.** 412: 134-142.
- Miller, W.R. and L.A. Risse. 1986. Film wrapping to alleviate chilling injury of bell peppers during cold storage. **HortSci.** 21: 467-468.
- Mita, G.A. Gallo, V. Greco, C. Zasiura, R. Casey, G. Zacheo and A. Santino. 2001. Molecular cloning and biochemical characterization of a lipoxygenase in almond (*Prunus dulcis*) seed. **Eur. J. Biochem.** 268: 1500-1507.
- Mittler, R. 2002. Oxidative stress, antioxidants and stress tolerance. **Trends Plant Sci.** 17: 405-410.

- \_\_\_\_\_, S. Vanderauwera, M. Gollery and F. van Breusegen. 2004. Abiotic stress series: reactive oxygen gene network of plants. **Trends Plant Sci.** 9: 490-498.
- Mohamed, E.A., T. Iwaki, I. Munir, M. Tamoi, S. Shigeoka and A. Wadano. 2003. Overexpression of bacterial catalase in tomato leaf chloroplasts enhances photo-oxidative stress tolerance. **Plant Cell Environ.** 26: 2037-2046.
- Morris, L.L. 1982. Chilling injury of horticultural crops: an overview. **HortSci.** 25 :161-162
- Morsy, M.R., L. Jouve, J. Hausman, L. Hoffmann and J.M. Stewart. 2007. Alteration of oxidative and carbohydrate metabolism under abiotic stress in two rice (*Oryza sativa* L.) genotypes contrasting in chilling tolerance. **J. Plant Physiol.** 164: 157-167.
- Murata, M., M. Haruta, N. Murai, N. Tanikawa, M. Nishimura, S. Homma and Y. Itoh. 2000. Transgenic apple(*Malus x domestica*) shoot showing low browning potential. **J. Agric. Food Chem.** 48: 5243-5248.
- Mutata, N. and D.A. Los. 1997. Membrane fluidity and temperature perception. **Plant Physiol.** 115: 875-879.
- Murugan, K. and V. Sumitha. 2006. Changes in the chemical composition and polyphenol oxidase, peroxidase activities associated with fruit development and ripening in *Capsicum annuum* L. var. jwalamukhi. **J. Phyto. Res.** 19: 71-76.
- Nair, S., Z. Singh and S.C. Tan. 2001. Heat treatments affect development chilling injury respiration, ethylene production and fruit quality of mango. **Acta Hort.** 553: 549-550.
- Navot, N., N. Rouhier, E. Gelhaye and J. Jacquot. 2007. Reactive oxygen species generation and antioxidant systems in plant mitochondria. **Physiol. Plant.** 129: 185-195.

- Nemchenko, A., S. Kunze, I. Feussner and M. Kolomiets. 2006. Duplicate maize 13-lipoxygenase genes are differentially regulated by circadian rhythm, cold stress, wounding, pathogen infection, and hormonal treatments. **J. Exp. Bot.** 57: 3767-3779.
- Nguyen, T.B.T., S. Ketsa and W.G. van Doorn. 2003. Relationship between browning and the activities of polyphenol oxidase and phenylalanine ammonia lyase in banana peel during low temperature storage. **Postharvest Biol. Technol.** 30: 187-193.
- Niki, T., S. Yoshida and A. Sakai. 1978. Studies on chilling injury in plant cells: I. ultrastructural changes associated with chilling injury in callus tissues of *Cornus stolonifera*. **Plant Cell Physiol.** 19: 139-148.
- Nishida, I. and N. Murata. 1996. Chilling sensitivity in plants and cyanobacteria: the crucial contribution of membrane lipids. **Annu. Rev. Plant Physiol. Plant Mol. Biol.** 47: 541-568.
- Palta, J.P. and L.S. Weiss. 1993. Ice formation and freezing injury; an overview on the survival mechanisms and molecular aspects of injury and cold acclimation in herbaceous plants, pp. 143-176. In P.H Li and L. Christersson, eds. **Advances in Plant Cold Hardiness**. CRC Press Inc., Boca Raton, Florida.
- Park, H.W. 2004. **Physiochemical changes during development in peppers**. M.S. thesis, Seoul National University.
- Paull, R.E. 1990. Chilling injury of crops of tropical and subtropical origin, pp. 17-36. In C.Y. Wang, ed. **Chilling Injury of Horticultural Crops**. CRC Press Inc., Boca Raton, Florida.

- Peiser, G., G. López-Gálvez, M. Cantwell and M.E. Saltveit. 1998. Phenylalanine ammonia lyase inhibitors control browning of cut lettuce. **Postharvest Biol. Technol.** 14: 171-177.
- Prasad, T.K. and C.R. Stewart. 1998. Molecular mechanisms of chilling-induced oxidative stress injury and tolerance in pre-emergent maize seedlings, pp. 225-236. *In* P.H. Li and T.H.H. Chen, eds. **Plant Cold Hardiness: Molecular Biology, Biochemistry, and Physiology.** Plenum Press, New York
- Premachandra, G.S., H. Saneoka, K. Fujita and S. Ogata. 1992. Leaf water relations, osmotic adjustment, cell membrane stability, epi-cuticular wax load and growth as affected by increasing water deficits in sorghum. **J. Exp. Bot.** 43: 1569-1576.
- Pretel, M.T., M. Serrano, A. Amoros, F. Riquelme and F. Romojaro. 1995. Non-involvement of ACC and ACC oxidase activity in pepper fruit ripening. **Postharvest Biol. Technol.** 5: 295-302.
- Porta, H. and M. Rocha-Sosa. 2002. Plant lipoxygenases; physiological and molecular features. **Plant Physiol.** 130: 15-21.
- \_\_\_\_\_, P. Rueda-Benítez, F. Compos, J.M. Colmenero-Flores, J.M. Colorado, M.J. Carmona, A.A. Covarrubias and M. Rocha-Sosa. 1999. Analysis of lipoxygenase mRNA accumulation in the common bean (*Phaseolus vulgaris* L.) during development and under stress conditions. **Plant Cell Physiol.** 40: 850-858.
- Pukacka, S. and E. Ratajczak. 2005. Production and scavenging of reactive oxygen species in *Fagus sylvatica* seeds during storage at varied temperature and humidity. **J. Plant Physiol.** 162: 873-885.
- Purvis, A.C. 1997. Role of the alternative oxidase in limiting superoxide production by plant mitochondria. **Physiol. Plant.** 100: 165-170.

- \_\_\_\_\_. 2001. Regulation and role of the alternative oxidase in chilling injury of green pepper (*Capsicum annuum* L.). **Acta Hort.** 553: 289-292.
- \_\_\_\_\_. 2002. Diphenylamine reduces chilling injury of green bell pepper fruit. **Postharvest Biol. Technol.** 25: 41-48.
- \_\_\_\_\_ and J.W. Gegogaine. 2003. Diphenylamine inhibits respiration of green bell peppers. **J. Amer. Soc. Hort. Sci.** 128: 924-929.
- \_\_\_\_\_ and R.L. Shewfelt. 1993. Does the alternative pathway ameliorate chilling injury in sensitive plant tissues? **Physiol. Plant.** 88: 712-718.
- \_\_\_\_\_, \_\_\_\_\_ and J. W. Gegogaine. 1995. Superoxide production by mitochondria isolated from green bell pepper fruit. **Physiol. Plant.** 94: 743-749.
- Raison, J.K. and G.R. Orr. 1990. Proposals for a better understanding of the molecular basis of chilling injury, pp. 145-164. In C.Y. Wang, ed. **Chilling Injury of Horticultural Crops**. CRC Press Inc., Boca Raton, Florida.
- Rajput, J.C. and Y.R. Parulekar. 1998. *Capsicum*, pp. 203-224. In D.K. Salunkhe and S.S. Kadam, eds. **Handbooks of Vegetable Science and Technology: Production, Composition, Storage, and Processing**. Marcel Dekker Inc, New York.
- Ratule, M.T., A. Osman, S.H. Ahmad and N. Saari. 2006. Development of chilling injury of 'Berangan' banana (*Musa* cv. Berangan (AAA)) during storage at low temperature. **J Food Agri. Environ.** 4: 128-134.
- Rouster, J.J. van M. and V. Cameron-Mills. 1998. The untranslated leader sequence of the barley *lipoxygenase 1* (Lox1) gene confers embryo-specific expression. **Plant J.** 15: 435-440.

- Rubatzky, V.E. and M. Yamaguchi. 1997. **World Vegetables: Principles, Production, and Nutritive Values**. Chapman and Hall, New York.
- Sabehatal, A., S. Lurie and D. Weiss. 1998. Expression of small heat-shock proteins at low temperatures. **Plant Physiol.** 117: 651-658.
- Sala, J.M. 1998. Involvement of oxidative stress in chilling injury in cold-stored mandarin fruits. **Postharvest Biol. Technol.** 13: 255-261.
- \_\_\_\_\_ and M.T. Lafuente. 2000. Catalase enzyme activity is related to tolerance of mandarin fruits to chilling. **Postharvest Biol. Technol.** 20: 81-89.
- Saltveit, M.E. 1977. Carbondioxide, ethylene and color development in ripening mature green bell pepper. **J. Amer. Soc. Hort. Sci.** 102: 523-525.
- \_\_\_\_\_ and L.L. Morris. 1990. Overview of chilling injury of horticultural crops, pp. 3-15. *In* C.Y. Wang, ed. **Chilling Injury of Horticultural Crops**. CRC Press Inc., Boca Raton, Florida.
- Salvador, A., L. Arnal, A. Monterde and J.M Martinez-Javega. 2005. Influence of ripening stage at harvest on chilling injury symptoms of persimmon cv. Rojo Brillante stored at different temperatures. **Food Sci. Technol. Int.** 11: 359-365.
- Santino, A., A.D. Paolis, A. Gallo, A. Quarta, R. Casey and G. Mita. 2003. Biochemical and molecular characterization of hazelnut (*Corylus avellana*) seed lipoxygenases. **Eur. J. Biochem.** 270: 4365-4375.
- Schmitt, N.F. and J. R. van Mechelen. 1997. Expression of lipoxygenase isoenzymes in developing barley grains. **Plant Sci.** 128: 141-150.

- Selvarajah, S., A.D. Bauchot and P. John. 2001. Internal browning in cold stored pineapples is suppressed by a postharvest application of 1-methylcyclopropene. **Postharvest Biol. Technol.** 23: 167-170.
- Serrano, M., M.C. Martínez-Madrid, F. Romojaro and F. Riquelme. 1995. Polyamine accumulation in cold stored peppers. **Acta Hort.** 412: 127-132.
- Sharom, M., C. Willemot and J.E. Thompson. 1994. Chilling injury induces lipid phase changes in membranes of tomato fruit. **Plant Physiol.** 105: 305-308.
- Shewfelt, R.L. 1992. Response of plant membranes to chilling and freezing. pp. 192-219. *In* Y.Y.Leshem, R.L. Shewfelt, C.M. Willmer, O. Pantoja, eds. **Plant membranes: a biophysical approach to structure, development and senescence.** Kluwer Academic Publishers, Dordrecht.
- \_\_\_\_\_ and B.A. del Rosario. 2000. The role of lipid peroxidation in storage disorders of fresh fruits and vegetables. **HortSci.** 35: 575-579.
- Siedow, J.N. 1991. Plant lipoxygenase: structure and function. **Annu Rev. Plant Physiol. Plant Mole. Biol.** 42: 145-188.
- \_\_\_\_\_ and D.A. Day. 2000. Respiration and Photorespiration, pp. 676-728. *In* B.B. Buchanan, W. Gruissem and R.L. James, eds. **Biochemistry and Molecular Biology of Plants.** American Society of Plant Physiologists. Rockville, Maryland.
- Singer, S.L. and G.L. Nicolson. 1972. The fluid mosaic model of the structure of cell membranes. **Science** 175: 720-731.
- Smith, D.L., J.R. Stommel, R.W.M. Fung, C.Y. Wang and B.D. Whitaker. 2006. Influence of cultivar and harvest method on postharvest storage quality of pepper (*Capsicum annuum*

L.) fruit. **Postharvest Biol. Technol.** 42: 243-247.

Sommer, A.E., E. Neeman, J.C. Steffens, A.M. Mayer and E. Harel. 1994. Import, targeting, and processing of a plant polyphenol oxidase. **Plant Physiol.** 105: 1301-1311.

Soto-Zamora, G., E.M. Yahia, J.K. Brecht and A. Gardea. 2005. Effects of postharvest hot air treatments on the quality and antioxidant levels in tomato fruit. **LWT Food Sci. Technol.** 38: 657-663.

Staehelin, L.A. and E.H. Newcomb. 2000. Membrane structure and membranous organelles, pp. 2-50. *In* B.B. Buchanan, W. Gruissem and R.L. Jones, eds. **Biochemistry and Molecular Biology of Plants**. American Society of Plant Physiologists, Rockville, Maryland.

Stewart, R.J., B.J. Sawyer, C.B. Bucheli and S.P. Robinson. 2001. Polyphenol oxidase is induced by chilling and wounding in pineapple. **Aust. J. Plant Physiol.** 28: 181-191.

Tadesse, T., E.W. Hewett, M.A. Nichols and K.J. Fisher. 2002. Changes in physicochemical attributes of sweet pepper cv. Domino during fruit growth and development. **Scientia Hort.** 93: 91-103.

Tai, P.Y.P., J.D. Miller, D.R. Morris, N.C. Glynn and S.J. Edme. 2004. Electrolyte leakage test for evaluating sugarcane freezing tolerance. **Sugar Cane Int.** 22: 3-7.

Tanksley, S.D. 1984. High rates of cross-pollination in chile pepper. **HortSci.** 19: 580-582.

Tatsumi, T., M. Iwamoto and T. Murata. 1981. Electrolyte leakage from the discs of cucurbitaceae fruits associated with chilling injury. **J. Jap. Soc. Hort. Sci.** 50: 114-119.

- Tian, M., D. Gupta, X.Y. Lei, S. Prakash, C. Xu and R.W.M. Fung. 2004. Effects of low temperature and ethylene on alternative oxidase in green pepper (*Capsicum annuum* L.). **J. Hortic.Sci. Biotechnol.** 79: 493-499.
- Tiwari, B.S., B. Belenghi and A. Levine. 2002. Oxidative stress increased respiration and generation of reactive oxygen species, resulting in ATP depletion, opening of mitochondrial permeability transition, and programmed cell death. **Plant Physiol.** 128: 1271-1281.
- Toivonen, P.M.A. 2004. Postharvest storage procedures and oxidative stress. **HortSci.** 39: 938-942.
- \_\_\_\_\_ and S. Stan. 2004. The effect of washing on physico-chemical changes in packaged, sliced green peppers. **Int. J. Food Sci. Technol.** 39: 43-51.
- Tyerman, S.D., C.M. Niemietz and H. Bramley. 2002. Plant aquaporins; multifunctional water and solute channels with expanding roles. **Plant Cell Environ.** 25: 173-194.
- Ukeda, H., S. Maeda, T. Ishii and M. Sawamura. 1997. Spectrophotometric assay for superoxide dismutase based on tetrazolium salt 3'-{1-[(phenylamino)-carbonyl]-3,4-tetrazolium}-bis(4-methoxy-6-nitro) benzenesulfonic acid hydrate reduction by xanthine-xanthine oxidase. **Anal. Biochem.** 251: 206-209.
- Vamos-Vigyazo, L. 1981. Polyphenol oxidase and peroxidase in fruits and vegetables. **Crit. Rev. Food Sci.** 15: 49-127.
- \_\_\_\_\_. 1995. Prevention of enzymatic browning in fruit and vegetables, pp. 49-62. In C.Y. Lee and J.R. Whitaker, eds. **Enzymatic Browning and its Prevention.** ACS. Symposium Series 600. American Chemical Society, Washington D.C.

- Vela, G., D.M. Leon., H.S. Garcia and J.de la Cruz. 2003. Polyphenol oxidase activity during ripening and chilling stress in 'Manila' mangoes. **J. Hort. Sci. Biotechnol.** 78: 104-107.
- Veltman, R.H. and H.W. Peppelenbos. 2003. A proposed mechanism behind the development of internal browning in pears (*Pyrus communis* cv Conference). **Acta Hort.** 600: 247-255.
- Verwoerd, T.C., B.M.M. Dekker and A. Hoekema. 1989. A small-scale procedure for the rapid isolation of plant RNAs. **Nucleic Acids Res.** 17: 2362.
- Vicente, A.R., G.A. Martínez, A.R. Chaves and P.M. Civello. 2006. Effect of heat treatment on strawberry fruit damage and oxidative metabolism during storage. **Postharvest Biol. Technol.** 40: 116-122.
- Walker, J.R.L. 1995. Enzymatic browning in fruits: its biochemistry and control, pp. 8-22. In C.Y. Lee and J.R. Whitaker, eds. **Enzymatic Browning and its Prevention.** ACS Symposium Series 600. American Chemical Society, Washington D.C.
- Wang, C.Y. 1982. Physiological and biochemical responses of plants to chilling stress. **HortSci.** 17: 173-186.
- \_\_\_\_\_. 1993. Approaches to reduce chilling injury of fruit and vegetables. **Hort. Rev.** 15: 63-95.
- Wang, D. and P.W. Bosland. 2006. The genes of *Capsicum*. **HortSci.** 41: 1169-1187.
- Wang, W., B. Vinocur, O. Shoseyov and A. Altman. 2004. Role of plant heat shock proteins and molecular chaperones in the abiotic stress response. **Trends Plant Sci.** 9: 244-252.

- Wang, Y., J. Chen, Y. Jiang and W. Lu. 2007. Cloning and expression analysis of phenylalanine ammonia-lyase in relation to chilling tolerance in harvested banana fruit. **Postharvest Biol. Technol.** 44: 34-41.
- Wang, Y., S. Tian and Y. Xu. 2005. Effects of high oxygen concentration on pro- and anti-oxidant enzymes in peach fruits during postharvest periods. **Food Chem.** 91: 99-104.
- Wasternack, C. 2004. Jasmonates-biosynthesis and role in stress responses and developmental processes, pp. 143-155. *In* L.D. Nooden, ed. **Plant Cell Death Process**. Elsevier Academic Press, San Diego.
- Watkins, C.B. 2006. The use of 1- methylcyclopropene (1-MCP) on fruits and vegetables. **Biotechnology Advances** 24: 389-409.
- \_\_\_\_\_, J.F. Nock and B.D. Whitaker. 2000. Responses of early, mid and late season apple cultivars to postharvest application of 1-methylcyclopropene (1-MCP) under air and controlled atmosphere storage conditions. **Postharvest Biol. Technol.** 19: 17-32.
- Wheatley, R.A. 2000. Some recent trends in the analytical chemistry of lipid peroxidation. **Trends Anal. Chem.** 19: 617-628.
- Whitaker, B.D. 1995. Lipid changes in mature green bell pepper fruit during chilling at 2°C and after transfer to 20°C subsequent to chilling. **Physiol. Plant.** 93: 683-688.
- Whitaker, J.R. 1994. **Principles of Enzymology for the Food Sciences**. Marcel Dekker Inc., New York.
- \_\_\_\_\_ and C.Y. Lee. 1995. Recent advances in chemistry of enzymatic browning: an overview, pp. 2-7. *In* C.Y. Lee and J.R. Whitaker, eds. **Enzymatic Browning and Its Prevention**. ACS Symposium Series 600. Washington D.C.

- Wien, H.C. 1997. Peppers, pp. 259-293. In H.C. Wien, ed. **The Physiology of Vegetable Crops**. CAB international, Cambridge.
- Wismer, W.V. 2003. Low temperature as a causative agent of oxidative stress in postharvest crops, pp. 55- 68. In D.M. Hodges, ed. **Postharvest Oxidative Stress in Horticultural Crops**. Food Product Press, New York.
- Worku, A., R.C. Herner and R.L. Carolus. 1975. Effect of stage of ripening and ethephon treatment on color content of paprika pepper. **Scientia Hort.** 3: 239-245.
- Woolf, A.B. 1997. Reduction of chilling injury in stored 'Hass' avocado fruit by 38°C water treatments. **HortSci.** 32: 1247-1251.
- \_\_\_\_\_, C. Requejo-Tapia, K.A. Cox, R.C. Jackman, A. Gunson, M.L. Arpaia and A. White. 2005. 1-MCP reduces physiological storage disorders of 'Hass' avocados. **Postharvest Biol. Technol.** 35: 43-60.
- Yao, K.N., L. Yu and S.T. Zhou. 1986. A study of storage temperature and chilling injury in sweet pepper. **Acta Horticultirae Sinica** 13: 119-124.
- Ye, Q. and E. Steudle. 2006. Oxidative gating of water channels (aquaporins) in corn roots. **Plant Cell Environ.** 29: 459-470.
- Zambounis, A., I. Nianiou-Obeidant and A. Tsaftaris. 2002. Cloning of superoxide dismutase (Cu/Zn SOD) gene in peppers for stress tolerance. **Acta Hort.** 579: 101-106.
- Zhang, B., K. Chen, J. Bowen, A. Allan, R. Espley, S. Karunairetnam and I. Ferguson. 2006. Differential expression within the LOX gene family in ripening kiwifruit. **J. Exp. Bot.** 57: 3825-3836.

Zhou, Y., J. O'Hare, M. Jobin-Décor, S.J.R. Underhill, R.B.H. Wills and M.W. Graham.  
2003. Transcriptional regulation of a pineapple polyphenol oxidase gene and its  
relationships to blackheart. **Plant Biotechnol.** 1: 463-478.