

เอกสารอ้างอิง

- กรองไฉ่ อุณหสุต. (2549). เอกสารประกอบการบรรยายเรื่องเครือข่ายและปรากฏการณ์ความเชี่ยวชาญทางการพยาบาลศาสตร์ วิกฤติชนรรมพยาบาลศาสตร์อุบัติเหตู่แห่งประเทศไทย วันที่ 23-24 มิถุนายน 2549. จัดโดยเครือข่ายพยาบาลอุบัติเหตู่แห่งประเทศไทย.
- จิตร สิทธีอมร, อนุวัฒน์ สุภษุติกุล, สงวนสิน รัตนเลิศ, และ เกียรติศักดิ์ ราชบริรักษ์. (2543). *Clinical practice guideline: การจัดทำและนำไปใช้*. กรุงเทพฯ: ดีไซน์.
- ฉวีวรรณ ชงชัย, พิกุล นันทชัยพันธ์, วิลาวัณย์ พิเชิธรเสถียร, กรรณิการ์ กันธะรักษา, ดวงฤดี ลาสุขะ, และ โรจน์ จินตนาวัฒน์. (2551). การพัฒนาแนวปฏิบัติคลินิกโดยใช้หลักฐานเชิงประจักษ์ (Development of evidence-base clinical practice guidelines-CPGs). ใน คู่มืออาจารย์ระดับบัณฑิตศึกษา คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่ (หน้า 94-95).
- บุปผา จันทรจรัส. (2546). การพัฒนาแบบประเมินภาวะเสี่ยงต่อการหกล้มในผู้ป่วยออโรโรปิติกส์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการบริหารการพยาบาล, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ประเสริฐ บัวคลีใบ. (2543). การมีส่วนร่วมของเกษตรกรในการอนุรักษ์และพัฒนาป่าชุมชน บ้านป่าสักงาม ตำบลงเหนือ อำเภอดอยสะเก็ด จังหวัดเชียงใหม่. การค้นคว้าแบบอิสระวิทยาศาสตรมหาบัณฑิต (เกษตรศาสตร์) สาขาวิชาส่งเสริมการเกษตร, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ผกาภรณ์ นันทา. (2547). การพัฒนามาตรฐานการดูแลผิวหนังทารกแรกเกิดก่อนกำหนด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลกุมารเวชศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- พิกุล นันทชัยพันธ์. (2549). เอกสารประกอบการบรรยายการพัฒนาคุณภาพการพยาบาล โดยอาศัยหลักฐานความรู้เชิงประจักษ์ในการอบรม. จัดโดยศูนย์ความรู้เชิงประจักษ์ทางการพยาบาลและการผดุงครรภ์แห่งประเทศไทย, คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- พองคำ ติลกสกุลชัย. (2549). การปฏิบัติตามหลักฐานเชิงประจักษ์การประยุกต์ในการพยาบาลทารกแรกเกิด. กรุงเทพฯ: พีรวัน.
- มยุรี มูลสวัสดิ์. (2548). แนวปฏิบัติทางการพยาบาลเพื่อส่งเสริมการดูแลตนเองสำหรับผู้ที่เป็นความดันโลหิตสูง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

- มาลี สุดสงวน (2545). ผลของการสอนสุขศึกษาเป็นรายกลุ่ม โดยใช้แผ่นพับในแนวปฏิบัติทางการ
ผู้สูงอายุที่มีภาวะความดันโลหิตสูง. การค้นคว้าแบบอิสระสาขารัฐศาสตรมหาบัณฑิต,
บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- วิทยา ศรีมาดา, และ ธานีรินทร์ อินทรกำธรชัย. (2546). *Evidence-Base Clinical Practice Guideline*
ทางอายุรกรรม. กรุงเทพฯ: โครงการตำราของจุฬาลงกรณ์มหาวิทยาลัย.
- วีรวรรณ สีเขียว. (2552). การมีส่วนร่วมของประชาชนในการปลูกป่าถาวรเฉลิมพระเกียรติฯ กรณีศึกษา
ตำบลสวนเขื่อน อำเภอเมือง จังหวัดแพร่. การค้นคว้าแบบอิสระ ศิลปศาสตรมหาบัณฑิต
สาขาวิชาการจัดการมนุษย์กับสิ่งแวดล้อม, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สมุดบันทึกรักษาผู้ป่วยแผนกอุบัติเหตุและฉุกเฉิน. (2548-2550). รายงานสถิติประจำปี. แผนก
อุบัติเหตุและฉุกเฉิน โรงพยาบาลศรีสังวรสุโขทัย.
- ศิริณี ปันคำ, สรัญญา มาลาโรจน์, สุวภรณ์ จิตต์พลีชีพ, และ ชัญญานุช น้อยก้อม. (2543).
ความสัมพันธ์ระหว่างพฤติกรรมสุขภาพ ความเครียดกับระดับความรุนแรงของโรค
ความดันโลหิตสูง. รายงานการศึกษาโรงพยาบาลป่าแดด จังหวัดเชียงราย.
- ศุภชัย ถนอมทรัพย์. (2549). ความดันโลหิตสูงวิกฤติ. ใน *อายุรศาสตร์ฉุกเฉิน Emergency in*
Medicine (หน้า 155-163). กรุงเทพฯ: สร้างสื่อ.
- อภิชาติ สุนทรธรรม. (2549). Hypertensive Crisis. ใน *Cardiac Emergency* (หน้า 3-51).
เชียงใหม่: ไอเอ็มเออร์แก๊น เซอร์แอนด์แอ็ดเวอร์ไทซิง.
- Aggarwal, M., & Khan, I. A. (2006). Hypertensive crisis: Hypertensive emergencies and
urgencies. *Cardiol Clin*, 24, 135-146.
- American Heart Association. (2003). Heart disease and stroke statistics-2004 update. *American*
Stroke Association, 1-50.
- Born, B. H., Hulsman, C. A. A., Hoekstra, J. B. L., Schlingemann, R. O., & Montfrans, G. A. V.
(2005). Value of routine fundus copy in patients with hypertension: Systematic review.
BMJ, 9(331), 1-5.
- Burn, N., & Grove, S. (2001). *The practice of nursing research: Conduct, critique, and utilization*
(4th ed.). Philadelphia: W. B. Saunders.
- Chobanian, A. V., Bakris, G. L., Black, H. R., Cushman, W. C., Green, L. A., Izzo, J. L., et al.
(2003). The seventh report of the Joint National Committee on prevention, detection,
evaluation, and treatment of high blood pressure-the JNC 7 Report. *The Journal of the*
American Medical Association, 289, 2560-2572.

- Cook, N. R., Cutler, J. A., Obrzanek, E., Buring, J. E., Rexrode, K. M., & Kumanyika, S. K., et al. (2007). Long term effects of dietary sodium reduction on cardiovascular disease outcomes: Observational follow-up of the hypertension prevention (TOPH). *British Medical Journal*, 334, 885-888.
- Flanigan, J., & Vitberg, D. (2006). Hypertensive emergency and severe hypertension: What to treat, who to treat and how to treat. *Medical Clinical of North America*, 90, 439-451.
- Gimore, R.M., Miller, S. J., & Stead, L. G. (2005). Severe hypertension in the emergency department patient. *Emerg Med Clin N Am*, 23, 1141-1158.
- Grassi, D., O'Flaherty, M., Pellizzari, M., Bendersky, M., Rodriguez, P., Turri, M., et al. (2008). Hypertensive urgencies in the emergency department: Evaluating blood pressure response to rest and to antihypertensive drugs with different profiles. *Journal of Clinical Hypertension*, 10(9), 662-667.
- Hebert, C. J., & Vidt, D. G. (2008). Hypertensive crises. *Prim Care Clin Office Pract*, 35, 475-487.
- Hix, J. K., & Vidt, D. G. (2005). Hypertensive emergencies and urgencies: Uncontrolled severe hypertension. In E. J. Battegy, G. Y. H. Lip, & G. Bakris, *Hypertension principles and practice*, 651-669.
- Junior, F. C. M., Anunciacao, F. A. C., Filho, N. S., Silva, G. M. A., Barbosa, J. B., Ferreira, P. A. M., et al. (2007). Prevalence of true hypertensive crises and appropriateness of the medical management in patients with high blood pressure seen in a general emergency room. *Arq Bras Cardiol*, 90(4), 247-251.
- Kaplan, N. M. (2002). Hypertensive crises. *Kaplan's Clinical Hypertension* (8th ed., pp. 339-356). Philadelphia: Lippincott Williams & Wilkins.
- Marik, P.E., & Varon, J. (2007). Hypertensive crises: Challenges and management. *Chest*, 131, 1949-1962.
- Martin, J, F, V., Higashiyama, E., Garcia, E., Luizon, M, R., & Cipullo, J, P. (2004). Hypertensive crisis profile: Prevalence and clinical presentation. *Arquívous Brasileiros de Cardiologia*, 83(2), 131-136.
- Moore, K., & Haralambous, B. (2007). Barriers to reducing the use of restraints in residential elder care facilities. *Canadian Journal of Psychiatry*, 48(5), 330-337.

- National Health and Medical Research Council. (1999). *A guide to the development, implementation and evaluation of clinical practice guideline*. Retrieved April 24, 2002, from http://www.ausinfo.gov.au/general/en_hottobuy.html
- New Zealand Guideline Group. (2001). *New Zealand guideline handbook*. Retrieved June 15, 2003, from <http://www.nzgg.org>
- Person et al., (2007). *Evidence-based clinical practice in nursing and health care disseminating research, experience and expertise*. Victoria, Australia: Blackwell.
- Ploeg, J., Davies, B., Edward, N., Gifford, W., & Miller, E. (2007). Factor influencing best practice guideline implementation: Lessons learned from administrator, nursing staff, and project leaders. *Worldviews on Evidence-Based Nursing*, 4(4), 210-219.
- Rosenow, D. J., & Russell, E. (2001). Current concepts in the management of hypertensive crisis: Emergencies and urgencies. *Holistic Nursing Practice*, 6, 12-21.
- Roubsanthisuk, W., Wongsurin, U., & Buranakitjaroen, P. (2007). *Hypertensive emergencies are not rare and frequently found in patients with diabetes mellitus or end-stage renal disease*. Division of hypertension, Department of medicine, Faculty of medicine Siriraj Hospital, Mahidol University.
- Schulenburg, M. (2007). Management of hypertensive emergencies. *Critical Care Nursing Quarterly*, 86-93.
- Shads at the University of Florida. (2001). *Drugs & Therapy*, 10(15), 1-4.
- Staessen, J. A., Wang, J., Bianchi, G., & Birkenhager, W. H. (2003). Essential hypertension. *The Lancet*, 361, 1629-1641.
- Tanabe, P., Steinmann, R., Kippenhan, M., Stehman, C., & Beach, C. (2004). Undiagnosed hypertension in the ED setting-an unrecognized opportunity by emergency nurses. *Journal of Emergency Nursing*, 30(3), 225-229.
- The Joanna Briggs Institute [JBI], (2008). *Systematic reviews: Level of evidence and grade of recommendations*. Retrieved January 12, 2009, from <http://www.joannabriggs.edu.au/Pubs/approach.php>
- The Joint Commission on Accreditation of Healthcare Organization [JCAHO]. (2001). *Pain assessment and management standard-hospital*. Retrieved May 18, 2009, from <http://www.texmed.Org/Template.aspx?id=2392>.

Turkish Society of Cardiology. (2007). Nursing care guidelines in heart failure acute coronary syndromes hypertension. *Guidelines Preparation Committee*, 59-68.

Vaidya, C. K., & Ouellette. J. R. (2007). Hypertensive urgency and emergency. *Hospital Physician*, 43-50.

Varon, J., & Strickman, N. E. (2007). Diagnosis and treatment of hypertensive crises in the elderly patients. *Journal of Geriatric Cardiology*, 4(1), 50-55.

Vaughan, C. J., & Delanty, N. (2000). Hypertensive emergencies. *The Lancet*, 356(29), 411-417.

Vidt, D. G. (2008). Hypertensive crises: Emergencies and urgencies. *The Cleveland Clinic Foundation*, 1(12).