

เอกสารอ้างอิง

1. วาสนา วรมิศรี. การสัมมนาเรื่องการพัฒนาข้าวและธัญพืชเมืองหนาว ครั้งที่ 8. พิษณุโลก : ศูนย์วิจัยข้าวพิษณุโลก, 2539.
2. ผ.ศ. ชาญ มงคล. เรื่องข้าว. กรุงเทพมหานคร : โรงพิมพ์การศาสนา, 2536.
3. อัมมาร สยามวาลา และ วิโรจน์ ฤ ระนอง. ประมวลความรู้เรื่องข้าว. กรุงเทพมหานคร : สถาบันวิจัยเพื่อการพัฒนาประเทศไทย, 2533.
4. <http://www.therice.org/rice/therice.html> (21 ธันวาคม 2543)
5. Singh, V., Okadone, H., Toyoshima, H., Isobe, S. and Ohtsubo, K.I. 2000. Thermal and Physicochemical properties of Rice Grain, Flour and Starch, *J. Agric. Food Chem.*, 48 : 2639-2647.
6. ประภาส วีระแพทย์. ความรู้เรื่องข้าว. กรุงเทพมหานคร : ไทยวัฒนาพานิช, 2526.
7. กองวิจัยเศรษฐกิจการเกษตร. การผลิตและการตลาดข้าว. กรุงเทพมหานคร : สำนักงานเศรษฐกิจการเกษตร กระทรวงเกษตรและสหกรณ์, 2537.
8. กรมส่งเสริมการเกษตร. เอกสารวิชาการชุดพืชศาสตร์ ที่ 4 เรื่องข้าว. กรุงเทพมหานคร : กรมส่งเสริมการเกษตร, 2529.
9. <http://www.therice.org/jasmine/oview.html> (21 ธันวาคม 2543)
10. สถาบันวิจัยข้าว กรมวิชาการเกษตร. ข้าวพันธุ์ดีที่เหมาะสมในเขตศูนย์วิจัยข้าวพิษณุโลก สถาทดลองข้าวชัยนาทและโคกสำโรง. กรุงเทพมหานคร : กรมวิชาการเกษตร, 2535.
11. Berner, D.K. and Hoff, B.J. 1986. Inheritance of scent in American Long Grain Rice. *Crop Sci.*, 26 : 876-878.
12. Bergman, C.J., Delgado, J.T., Bryant, R., Grim, C., Cadwallader, K.R. and Webb, B.D. 2000. Rapid Gas Chromatographic Technique for Quantifying 2-Acetyl-1-pyrroline and Hexanal in Rice. *Cereal Chem.*, 77(4) : 454-458.
13. Skoog, D.A. and Leary, J.J. *Principles of Instrumental Analysis*. 4th ed. London : Saunders College Publishing, 1992.

14. แม้น อมรสิทธิ์ และอมร เพชรสม. *หลักการและเทคนิคการวิเคราะห์เชิงเครื่องมือ*. กรุงเทพฯ : โรงพิมพ์ชวนพิมพ์, 2535.
15. <http://members.kr.inter.net> (2 เมษายน 2544)
16. Kellner, R., Mermet, J.M., Otto, M. and Widmer, H.M. *Analytical chemistry*. New York : WILEY-VCH, 1998.
17. McMaster, M. and McMaster, C. *GC/MS A Practical User's Guide*, New York : WILEY-VCH, 1998.
18. สุกัญญา เขียวสะอาด. วิทยาศาสตร์มหาบัณฑิต (เคมี), มหาวิทยาลัยเชียงใหม่ เชียงใหม่, 2543.
19. ศุภชัย หุ่นวิเศษ. วิทยาศาสตร์มหาบัณฑิต (เคมี), มหาวิทยาลัยเชียงใหม่ เชียงใหม่, 2543.
20. Braithwaite, A. and Smith, F.J. *Chromatographic Methods*. 5th ed. London : Blackie Academic & Professional, 1996.
21. Wangkarn, S. Master of Science in chemistry, Chiang Mai University, 1988.
22. Jeffery, G.H., Bassett, J., Mendham, J. and Denny, R.C. *Vogel's Textbook of Quantitative chemical analysis*. 5th ed. London : Longman scientific & Technical, 1989.
23. Nielsen, S.S. *Food Analysis*. 2nd ed. Gaithersburg : Aspen Publishers, 1998.
24. Holm, T. 1999. Aspects of mechanism of the flame ionisation detector. *J. Chromatogr. A*, 842 : 221-227.
25. Sides, A., Robards, K. and Helliwell, S. 2000. Developments in extraction techniques and their application to analysis of volatiles in foods. *Trends Anal. Chem.*, 19(5) : 322-329.
26. Barwick, V.J. 1999. Sources of uncertainty in gas chromatography and high-performance liquid chromatography. *J. Chromatogr. A*, 849 : 13-33.
27. Veronika R. Meyer. *Practical High-Performance Liquid Chromatography*. 3rd ed. New York John Wiley & Sons, Inc., 1998.
28. Paul C. Sadek. *Troubleshooting HPLC System*. New York : John Wiley & Sons, Inc., 2000.
29. Herraiz, T. 1997. Sample preparation and reversed phase-high performance liquid chromatography analysis of food-derived peptides. *Anal. Chim. Acta.*, 352 : 119-139.

30. Huisman, T. H.J. 1997. High performance liquid chromatographic analysis of human hemoglobins and their polypeptide chains: its use in the identification of variants, *Anal. Chim. Acta.*, 352 : 187-200.
31. Miwa, H. 2000. High-performance liquid chromatographic determination of mono-, poly- and hydroxycarboxylic acids in foods and beverages as their 2-nitrophenylhydrazides. *Anal. Chim. Acta.*, 881 : 365-385.
32. Wang, P. and Lee, H.K. 1997. Recent applications of high-performance liquid chromatography to the analysis of metal complexes. *J. Chromatogr. A*, 789 : 437-451.
33. Karovicova, J. and Simko, P. 2000. Determination of synthetic phenolic antioxidants in food by high-performance liquid chromatography. *J. Chromatogr. A*, 882 : 271-281.
34. Merchie, G., Lavens, P. and Sorgeloos, P. 1997. Optimization of dietary vitamin C in fish and crustacean larvae : a review. *Aquaculture.*, 155 : 165-181.
35. Chapman, J.R. *Practical Organic Mass Spectrometry*. New York : John Wiley & Sons, Inc., 1986.
36. Silverstein, R.M. and Webster, F.X. *Spectrometric Identification of Organic Compounds*. 6th ed. New York : John Wiley & Sons, Inc., 1998.
37. Hoffmann, E.D. Charette, J., and Stroobant, V. *Mass Spectrometry Principle and Application*. New York : John Wiley & Sons, Inc., 1996.
38. Martin, S.R. and Busch, K.L. *Understanding Mass Spectra-A Basic Approach*. New York : John Wiley & Sons, Inc., 1999.
39. http://www.science.cmu.ac.th/chemistry/staff/Sugunya/MS_02.pps (20 สิงหาคม 2544)
40. Ragunathan, N., Krock, K.A., Klawun, C., Sasaki, T.A. and Wilkins, C.L. 1999. Gas chromatography with spectroscopic detectors. *J. Chromatogr. A*, 856 : 349-397.
41. Agilent Technologies LC/MSD Software Operation Course Number H1180A, Volume 1, Student Manual Instructor Guide.
42. Stewart, I.I. 1999. Electrospray mass spectrometry : a tool elemental speciation. *Spectrochim. Acta. B.*, 54 : 1649-1695.

43. Niessen, W.M.A. 1998. Advances in instrumentation in liquid chromatography-mass spectrometry and related liquid-introduction techniques. *J. Chromatogr. A*, 794 : 407-435.
44. Smyth, W.F. 1999. The use of electrospray mass spectrometry in the detection and determination of molecules of biological significance. *Trends Anal. Chem.*, 18 : 335-346.
45. <http://www.namquang.com/info/infoc.htm> (4 มีนาคม 2544)
46. Niessen, W.M.A. and Tinke, A.P. 1995. Liquid chromatography-mass spectrometry General principles and instrumentation. *J. Chromatogr. A*, 703 : 37-57.
47. Niessen, W.M.A. 1999. State-of-the-art in liquid chromatography-mass spectrometry. *J. Chromatogr. A*, 856 : 179-197.
48. 1997. Electrospray continues to evolve. *Analytical Chemistry News & Features.*, July 1, 427A-432A.
49. Gelpi, Emilio. 1995. Biomedical and biochemical applications of liquid chromatography-mass spectrometry. *J. Chromatogr. A*, 703 : 59-85.
50. Levsen, K., Preiss, A. and Godejohann, M. 2000. Application of high-performance liquid chromatography coupled to nuclear magnetic resonance and high-performance liquid chromatography coupled to mass spectrometry to complex environmental samples. *Trends Anal. Chem.*, 19 : 27-48.
51. Tamogami, S. and Kodama, O. 1998. Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography-turbionspray tandem mass spectrometry. *J. Chromatogr. A*, 822 : 310-315.
52. Alomirah, H.F., Alli, I. and Konishi, Y. 2000. Applications of mass spectrometry to food proteins and peptides. *J. Chromatogr. A*, 893 : 1-21.
53. Poletini, A. 1999. Systematic toxicological analysis of drugs and poisons in biosamples by hyphenated chromatographic and spectroscopic techniques. *J. Chromatogr. B*, 733 : 47-63.

54. Roda, A., Piazza, F. and Baraldini, M. 1998. Separation techniques for bile salts analysis. *J. Chromatogr. B*, 717 : 263-278.
55. Carrascal, M., Schneider, K., Calaf, R.E., Leeuwen, S. van., Canosa, D., Gelpi, E. and Abian, J. 1998. Quantitative electrospray LC-MS and LC-MS/MS in biomedicine. *J. Pharmaceu. Biomed. Anal.*, 17 : 1129-1138.
56. Smyth, W.F., McClean, S., O'Kane, E., Banat, I. and McMullan, G. 1999. Application of electrospray mass spectrometry in the detection and determination of Remazol textile dyes. *J. Chromatogr. A*, 854 : 259-274.
57. Ouyang, S. and Vairavamurthy, M.A. 2000. Effect of magnesium ion in the analysis of carboxylate compounds by electrospray-mass spectrometry. *Anal. Chim. Acta.*, 422 : 101-112.
58. Andrews, C.L., Vouros, P. and Harsch, A. 1999. Analysis of DNA adducts using high-performance separation techniques coupled to electrospray ionization mass spectrometry. *J. Chromatogr. A*, 856 : 515-526.
59. Careri, M., Mangia, A. and Musci, M. 1996. Applications of liquids chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues. *J. Chromatogr. A*, 727 : 153-184.
60. Slobodnik, J., Baar, van B.L.M. and Brinkman, U.A.Th. 1995. Column liquid chromatography-mass spectrometry : selected techniques in environmental applications for polar pesticides and related compounds. *J. Chromatogr. A*, 703 : 81-121.
61. Marquet, P. and Lachatre, G. 1998. Liquid chromatography-mass spectrometry: potential in forensic and clinical toxicology. *J. Chromatogr. B*, 733 : 93-118.
62. Pico, Y., Front, G., Molto, J.C. and Manes, J. 2000. Pesticide residue determination in fruit and vegetables by liquid chromatography-mass spectrometry. *J. Chromatogr. A*, 882 : 153-173.
63. Ruzica, J. and Hansen, E.H. *Flow Injection Analysis*. New York : Wiley-Interscience, 1981.
64. Karlberg, B. and Pacey, G.E. *Flow Injection Analysis, A practical guide*. Amsterdam : Elsevier science publishers B.V.

65. Fang, Z. *Flow Injection Separation and Preconcentration*. New York : VCH Publishers, Inc., 1993.
66. Geerdink, R.B., Niessen, W.M.A. and Brinkman, U.A.Th. 2001. Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis Environmental application. *J. Chromatogr. A*, 910 : 291-300.
67. James, K. J., Bishop, A. G., Draisci, R., Palleschi, L., Marchiafava, C., Ferretti, E., Satake, M., and Yasumoto, T. 1999. Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish. *J. Chromatogr. A*, 844 : 53-65.
68. Draisci, R., Giannetti, L., Lucentini, L., Marchiafava C., James, K.J., Bishop, A.G., Healy, B.M., and Kelly, S.S. 1998. Isolation of a new okadaic acid analogue from phytoplankton implicated in diarrhetic shellfish poisoning. *J. Chromatogr. A*, 798 : 137-145.
69. James, K. J., Carmody, E.P., Gillman, M., Kelly, S.S., Draisci, R., Lucentini, L., Giannetti, L. 1997. Identification of a new diarrhetic toxin in shellfish using liquid chromatography with fluorimetric and mass spectrometric detection. *Toxicon.*, 35 : 973-978.
70. James, K. J., Bishop, A.G., Healy, B.M., Roden, C., Sherlock, I.R., Twohig, M., Draisci, R., Giannetti, L. and Lucentini, L. 1999. Efficient isolation of the rare diarrhetic shellfish toxin, dinophysistoxin-2, from marine phytoplankton. *Toxicon.*, 37 : 343-357.
71. Paxeus, N. and Schroder, H.Fr. 1999. Screening for non-regulated organic compounds in municipal wastewater in Goteborg Sweden. *Water Sci. Tech.*, 33 : 9-15.
72. Schroder, H.Fr. 1998. Characterization and monitoring of persistent toxic organics in the aquatic environment. *Water Sci. Tech.*, 38 : 151-158.
73. Schroder, H.Fr. 1999. Substance-specific detection and pursuit of non-eliminable compounds during biological treatment of waste water from the pharmaceutical industry. *Waste Manage.*, 19 : 111-123.

74. Li, H.Q., Jiku, F. and Schroder, H.Fr. 2000. Assessment of the pollutant elimination efficiency by gas chromatography / mass spectrometry, liquid chromatography-mass spectrometry and tandem mass spectrometry combination of conventional and membrane-assisted biological wastewater treatment processes. *J. Chromatogr. A*, 889 : 155-176.
75. Schroder, H.Fr. 1997. Analysis of polar organic pollutants in the Elbe river by flow injection analysis and high-performance liquid chromatography with tandem mass spectrometry. *J. Chromatogr. A*, 777 : 127-139.
76. Schroder, H.Fr. 1996. Polar organic pollutants from textile industries in the waste water treatment process-biochemical and physicochemical elimination and degradation monitoring by LC-MS, FIA-MS and MS-MS. *Trends Anal. Chem.*, 15 : 349-362.
77. Weinmann W. and Svoboda, M. 1998. Fast screening for drugs of abuse by solid-phase extraction combined with flow-injection ionspray-tandem mass spectrometry. *J. Anal. Toxicol.*, 22 : 319-328.
78. Buttery, R.G. and Ling, L.C. 1982. 2-Acetyl-1-pyrroline: an important aroma component of cooked rice. *Chemistry and Industry.*, 958-959.
79. Buttery, R.G., Ling, L.C., Juliano, B.O., and Turnbaugh, J.G. 1983. Cooked Riced Aroma and 2-Acetyl-1-pyrroline. *J. Agric. Food Chem.*, 31 : 823-826.
80. Chemweb.com Home, Copyright © 1999 Chapman & hall/CRC. From Combined Chemical Dictionary.
81. Yajima, I., Yanai, T., Nakamura, M., Sakakibara, H. and Habu, T. 1978. Volatile Flavor Components of Cooked Rice. *Agric. Biol. Chem.*, 42 : 1229-1223.
82. Yajima, I., Yanai, T., Nakamura, M., Sakakibara and H., Hayashi, K. 1979. Volatile Flavor Components of Cooked Riced. *Agric. Biol. Chem.*, 43 : 2425-2429.
83. Likens, S.T. and Nickerson, G.B. 1964. Detection of certain hop oil constituents in brewing products. *Am. Soc. Brew. Chem. Proc.*, 5-13.
84. Buttery, R.G., Turnbaugh, J.G. and Ling, L.C. 1988. Contribution of volatiles to Rice Aroma. *J. Agric. Food Chem.*, 36 : 1006-1009.

85. Buttery, R.G., Ling, L.C. and Mon, T.R. 1986. Quantitative Analysis of 2-acetyl-1-pyrroline in Rice. *J. Agric. Food Chem.*, 34 : 112-114.
86. Buttery, R.G., Ling, L.C. and Juliano, B.O. 1983. Identification of rice aroma compound 2-acetyl-1-pyrroline in pandan leaves. *Chemistry and Industry*, 478.
87. Tanchotikul, U. and Hsieh, T. 1991. An Improved Method for Quantification of 2-Acetyl-1-pyrroline, a Popcorn-Like Aroma, in Aromatic Rice by High Resolution Gas Chromatography/Mass Spectrometry/Selected Ion Monitoring. *J. Agric. Food Chem.*, 39 : 944-947.
87. Laksanalamai, V. and Ilangantileke, S. 1993. Comparison of Aroma Compound (2-acetyl-1-pyrroline) in Leaves from Pandan (*pandanus amaryllifolious*) and Thai Fragrant Rice (Khao Dawk mali-105). *Cereal Chem.*, 70 : 381-384.
88. Mahatheeranont, S., Keawsa-ard, S. and Dumri, K. 2001. Quantification of the Rice Aroma Compound, 2-Acetyl-1-pyrroline, in Uncooked Khao Dawk Mali 105 Brown Rice. *J. Agric. Food Chem.*, 49 : 773-779.
90. Holmstedt B., Larsson L. and Tham R. 1961. Future Studies of a Spectrophotometric for the Determination of Diamine Oxidase Activity. *Biochem. Biophys. Acta.*, 48 : 182-186.
91. Brain, D.F., Allen, S. and Willium, F.W. 1993. Preparation of 2-Aminobenzaldehyde. *J. Chem Educ.*, 70(4) : 322.
92. Chen, L.J. and Burka, L.T. 1998. Formation of o-Nitrosobenzaldehyde from Hydrolysis of o-Nitrobenzyl Tosylate. Evidence of Intramolecular Nucleophilic Interaction, *Tetrahedron Lett.*, 39 : 5351-5354.
93. Nussbaum, F. V., Spahl, W. and Steglich, W. 1997. Reduction of Anthranilic acid and related amino acids in fruit-bodies of *Hebeloma Sacchariolens*, *Phytochemistry*, 46(2), 261-264.
94. Kelly, T. R., Chamberland, S. and Silva, R.A. 1999. Total Synthesis of Luotonin A, *Tetrahedron Lett.*, 40 : 2723-2724.
95. Brewer, G., Jasinski, J., Mahany, W., May, L. and Prytkov, S. 1995. Spin crossover complexes of iron(III) with an N₄ tetradentate Schiff base ligand. *Inor. Chim. Acta.*, 232 : 183-187.

96. Brewer, G., Kamaras, P., May, L., Prytkov, S., and Rapta, M. 1998. Synthesis and structural characterization of metal complexes of an unsymmetric N_3O tetradentate Schiff base ligand. *Inor. Chim. Acta.*, 279 : 111-115.
97. Stern, C., Franceschi, F., Solari, E., Floriani, C., Re, N. and Scopelliti, R. 2000. The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, *J. Organomet. Chem.*, 593 : 86-95.
98. Buchi G. and Wuest H. 1971. Synthesis of 2-Acetyl-1,4,5,6-tetrahydropyridine, a Constituent of Bread Aroma. *J. Org. Chem.*, 36 : 609-610.