

เอกสารและสิ่งอ้างอิง

- พัทธรณ แสงอินทร์. 2545. การจำแนกชนิดของ *Cycas* โดยวิธี RFLP และ RAPD. วิทยานิพนธ์มหาบัณฑิต. มหาวิทยาลัยเกษตรศาสตร์.
- มินดา ชัยประสงค์สุข. 2547. ความสัมพันธ์เชิงวิวัฒนาการของปรังในสกุล *Encephalartos* (Zamiaceae) โดยใช้เทคนิค RAPD. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์.
- เมธานี เตาะสกุล. 2546. การเปรียบเทียบทางพันธุศาสตร์ของเซลล์ระหว่างเพศผู้และเพศเมียของ *Cycas* และ *Zamia*. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์.
- สจี่ อิ่มแดง. 2547. การตรวจหาเครื่องหมายดีเอ็นเอที่ใช้บ่งชี้ลักษณะเพศและความหลากหลายทางชีวภาพของปรังสกุล *Cycas* และ *Zamia* โดยใช้เทคนิคเอเอฟแอลพี. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์.
- สุรินทร์ ปิยะโชคนากุล. 2545. จีโนมและเครื่องหมายดีเอ็นเอ : ปฏิบัติการ RAPD และ RFLP. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ
- Adam, P. R. 1999. Systematics of multi-seeded eastern hemisphere *Juniperus* based on leaf essential oils and RAPD fingerprinting. *Biochem. Syst. Ecol.* 27 : 709-725.
- Adams, P. R., S. E. Andrea and N. R. Pandey. 2003. The concordance of terpenoid, ISSR and RAPD markers, and ITS sequence data sets among genotypes : an example from *Juniperus*. *Biochem. Syst. Ecol.* 31 : 375-387.
- Alvaro, C. D. and B. C. Michael. 2004. The *Zamias* and *Chiguas* of Colombia. pp. 131-140. In A. J. Linstrom (ed). *The Biology, Structure, and Systematics of the Cycadales*. Nong Nooch Tropical Botanical Garden, Thailand.

- Awasthi, A. K., G. M. Nagaraja, G. V. Naik, S. Kanginakudru, K. Thangavelu and J. Nagaraja. 2004. Genetic diversity and relationships in mulberry (Genus *Morus*) as revealed by RAPD and ISSR marker assays. **Bio. Med. Central.** 5 : 1-9.
- Berry. n. d. History and Prehistory of the Cycads. pp. 31-32. *In* Jones, C. L. (ed). **Cycad of the World**. Smithsonian Institution Press. Washington, D. C.
- Bogler, D. J. and F. O. Javier. 2004. Molecular systematic studies in cycads : evidence from *trnI* intron and ITS2 rDNA sequences. **New York Bot. Gard.** 70(2) : 260-273.
- Boiteux, L.S., M.E.N. Fonseca and P.W. Simon. 1999. Effects of plant and DNA purification on Random Amplification Polymorphic DNA based genetic fingerprinting analysis in carrot. **J. Amer. Soc. Hort. Sci.** 124 : 32-38.
- Brenner, E. D., D. W. Stevenson and R. W. Twigg. 2003. Cycad : evolutionary innovations and the role of plant-derived neurotoxins. **Trends in Plant Science** 8 : 446-452.
- Caffasso, D., S. Cozzolino, P. de Luca and C. Gianni. 2003. An unusual satellite DNA from *Zamia paucijuga* (Cycadales) characterised by two different organisation of the repetitive unit in the plant genome. **Gene and Genome** 311 : 71-79.
- Caputo, P., D. W. Stevenson and E. T. Wurtzel. 1991. A phylogenetic analysis of American Zamiaceae (Cycadales) using chloroplast DNA restriction fragment polymorphisms. **Brittonia** 43 : 135-145.
- _____, S. Cozzolino, L. Gaudio, A. Moretti and D. W. Stevenson. 1996. Karyology and phylogeny of some Meso-American species of *Zamia* (Zamiaceae). **Amer. J. Bot.** 83 : 1513-1520.

_____, S. Cozzolino, P. de Luca, A. Moretti and D. W. Stevenson. 2004.
Molecular phylogeny of *Zamia*. pp. 149-157. *In* T. Walters and R. Osborne
(eds). **Cycad Classification Concepts and Recommendations**. CABI
Publishing, USA.

Chaw, S. M., A. Zharkikh, H-M. M . Sung, T. C. Lau and N. H. Li. 1997. Molecular
phylogenetic of extant gymnosperm and seed plant evolution analysis of
nuclear 18S RNA sequence. **Mol. Biol. Evol.** 14(1) : 56-68.

Dossaji, S. F., T. J. Mabry and E. A. Bell. 1975. Biflavonoids of the Cycadales.
Biochem. Syst. Eco. 2 : 171-175.

Doyle, J.J. and J.L. Doyle. 1990. Isolation of plant DNA from fresh tissue. **Focus**
12 : 12-15.

Egelhardt. n. d. History and Prehistory of the Cycads. pp. 31-32. *In* Jones, C. L. (ed).
Cycad of the World. Smithsonian Institution Press. Washington, D. C.

Earle, C. J. 2001. Genus *Zamia*. **Zamia Description**. Available [http://
www.botanik.uni-bonn.de/conifer/za/index.htm](http://www.botanik.uni-bonn.de/conifer/za/index.htm), April 14, 2004.

Ghany, A. and E. A. Zaki. 2003. DNA sequences of RAPD fragments in the
Egyptian cotton *Gossypium barbadense*. **African Journal of Biotectnology**
21(5) : 129-132.

Harris, S. A. 1999. RAPDs in systematics – a useful methodology. pp. 211-228. *In*
P. M. Hollingsworth, R. M. Bateman and R. J. Gornall (eds). **Molecular
systematic and plant evolution**. Taylor and Francis, London.

- Hill, K. D. 1998. Genus *Zamia*. **The Cycad Pages**. Available <http://www.plantnet.rbgsyd.gov.au/PlantNet/cycad/cyclintrol.html>, April 14, 2004.
- _____. 1999. Introduction to cycad. **The Cycad Pages**. Available <http://www.plantnet.Rbgsyd.gov.au/PlantNet/cycad/cyclintrol.html>, April 14, 2004.
- _____, D. W. Stevenson and R. Osborne. 2004. The world list of Cycads. pp. 208-209. *In* A. J. Linstrom (ed). **The Biology, Structure, and Systematics of the Cycadales**. Nong Nooch Tropical Botanical Garden, Thailand.
- _____, D. W. Stevenson, M. W. Chase, H. G. Hill and B. Schutzman. 2003. The families and genera of cycad : A molecular phylogenetic analysis of cycadophyta based on nuclear and plastid DNA sequences. **Plant Science** 164 : 933-937.
- Hollick. n. d. History and Prehistory of the Cycads. p. 32. *In* Jones, C. L. (ed). **Cycad of the World**. Smithsonian Institution Press. Washington, D. C.
- Johnson, L.A.S.1959. The families of cycads and the Zamiaceae of Australia. **Pro. Linn. N. S. W.** 84 : 64-117.
- Jones, C. L. 1993. Genus *Zamia*. **Zamia Description**. Available <http://www.conifers.org/za/index.htm>, April 14, 2004.
- Jones, C. L. 1998. **Cycad of the World**. Smithsonian Institution Press. Washington, D. C. pp. 219-235.
- Koller, B., A. Lehmann, J. M. McDermott, and C. Gessler. 1993. Identification of apple cultivars using RAPD marker. **Theor. Appl. Genet.** 81 : 480-485.

- Lazaro, A. and I. Aguinagalde. 1998. Genetic diversity in *Brassica oleracea* L. (Cruciferae) and wild relatives ($2n = 18$) using RAPD markers. **Ann. of Bot.** 82: 829-833.
- Lim, H. S., P. C. Teng, Y. H. Lee and C. J. Goh. 1999. RAPD analysis of some species in the genus *Vanda* (orchidaceae). **Ann. of Bot.** 83 : 193-196.
- Meurer-Grimer, B. and D. W. Stevenson. 1994. The biflavones of the Cycadales revisited : Biflavones in *Stangeria epiopus*, *Chigua restrepei* and other species of Cycadales. **Biochem. Sys. Ecol.** 22 : 595-603.
- Moretti, A. 1990. Karyotypic data on north and central American Zamiaceae (Cycadales) and their implication. **Amer. J. Bot.** 77 : 1016-1029.
- Nairn, C. J. and R. J. Ferl. 1988. The complete nucleotide sequence of the small subunit ribosomal RNA coding region for the *Z. pumila* : Phylogenetic implication. **J. Biol. Evol.** 27(2) : 133-141.
- Nei, M. and W. H. Li. 1976. Mathematical model for studying genetic variation in terms of restriction endonuclease. **PNAS.** 79 : 5269-5273.
- Norstog, K. 1980. Chromosome numbers in *Zamia* (Cycadales). **Caryologia** 33 : 419-428.
- _____ and T. J. Nicholls. 1997. **The Biology of the Cycads.** Cornell Univ. Press, Ithaca, NY.
- Ongkarn, V., S. Puangpen and S. Wallie. 2005. Confirmation of relationships among *Boesenbergia* (Zingiberaceae) and related genera by RAPD. **Biochem. Sys. Ecol.** 33 : 159-170.

- Raghunathachari, P., V. K. Khanna, U. S. Singh and N. K. Singh. 2000. RAPD analysis of genetic variability in Indian rice germplasm (*Oryza zativa* L.). **Current Science** 79(7) : 994-998.
- Rath, P., G. Rajaseger, C. J. Goh and P. P. Kumar. 1998. Phylogenetic analysis of Dipterocarps using random amplified polymorphic DNA marker. **Annals Bot.** 82 : 61-65.
- Sabato, S. 1990. West Indian and South American cycads. **Mem. New York Bot. Gard.** 57 : 173-185.
- Sharma, T. R. and S. Jana. 2002. Species relationships in *Fagopyrum* revealed by PCR-based DNA fingerprinting. **Theor. Appl. Genet.** 105 : 306-312.
- Sneath, P.H.A. and R.R. Sokal. 1973. **Numerical Taxonomy**. Freeman, San Francisco.
- Stevenson, D. W. 1981. Observation on ptyxis phenology and trichomes in the Cycadales and their systematic implications. **Amer. J. Bot.** 64 : 1104-1114.
- _____. 1985. A proposed classification of the Cycadales. **Amer. J. Bot.** 72(6) : 971-972.
- _____. 1986. Comments on character distribution, taxonomy, and nomenclature of the genus *Zamia* L. in the West Indies and Mexico. **Amer. J. Bot.** 57 : 169-172.
- _____. 1992. Cycad classification. **The Cycad Pages**. Available <http://plantnet.Rbgsyd.gov.au/PlantNet/cycad/ident.html>, April 14, 2004.

- _____. 2004 a. Cycad of Colombia. **New York Bot. Gard.** 70(2) : 194-234.
- _____. 2004 b. Genus *Zamia*. **The Cycad Pages**. Available <http://plantnet.rbgsyd.gov.au/PlantNet/cycad/zamkey.html>, August 12, 2004.
- Tagashira, N. and K. Kondo. 1999. A karyotype comparison of nine species of aneuploid *Zamia* by using the conventional orcein staining and the fluorochrome CAM – DAPI differential staining method. **Cytologia** 64 : 449-458.
- Van Treuren, R. 2000. RAPD (Randomly Amplified Polymorphic DNAs). Available <http://www.cgn.wageningen-ur.nl/pgr-research/molgen/rapd.html>, May 9, 2004.
- Vovides, A. P. and M. Olivares. 1996. Karyotype polymorphism in the cycad *Zamia loddiesii* (Zamiaceae) of the Yucatan Peninsula, Mexico. **Bot. J. Linn. Soc. (Lond.)** 120 : 77-83.
- Williams, J.G.K., A.R. Kubelik, K. J. Livak, J. A. Rafalski and S. V. Tingey. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. **Nucl. Acids Res.** 18 : 6231-6235.
- Wolff, K., E. D. Schoen and J. Peter-van Rijn. 1993. Optimizing the generation of random amplified polymorphic DNAs in *Chrysanthemum*. **Theor. Appl. Genet.** 86 : 1033-1037.
- Wu, C. J., Z. Q. Cheng, X. Q. Huang, S. H. Yin, K. M. Cao and C. R. Sun. 2004. Genetic diversity among and within populations of *Oryza granulata* from Yunnan of China revealed by RAPD and ISSR markers : implications for conservation of the endangered species. **Plant Science.** 167 : 35-42.

Zhou, X. Q., W. Y. Liu and M. Q. Wang. 1998. Comparative study on the evolution of chloroplast ribosomal 5s rRNA of a living plant, *Cycas revoluta* Thunb. *FEB.* 235 : 30-37.