

เอกสารอ้างอิง

วรรณดา สุจริต. 2535. วิทยาเอ็มบริโอของสัตว์. ฟีนีฟัฒขง, กรุงเทพมหานคร.

Allen, W.R., and R.L. Pashen. 1984. Production of monozygotic (identical) horse twins by embryo micromanipulation. *J. Reprod. Fert.* 71: 607.

Arave, C.W., T.D. Bunch, C.H. Mickelsen, and K. Warnick. 1987. Factors affecting survivability of transferred whole and demi-embryos in a commercial dairy herd. *Theriogenology* 28: 373.

Ash, K., G.B. Anderson, R.H. BonDurant, R.L. Pashen, K.M. Parker, and T. Berger. 1989. Competition between split and nonmanipulated embryos in the production of identical piglets. *Theriogenology* 31: 903.

Austin, C.R. 1990. The Egg, pp.46-62. In C.R., Austin, and R.V., Short FRS. (eds.). *Reproduction in Mammals Book1: Germ Cells and Fertilization.* 2nd ed. Cambridge University Press, Great Britain.

Baker, R.D., and B.F. Shea. 1985. Commercial splitting of bovine embryos. *Theriogenology* 23: 3.

Baker, R.D., B.K. Eberhard, P.E. Leffel, R.F. Rohde, and T.J. Henschen. 1984. Pregnancy rate following surgical transfer of bovine demi-embryos. *Proc. 10th Intl. Congr. Anim. Reprod. Artif. Insem. (University of Illinois, Urbana).* 2: 220.

Bazer, F.W., R.D., Geisert, and M.T., Zavy. 1993. Fertilization, Cleavage, and Implantation, pp.188-212. In E.S.E., Harfez (ed.). *Reproduction in Farm Animals.* 6th ed. Lea & Febiger, Philadelphia.

Bielanski, A., and W.C.D. Hare. 1989. Rates of development of murine embryos in medium with growth factors. *Theriogenology* 31: 173. (Abstr.).

Bielanski, A., W.C.D. Hare, and B.R. Yadav. 1989. Effect of a serum substitute, cyclic CMP or cyclic AMP on development rate of bovine embryos. *Theriogenology* 31: 175. (Abstr.).

Blakewood, E.G., R.W. Rorie, S.H. Pool, and R.A. Godke. 1986. Freezing bovine embryos without zona pellucida. *Theriogenology* 25: 141. (Abstr.).

Bredbecka, P. 1991. Biopsy of morulae and blastocysts. *Reprod. Dom. Anim.* 26: 82.

- Bredbecka, P., K. Bredbecka, J. Aalto, and H. Kukkola. 1991. Development of inner cell mass in intact and bisected cattle morulae. *Theriogenology* 35: 287. (Abstr.).
- Bredbecka, P., M. Huhtinen, J. Aalto, and V. Rainio. 1992. Viability of bovine demi-and quater-embryos after transfer. *Theriogenology* 38: 107.
- Bredbecka, P., R. Velmala, J. Peippo, and K. Bredbecka. 1994. Survival of biopsied and sexed bovine demi-embryos. *Theriogenology* 41: 1023.
- Brem, G. 1989. Splitting and Sexing of Bovine Embryos, Production of Chimeras and Identical Twins, pp.65-73. In C.R.E., Halnan (ed.). *Cytogenetics of Animals*. Cambrian Printers, UK.
- Brem, G., B. Kruff, B. Szilvassy, and H. Tenhumberg. 1984. Identical simmental twins through microsurgery of embryos. *Theriogenology* 21: 225. (Abstr.).
- Chesne, P., G. Colas, Y. Cognie, Y. Guerin, and C. Sevellec. 1987a. Lamb production using superovulation, embryo bisection and transfer. *Theriogenology* 27: 751.
- Chesne, P., Y. Heyman, D. Chupin, R. Procureur, and Y. Menezo. 1987b. Freezing cattle demi-embryos: Influence of a period of culture between splitting and freezing on survival. *Theriogenology* 27: 218. (Abstr.).
- De Armas, R., R. Solano, A. Bernal, and F. gonzalez. 1992. Factors affecting *in vitro* and *in vivo* viability of bisected cattle embryos. *Theriogenology* 37: 199. (Abstr.).
- De Smedt, V., N. Crozet, M. Ahmed-Ali, A. Martino, and Y. Cognie. 1992. *In vitro* maturation and fertilization of goat oocytes. *Theriogenology* 37: 1049.
- Eberhardt, D.M., D.M. Hemricks, J.F. Dickey, and J.R. Diehl. 1994. Oviductal fluid and growth factors failed to enhance development of porcine embryos. *Theriogenology* 41: 1163.
- Freshney, R.I. 1987. *Culture of Animal Cells: A Manual of Basic Technique*. 2nd ed. A John Wiley & Son, New York.
- Gardner, D.K., and H.J. Leese. 1993. Assessment of Embryo Metabolism and Viability, pp. 195-211. In A., Trounson, and D.K., Gardner (eds.). *Handbook of In Vitro Fertilization*. CRC press, Florida.
- Gatica, R., M.P. Boland, T.F. Crosby, and I. Gordon. 1984. Micromanipulation of sheep morulae to produce monozygotic twins. *Theriogenology* 21: 555.

- GibcoBRL. 1995. Product Catalogue and Reference Guide 1995-1996. LifeTechnologies, USA.
- Gilbert, S.F., 1986. Cell-Cell Receptor in Embryogenesis, pp.133-163. In R.M., Gorczynski (ed.). Receptors in Cellular Recognition and Development Process. Academic Press, Florida.
- Goto, K., Y. Kajihara, M. Koba, Y. Nakanishi, and K. Ogawa. 1989. Pregnancy after transfer of bisected bovine embryos obtained from *in vitro* fertilization. Theriogenology 31: 198. (Abstr.).
- Gray, K.R., K.R. Bondioli, and C.L. Betts. 1991. The commercial application of embryo splitting in beef cattle. Theriogenology 35: 37.
- Hahn, J. 1984. The value of laboratory animal models in embryo transfer research. Theriogenology 21: 45.
- Hasler, J.F., A.D. McCauley, W.F. Lathrop, and R.H. Foote. 1987. Effect of donor-embryo-recipient interactions on pregnancy rate in a large-scale bovine embryo transfer program. Theriogenology 27: 139.
- Herr, C.M., and K.C. Reed. 1991. Micromanipulation of bovine embryo for sex determination. Theriogenology 35: 45.
- Herr, C.M., N.A. Holtz, K.I. Matthaiei, and K. Reed. 1990a. Sex of progeny from bovine embryos sexed with a rapid Y-chromosome-detection assay. Theriogenology 33: 247. (Abstr.).
- Herr, C.M., N.A. Holtz, Y. Pietrzak, K. Old, and K. Reed. 1990b. Increased number of pregnancies per collected embryo by bisection of blastocyst stage ovine embryos. Theriogenology 33: 244. (Abstr.).
- Herr, C.M., T. Stell, A. Lascelles, and K. Reed. 1993. Instruction Manual: Splitting, Biopsy & Rapid Sexing of Cattle Embryos. 3rd ed.. AB Technology, USA.
- Heyman, Y. 1985. Factors affecting the survival of whole and half-embryo transferred in cattle. Theriogenology 23: 63.
- Hoppe, R.W., and B.D. Bavister. 1983. Effect of removing the zona pellucida on development of hamster and bovine embryos *in vitro* and *in vivo*. Theriogenology 19: 391.

- Kane, M.T. 1987. Culture media and culture of early embryos. *Theriogenology* 27: 49.
- Kato, Y., H. Nagashima, K. Shibata, M. Ishiwata, and S. Ogawa. 1987. Microsurgical bisection of expanding blastocyst for sexing of pig embryos. *Jpn. J. Anim. Reprod.* 33: 151.
- Keefer, C.L., S.I. Stice, A.M. Paprocki, and P. Golueke. 1994. *In vitro* culture of bovine IVM-IVF embryos: Co-operative interaction among embryos and the role of growth factors. *Theriogenology* 41: 1323.
- King, W.A., L. Picard, D. Bousquet, and A.K. Goff. 1992. Sex-dependent loss of bisected bovine morulae after culture and freezing. *J. Reprod. Fert.* 96: 453.
- Kippax, I.S., W.B. Christie, and T.G. Rowan. 1991. Effects of method of splitting, stage of development and presence or absence of zona pellucida on foetal survival in commercial bovine embryo transfer of bisected embryos. *Theriogenology* 35: 25.
- Koboyashi, K., H. Nagashima, H. Yamakawa, Y. Kato, and S. Ogawa. 1990. The survival of whole and bisected rabbit morulae after cryopreservation by the vitrification method. *Theriogenology* 33: 777.
- Lambeth, V.A., C.R. Looney, S.A. Voelkel, D.A. Jackson, K.G. Hill, and R.A. Godke. 1983. Microsurgery on bovine embryos at the morula stage to produce monozygotic twin calves. *Theriogenology* 20: 85.
- LeGal, F., G. Baril, J.C. Vallet, and B. Leboeuf. 1993. *In vivo* and *in vitro* survival of goat embryos after freezing with ethylene glycol or glycerol. *Theriogenology* 40: 771.
- Lehn-Jensen, H., and S.M. Willadsen. 1983. Deep freezing of cow half and quarter embryos. *Theriogenology* 15: 427.
- Leibo, S.P., and W.F. Rall. 1987. Increase in production of pregnancies by bisection of bovine embryos. *Theriogenology* 27: 245. (Abstr.).
- Lewis, I.M. 1994. Splitting cattle embryos commercially: The effects of sucrose, embryo stage and the duration between embryo recovery and bisection. *Theriogenology* 41: 237. (Abstr.).
- Lindner, G.M., and W. Wright Jr. 1983. Bovine embryo morphology and evaluation. *Theriogenology* 20: 407.

- Losskutoff, N.M., W.H. Johnson, and K.J. Betteridge. 1993. The developmental competence of bovine embryos with reduced cell numbers. *Theriogenology* 39: 95.
- Losskutoff, N.M., W.H. Johnson, B. Hill, C. Planet, and K.J. Betteridge. 1992. Viability of biopsied, monozygotic twin embryos produced from 4-cell, 8-cell and post-compaction stage bovine embryos generated *in vitro*. *Theriogenology* 37: 251. (Abstr.).
- Losskutoff, N.M., J.W. Pollard, J.M. Scodras, R. De la Fuente, W.A. King, and K.J. Betteridge. 1991. Production of blastocysts from single blastomeres cultured after isolation from 4-cell bovine embryos generated *in vitro*. *Theriogenology* 35: 233. (Abstr.).
- Lucas-Hahn, A., and H. Niemann. 1991. *In vitro* survival of fresh and frozen/thawed bovine demi-embryos. *Theriogenology* 36: 619.
- Massey, J.M., J.G. Anderson, W.C. Ellis, A.M. Sorenson, Jr., and D.C. Kraemer. 1982. Development of bovine embryos following enzymatic removal of the zona pellucida. *Theriogenology* 17: 99. (Abstr.).
- Maurer, R.R., and R.L. Hruska. 1984. Embryo viability and development after prostaglandin E_2 (PGE_2) addition to the semen and progesterone (P4), Solcoseryl[®] and PGE_2 to the transfer medium. *Theriogenology* 21: 247. (Abstr.).
- Maurer, R.R., and R.L. Hruska. 1988. Embryo splitting and transfer in sheep. *Theriogenology* 29: 276. (Abstr.).
- McEvoy, T.G., and J.M. Sreenan. 1990. Effect of embryo quality and stage of development on the survival of zona pellucida-free cattle demi-embryos. *Theriogenology* 33: 1245.
- McFarland, C.W., R.W. Rorie, S.A. Voelkel, and R.A. Godke. 1985. The use of pronase to successfully remove the zona pellucida from bovine embryos. *Theriogenology* 23: 208. (Abstr.).
- McLaren, A. 1990. The Embryo, pp.1-25. In C.R., Austin, and R.V., Short FRS. (eds.). *Reproduction in Mammals Book2: Embryonic and Fetal Development*. 2nd ed. Cambridge University Press, Great Britain.

- Menino, Jr., A.R., and R.W. Wright, Jr. 1983. Effect of pronase treatment, microdissection, and zona pellucida removal on the development of porcine embryos and blastomeres *in vitro*. Biol. Reprod. 28: 433.
- Mertes, P.C., and K.R. Bondioli. 1985. Effect of splitting technique on pregnancy rate from half embryos. Theriogenology 23: 209. (Abstr.).
- Metzler, D.E. 1977. Biochemistry the Chemical Reactions of Living Cells. Academic Press, New York.
- Moor, R.M., and R.G. Cragle. 1971. The sheep egg: Enzymatic removal of the zona pellucida and culture of egg *in vitro*. J. Reprod. Fert. 27: 401.
- Moore, N.W. C. Polge, and L.E.A. Rowson. 1969. The survival of single blastomeres of pig eggs transferred to recipient gilts. Aust. J. Bio. Sci. 22: 979.
- Moore, N.W., C.E. Adams, and L.E.A. Rowson. 1968. Developmental potential of single blastomeres of rabbit egg. J. Reprod. Fert. 17: 527.
- Nagashima, H., Y. Kato, and S. Ogawa. 1989. Microsurgical bisection of porcine morulae and blastocysts to produce monozygotic twin pregnancy. Gamete Research. 23: 1.
- Nagashima, H., K. Matsui, T. Sawasaki, and Y. Kano. 1984. Production of monozygotic mouse twins from microsurgically bisected morulae. J. Reprod. Fert. 70: 357.
- Nagashima, H., Y. Katoh, K. Shibata, and S. Ogawa. 1988. Production of normal piglet from microsurgically split morulae and blastocysts. Theriogenology 39: 485.
- Nibart, M., S. Sripongpun, F. Cedden, F. Mechekour, B. Le Guienne, and M. Thibier. 1988. Histological of bovine intact and demi-embryos. Theriogenology 29:283. (Abstr.).
- Nicholas, F.W., and C. Smith. 1983. Increased rates of genetic change in dairy cattle by embryo transfer and splitting. Anim. Prod. 36: 341.
- Niemann, H., G. Brem, B. Sacher, D. Smidt, and H. Krausslich. 1986. An approach to successful freezing of demi-embryos derived from day-7 bovine embryos. Theriogenology 25: 519.
- Nowshari, M.A., and W. Holtz. 1993. Transfer of split goat embryos without zonae pellucidae either fresh or after freezing. J. Anim. Sci. 71: 3403.
- Ozil, J.P. 1983. Production of identical twins by bisection of blastocysts in the cow. J. Reprod. Fert. 69: 463.

- Ozil, J.P., Y. Heyman, and J.P. Renard. 1982. Production of monozygotic twins by micromanipulation and cervical transfer in cow. *Vet. Rec.* 110:126.
- Pansky, B. 1982. *Review of Medical Embryology*. Macmillan Publishing, New York.
- Picard, L., W.A. King, and K.J. Betteridge. 1984. Cytological studies of bovine half-embryos. *Theriogenology* 21: 252. (Abstr.).
- Reed, M.L., W. Jochle, and D.C. Kraemer. 1987. *In vitro* culture of nonmanipulated and gene-microinjected mouse zygotes in medium supplementd with solcoseryl[®]. *Theriogenology* 27: 270. (Abstr.).
- Reichelt, B., and H. Niemann. 1994. General of identical twin piglets following bisection of embryos at the morula and blastocyst stage. *J. Reprod. Fert.* 100: 163.
- Rieger, D., N.M. Losskutoff, and K.J. Betteridge. 1992. Developmentally related changes in the metabolism of glucose and glutamine by cattle embryos produced and co-cultured *in vitro*. *J. Reprod. Fert.* 95: 585.
- Robl, J.M., and N.L. First. 1985. Manipulation of gametes and embryos in the pig. *J. Reprod. Fert. Suppl.* 33: 101.
- Rorie, R.W., R.J. Pendleton, C.R. Youngs, and R.A. Godke. 1986. Viability of demi-embryos produced before vs. after deep freezing. 25: 192. (Abstr.).
- Rorie, R.W., S.A. Voelkel, C.W. McFarland, L.L. Southern, and R.A. Godke. 1985. Micromanipulation of day-6 porcine embryos to produce split-embryo piglets. *Theriogenology* 23: 225. (Abstr.).
- Russler-Long, J.A., J.F. Dickey, M.E. Richardson, and K.W. Ivey. 1991. Culture of ovine embryos in the absence of bovine serum albumin. *Theriogenology* 35: 383.
- Saito, N. 1994. *Manual of Embryo Transfer and In Vitro Fertilization in Cattle*. Jica, Japan.
- Saito, S., and H. Niemann. 1991. Effects of extracellular matrices and growth factors on the development of isolates porcine blastomeres. *Biol. Reprod.* 44: 927.
- Saito, S., P. Nienhaus, and H. Niemann. 1991. Developmental ability of bisected and aggregated porcine embryo *in vitro*. *Theriogenology* 35: 267. (Abstr.).
- SAS. 1985. *User's Guide Statistics*. SAS Inst. Inc. Cary, NC.
- Seidel, Jr., G.E., and S.M. Seidel. 1991. *Training Manual for Embryo Transfer in Cattle*. FAO, Rome.

- Seike, N., K. Saeki, K. Utaka, M. Sakai, R. Takakura, Y. Nagao, and H. Kanagawa. 1989. Production of bovine identical twins via transfer of demi-embryos without zonae pellucidae. *Theriogenology* 32: 211.
- Shelton, J.N. 1992. Factors affecting viability of fresh and frozen-thawed sheep demi-embryos. *Theriogenology* 37: 713.
- Shelton, J.N., and A. Szell. 1988. Survival of sheep demi-embryos *in vivo* and *in vitro*. *Theriogenology* 30: 855.
- Shostak, S. 1991. *Embryology: An Introduction to Development Biology*. Harper Collins Publishers, New York.
- Skrzyszowska, M., and Z. Smorag. 1989. Cell loss in bisected mouse, sheep and cow embryo. *Theriogenology* 32: 1.
- Smith, S.D., M. Schmidt, B. Purwantara, and T. Greve. 1992. Development after separation and reaggregation of blastomeres from early pig embryos cultured *in vitro*. *Reprod. Dom. Anim.* 27: 283.
- Solcoseryl. nd. Solcoseryl New Finding. np.
- Sparks, A.E.T., R.S. Canseco, C.G. Russell, J.L. Johnson, J.L. Page, W.H. Velandar, M.L. McGilliard, and F.C. Gwazdauskas. 1994. Development of bovine morulae after bisection and biopsy and assessment of DNA amplification by the polymerase chain reaction. *Anim. Reprod. Sci.* 87: 359.
- Stein-Stefani, S.J., and W. Holtz. 1994. Splitting of porcine embryos at the four cell or morula stage. *Theriogenology* 41: 961.
- Sumretrasong, J., M. Apimeteetumrong, and Y. Sukwongs. 1995. Increasing the number of kids born each embryo collection by the bisection of the goat embryo: A preliminary study. *Thai J. Vet. Med.* 25(4): 317.
- Suzuki, H., M. Togashi, J. Adachi, and Y. Toyoda. 1995. Development ability of zona-free mouse embryos in influenced by cell association at the 4-cell stage. *Biol. Reprod.* 53: 78.
- Suzuki, T., and I. Shimohira. 1986. Viability of frozen-thawed bovine embryos bisected in sucrose: A preliminary report. *Theriogenology* 26: 333.

- Szell, A., and H.H. Hudson. 1991. Factors affecting the survival of bisected sheep embryos *in vivo*. *Theriogenology* 36: 379.
- Szell, A., I.M. Macleod, D.P. Windsor, and R.W. Kelly. 1994. Production of identical twin lambs by embryo splitting. *Theriogenology* 41: 1643.
- Szell, A., J.N. Shelton, and K. Szell. 1989. Osmotic characteristics of sheep and cattle embryos. *Cryobiology*. 26: 297.
- Takeda, T., S.V. Hallowell, A.D. McCauley, and J.F. Hasler. 1986. Pregnancy rates with intact and split bovine embryos transferred surgically and nonsurgically. *Theriogenology* 25: 204. (Abstr.).
- Takeda, T., W.B. Henderson, and J.F. Hasler. 1987. Deep freezing of split and intact bovine embryos. *Theriogenology* 24: 285. (Abstr.).
- Tao, T., B. Reichelt, and H. Niemann. 1995. Ratio of inner cell mass and trophoblastic cells in demi- and intact pig embryos. *J. Reprod. Fert.* 104: 251.
- Tao, T., J. Shie, H. Yanging, G. Changheng, M. Wenzhu, A. Tiezhu, and Z. Yuding. 1991. The survival of zona-free bovine demi-and quater embryos. *Theriogenology* 35: 281. (Abstr.).
- Tarkowski, A.K. 1959. Experiments on the development of isolated blastomeres of mouse eggs. *Nature*. 184: 1286.
- Tedeschi, H. 1993. *Cell Physiology*. 2nd ed. Wm.C.Brown, Kerper Boulevard.
- Thuemmel, A.E., F.C. Gwazdauskas, R.S. Canseco, and A.L. McGilliard. 1989. Culture of bovine embryos in tissue repair factor-supplemented media and immature mouse uteri. *J. Anim. Sci.* 67: 401. (Abstr.).
- Truonson, A.O., and N.W. Moore. 1974a. Attempts to produced identical offspring in the sheep by mechanical division of the ovum. *Aust. J. Bio. Sci.* 27: 505.
- Truonson, A.O., and N.W. Moore. 1974b. The survival and development of sheep eggs following complete or partial removal of the zona pellucida. *J. Reprod. Fert.* 41: 97.
- Tsunoda, Y., and A. McLaren. 1983. Effect of various procedures on the viability of mouse embryos containing half the normal number of blastomeres. *J. Reprod. Fert.* 69: 315.

- Tsunoda, Y., T. Tokunaga, T. Sugie, and M. Katsumata. 1985. Production of monozygotic twins following the transfer of bisected embryos in the goats. *Theriogenology* 24: 337.
- Tsunoda, Y., T. Tokunaga, Y. Okubo, and T. Sugie. 1987. Beneficial effect of agar for the frozen storage of bisected embryos. *Theriogenology* 28: 317.
- Udy, G.B. 1987. Commercial splitting of goat embryos. *Theriogenology* 28: 837.
- Viker, S.D., S.A. Voelkel, K.G. Hill, W. Jochle, and R.A. Godke. 1984. Solcoseryl[®] treatment of day-7 bovine embryos *in vitro*. *Theriogenology* 21: 270. (Abstr.).
- Voelkel, S.A., P.E. Humes, and R.A. Godke. 1984a. Pregnancy rates resulting from non-surgical transfer of micromanipulated bovine embryos. *Proc 10th Intl. Cong. on Anim. Reprod. and Artif. Insem.* (University of Illinois, Urbana). 2: 251.
- Voelkel, S.A., G.F. Amborski, K.G. Hill, and R.A. Godke. 1984b. Use of uterine-cell monolayer culture system for micromanipulated bovine embryos. *Theriogenology* 21: 271. (Abstr.).
- Voelkel, S.A., S.D. Viker, C.A. Johnson, K.G. Hill, P.E. Humes, and R.A. Godke. 1985. Multiple embryo-transplant offspring produced from quartering a bovine embryo at the morula stage. *Vet. Rec.* 117: 528.
- Warfield, S.J., G.E. Seidel, Jr., and R.P. Elsdén. 1986. Transfer of bovine demi-embryos with and without zonae pellucidae. *Theriogenology* 25: 212. (Abstr.).
- Warfield, S.J., G.E. Seidel, Jr., and R.P. Elsdén. 1987. Transfer of bovine demi-embryos with and without zona pellucida. *J. Anim. Sci.* 65: 756.
- Willadsen, S.M. 1980. The viability of early cleavage stages containing half the normal number of blastomeres in the sheep. *J. Reprod. Fert.* 59: 357.
- Willadsen, S.M., and C. Polge. 1981. Attempts to produce monozygotic quadruplets in cattle by blastomere separation. *Vet. Rec.* 108: 211.
- Willadsen, S.M., and R.A. Godke. 1984. A simple procedure for the production of identical sheep twins. *Vet. Rec.* 114: 240.
- Williams, T.J., R.P. Elsdén, and G.E. Seidel, Jr. 1982. Identical twin bovine pregnancies derived from bisected embryos. *Theriogenology* 17: 114. (Abstr.).

- Williams, T.J., R.P. Elsdon, and G.E. Seidel, Jr. 1983. Bisecting bovine embryos: Methods, application, and success rates. Proc. Ann. Conf. A.I. and E.T. in Beef Cattle, Denver. 45.
- Williams, T.J., R.P. Elsdon, and G.E. Seidel, Jr. 1984a. Effect of embryo age and stage on pregnancy rates from demi-embryos. Theriogenology 21: 276. (Abstr.).
- Williams, T.J., R.P. Elsdon, and G.E. Seidel, Jr. 1984b. Pregnancy rates with bisected bovine embryos. Theriogenology 22: 521.
- Wilton, L.J., and A.O. Trounson. 1989. Biopsy of preimplantation mouse embryos: Development of micromanipulated embryos and proliferation of single blastomere *in vitro*. Biol. Reprod. 40: 145.
- Wooliams, J.A., and I. Wilmut. 1989. Embryo manipulation in cattle breeding and production. Anim. Prod. 48: 3.
- Wright, R.W., and K.R. Bondioli. 1981. Aspects of *in vitro* fertilization and embryo culture in domestic animals. J Anim. Sci. 53: 702.
- Wu, G.M., H.M. Liao, X.F. Li, and Y. Jin. 1995. *In vitro* development of bovine demi-embryos bisected at early-, mid- and late- blastocyst stages. Theriogenology 43: 357. (Abstr.).
- Yang, X., and G.B. Anderson. 1992. Micromanipulation of mammalian embryos: Principles, progress and future possibilities. Theriogenology 38: 315.
- Yang, X., and R.H. Foote. 1987. Production of identical twin rabbits by micromanipulation of embryos. Biol. Reprod. 37: 1007.
- Yong, Z., and W. Jianchen. 1990. Production of monozygotic goat twins by transfer of frozen-thawed demi-embryos. Theriogenology 33: 361. (Abstr.).
- Yong, Z., W. Jianchen and X. Jun. 1990. Production of monozygotic goat twins by bisection of frozen-thawed hatched blastocysts. Theriogenology 33: 360. (Abstr.).
- Zhu, Y.D., S.E. Jiang, T. Tao, L. Zhang, Y.Q. Han, C.H. Cao, and W.Z. Meng. 1990. The survival of zona-free bovine demi-and quater embryos. Anim. Biotech. Bulletin. 1: 6.