

เอกสารอ้างอิง

- ณรงค์ สิงห์บุระอุดม. 2538. ความสามารถในการก่อให้เกิดโรคของ culture filtrate ของเชื้อรา *Pyricularia oryzae* Cav. สาเหตุโรคใบไหม้ของข้าว. วารสารการเกษตร (วิทย์.) ปีที่ 29: หน้า 16-27.
- ดารา เจตนะจิตร. 2543. การจัดการโรคข้าว. เอกสารประกอบการบรรยายในการสัมมนาเชิงปฏิบัติการ "การวิจัยและพัฒนาการผลิตข้าวครบวงจร" วันที่ 24 พฤศจิกายน 2543 ณ โรงแรมมิราเคิล กรุงเทพฯ. 12 หน้า.
- ทัศนีย์ สงวนสัง. 2540. บทบาทของพันธุกรรมด้านทานโรคและแมลงกับการปรับปรุงพันธุ์ข้าวของไทย. เอกสารวิชาการ. ศูนย์วิจัยข้าวพิษณุโลก สถาบันวิจัยข้าว กรมวิชาการเกษตร กระทรวงเกษตรและสหกรณ์. 174 หน้า.
- สมคิด ศิสถาพร. 2532. ขาวนาปราบโรคข้าว. จัดพิมพ์โดย สมาคมนักโรคพืชแห่งประเทศไทย. พิมพ์ครั้งที่ 1. พิมพ์ที่ ห้างหุ้นส่วนจำกัด ฟันนี้พับลิชชิง. 116 หน้า.
- สมคิด ศิสถาพร. 2536. โรคไหม้คอรวงข้าว ระบาดที่ภาคเหนือ. น.ส.พ. กสิกร ปีที่ 66 ฉบับที่ 2 มีนาคม-เมษายน. หน้า 165-167
- ศูนย์สถิติการเกษตร สำนักงานเศรษฐกิจการเกษตร. 2541. สถิติการเกษตรของประเทศไทย ปีเพาะปลูก 2540/41. กระทรวงเกษตรและสหกรณ์. กรุงเทพมหานคร. หน้า 18-19.
- อนงค์ จันทร์ศรีกุล และนันท์นิ ศรีจุมปา. 2542. โรคใบไหม้ของคันหงส์เหิร ก้ามกุ้งสีทอง ข้าวและวัชพืช. น.ส.พ. กสิกร ปีที่ 72 ฉบับที่ 3 พฤษภาคม-มิถุนายน. หน้า 238-242.
- Abamu, F.J., E.A. Akinsola, and K. Alluri. 1998. Abstracts. Applying the AMMI model to understand genotype-by environment (GXE) interaction in rice reaction to blast disease in Africa. International Journal of Pest Management 44: 239-245.
- Borromeo, E.S., R.J. Nelson, J.M. Bonman, and H. Leung. 1993. Genetic differentiation among isolates of *Pyricularia* sp. infecting rice and weed host. Phytopathology 83: 393-399.
- Carlson, P.S. 1973. Methionine sulfoximine-resistance mutants of tobacco. Science 180: 1366-1368.
- Chaudhary, R.N., N. Singburadom, T. Sommartya, and E. Sarobol. 1995. Pathogenicity determination of crude extract toxin produced by the fungus *Pyricularia oryzae* Cav. the causal agent of rice blast. Kasetsart J. (Nat. Sci.) 29: 498-507.
- Chaudhary, R.N. 1997. Inoculation techniques of crude extract toxin produced by *Pyricularia oryzae* Cav. Kasetsart J. (Nat. Sci.) 31: 368-380.

- Chen, Q.G., F.Q. Zhang, and L.G. Yin. 1989. The differences in toxicity of culture filtrates among the isolates of *Pyricularia oryzae*. Review of Plant Pathology 71: 491.
- Chen, D., R.S. Zeigler, H. Leung, and R.J. Nelson. 1995. Population structure of *Pyricularia grisea* at two screening site in the Philippines. Phytopathology 85: 1011-1020.
- Devulapalle, K.S., and S. Suryanarayanan. 1995. Cross-incompatibility among Indian isolates of *Pyricularia grisea*. Plant Disease. 79: 779-781.
- Don, L.D., M. Kusaba, A.S. Urashima, Y. Tosa, H. Nakayashiki, and S. Mayama. 1999. Abstracts. Population structure of the blast fungus in Japan examined by DNA fingerprinting. Annals of the Phytopathological Society of Japan 65: 15-24.
- Farman, M.L., S. Taura, and S.A. Leong. 1996. Abstracts. The *Magnaporthe grisea* DNA fingerprinting probe MGR586 contains the 3' end of an inverted repeated transposon. Molecular and General Genetics 251: 675-681.
- Giatgong, P. and R.A. Frederiksen. 1969. Pathogenic variability and cytology of monoconidial subcultures of *Piricularia oryzae*. Phytopathology 59: 1152-1157.
- George, M.L.C., R.J. Nleson, R.S. Zeigler, and H. Leung. 1998. Rapid population analysis of *Magnaporthe grisea* by using rep-PCR and endogenous repetitive DNA sequences. Phytopathology 88: 223-229.
- Hunst, P.L., F.M. Latterell, and A.E. Rossi. 1986. Variation in double-stranded RNA from isolate of *Pyricularia oryzae*. Phytopathology 76: 674-678.
- Kachroo, P., S.A. Leong. and B.B. Chattoo. 1994. Abstracts. Pot2, a inverted repeat transposon from the rice blast fungus *Magnaporthe grisea*. Molecular general genetic 245: 339-348.
- Kachroo, P., M. Ahuja, S.A. Leong, and B.B. Chattoo. 1997. Abstracts. Organisation and molecular analysis of repeated DNA sequence in the rice blast fungus *Magnaporthe grisea*. Current genetic 31: 361-369.
- Katsuya, K. and S. Kiyosawa. 1969. Studies on mixture inoculation of *Pyricularia oryzae* on rice. Ann. Phytopathological Society of Japan. 35: 299-307.
- Kozaka, T., M. Tsuchizawa, M. Hanauf, and M. Watanabe. 1985. Phytotoxic glycopeptide inducing white head of rice plant produced by *Pyricularia oryzae*. Annuals of the Phytopathological Society of Japan. 51: 199-205.
- Kumer, J., R.J. Nelson, R.S. Zeigler. 1999. Abstracts. Population structure and dynamics of *Magnaporthe grisea* in the Indian Himalayas. Genetics 152: 971-984.

- Lee, S. B. and J. W. Taylor. 1990. Isolation of DNA from fungal mycelia and single spores. In : PCR Protocols : A guide to Methods and Applications, edited by Innes, M. A., D. H. Gelfand, J.J. Sninsky, and T. J. White. Academic Press, San Diego, pp. 107 – 199.
- Lei, C., M.L. George, W. Jiang, J. Wang, and Z. Ling. 1999. Abstracts. Genetic diversity of rice blast fungus in northern China. Chinese Rice Research Newsletter (CRRN). 7: 4-6.
- Leung, H., and P.H. William. 1985. Genetic analyses of electrophoretic enzyme variants, mating type, and hermaphroditism in *Pyricularia grisea* Cavara. Canadian Journal of Genetic and Cytological 27: 697-704.
- Leung, H., and P.H. Williams. 1986. Enzyme polymorphism and genetic differentiation among geographic isolates of the rice blast fungus. Phytopathology 76: 778-783.
- Levy, M., F.J. Correa-Victoria, R.S. Zeigler, S. Xu, and J.E. Hamer. 1993. Genetic diversity of rice blast fungus in a nursery in Colombia. Phytopathology 83: 1427-1433.
- Li, C., Q. Yang, F. Zhen, C. Lou, and J. Li. 1997. Cross-fertile and pathogenicity of the blast fungus *Magnaporthe grisea* Sac. Isolated from cultivated and wild rice in Yunnan. International Rice Research Notes (IRRN) 22: 14-15.
- Long, D.H., D.O. TeBeest, J.C. Correll, and F.N. Lee. 1998. Abstracts. Rice seed infected with *Pyricularia grisea* as a primary inoculum source of rice blast. Research Series-Arkansas Agriculture Experiment Station 460: 282-287.
- Luo, Y., P.S. Teng, N.G. Fabellar, and D.O. TeBeest. 1998. Abstracts. The effect of global temperature change on rice leaf blast epidemics: a simulation study in three agroecological zones. Agriculture, Ecosystems and Environment 68: 187-196.
- Mackill, A.O., and J.M. Bonman. 1986. New host of *Pyricularia oryzae*. Plant disease 70: 125-127.
- Manandhar, H.K., H.L. Jorgensen, V. Smedegaard-Petersen, and S.B. Mathur. 1998. Seedborne infection of rice by *Pyricularia oryzae* and its transmission to seedling. Plant disease 82: 1093-1099.
- Mekwatanakarn, P., W. Kositratana, T. Phromraksa, and R.S. Zeigler. 1999. Sexually fertile *Magnaporthe grisea* rice pathogens in Thailand. Plant Disease. 83: 939-943.
- Mekwatanakarn, P., W. Kositratana, M. Levy, and R.S. Zeigler. 2000. Pathotype and avirulence gene diversity of *Pyricularia grisea* in Thailand as determined by rice lines near-isoline for major resistance genes. Plant disease.84: 60-70.

- Nicholas, J.T. 1995. Having a blast: exploring the pathogenicity of *Magnaporthe grisea*. *Trend in Microbiology* 3: 9-16.
- Ou, S.H. 1980. A look at worldwide rice blast disease control. *Plant disease* 64: 439-445.
- Ou, S.H. 1985. Rice disease. Commonwealth mycological institute, Surrey, UK. pp.109-201.
- Ram, N. C., N. Singburadom, T. Sommartya and E. Sarobol. 1997. Inoculation techniques of crude extract toxin produced by *Pyricularia oryzae*. *Kasetsart J. (Nat. Sci)* 31: 368-380.
- Rodriguez, O., J. Gonzalez-Dominguea, G.N. Odvody, J.P. Wilson, and W.W. Hanna. 1999. (Abs.) First report and epidemics of buffelgrass blight caused by *Pyricularia grisea* in South Texas. *Plant disease* 83: 398.
- Shen, Y., P. Zhu, X. Yuan, X. Zhao, J. Manry, C. Rojas, A.K.M. Shahjahan, and M. Levy. 1996. Genetic diversity and population structure of rice blast fungus in China. *Chinese Rice Research Newsletter (CRRN)*. 4: 7-9.
- Shull, V, and J.E. Hamer. 1996. Abstracts. Rearrangements at a DNA fingerprint locus in the rice blast fungus. *Current Genetics* 30: 263-271.
- Silue, D., D.Tharreau, and J.L. Nottingham. 1992. Identification of *Magnaporthe grisea* avirulence genes to seven rice cultivars. *Phytopathology* 82: 1462-1467.
- Singburadom, N., N. C. Ram, S. Tharmmasak, and E. Sarobol. 1998. Effects of plant age on symptom development produced by *Pyricularia oryzae* toxin. *Kasetsart J. (Nat. Sci)* 32: 90-101.
- Surek, H., and N. Beser. 1997. Effect of blast disease on rice yield. *International Rice Research Notes (IRRN)* 22: 25-26.
- Thinlay, R.S. Zeigler, and M.R. Finckh. 2000. Pathogenic variability of *Pyricularia grisea* from the high- and mid-elevation zones of Bhutan. *Phytopathology* 90: 621-628.
- Tsuneo N., N. Manabu, and T. Jiro. 1996. Effects of two toxins and a derivative of one toxin produced by rice blast fungus on its infection to inner epidermal tissue of rice leaf sheath. *Ann. Phytopathological Society of Japan*. 62: 114-118.
- Umetsu, N., J. Kaji, and K. Tamari. 1972. Investigation on the toxin produced by several blast fungus strains and isolation of tenuazonic acid as novel toxin. *Agril. Biol. Chem.* 36: 859-866.
- Viji, G., and S.S. Gnanamanickam. 1998. Mating type distribution and fertility status of *Magnaporthe grisea* populations from various hosts in India. *Plant Disease*. 82: 36-40.

- Viji, G., S.S. Gnanamanickam, and M. Levy. 2000. Abstracts. DNA Polymorphism of isolates of *Magnaporthe grisea* from India that are pathogenic to finger millet and rice. *Mycological Research* 104: 161-167.
- Vivian M. D., O. Jonathan O, J.G. Renee, and B.H. Jeferey. 1997. Differences in phytoalexin response among rice cultivars of different resistance to blast. *Phytochemistry* 44: 599-603.
- Wang, J.L., W.Y. Xu, and Y.Y. Wang. 1988. Preparation of crude extract of *Pyricularia oryzae* Cav. and determination of their toxicity to rice. *Rice Abstract* 14: 82.
- Xia, J.Q., J.C. Correll, F.N. Lee, M.A. Marchetti, and D.D. Rhoads. 1993. DNA fingerprinting to examine microgeographic variation in the *Magnaporthe grisea* (*Pyricularia grisea*) population in two rice field in Arkansas. *Phytopathology* 83: 1029-1035.

มหาวิทยาลัยเชียงใหม่
Chiang Mai University

ภาคผนวก