

เอกสารอ้างอิง

- สุวิทย์ เกียรติเสวี. 2537. อัลไซเมอร์โรคความจำเสื่อมที่มีปัญหา. คลินิก 30 (16508) : 9.
- Akesson, T.R., Micevych, P.E., and Simerly, R.B. 1988. Estrogen-concentrating hypothalamic and limbic neurons project to the medial preoptic nucleus. Brain Res. 451 : 381-385.
- Albanese, A., and Butcher, L.L. 1982. Retrograde fluorescent neuronal tracing combined with acetylcholinesterase histochemistry. J. Neurosci. Methods 6 : 121-127.
- Allen, J.M., Ferrier, I.N., Roberts, G.W., Cross, A.J., Adrian, T.E., Crow, T.J., and Bloom, S.R. 1984. Elevation of neuropeptide Y (NPY) in substantia innominata in Alzheimer's type dementia. J. Neurol. Sci. 64 : 325-331.
- Amaral, D.G., Cowan, W.M., and Insausti, R. 1983. Evidence for a direct projection from the superior temporal gyrus to the entorhinal cortex in the monkey. Brain Res. 275 : 263-277.
- Andersen, P., Holmgvist, B., and Voorhoeve, P.E. 1966. Entorhinal activation of dentate granule cells. Acta Physiol. Scand. 66 : 448-460.
- Bayliss, B.J., and Todrick, A. 1956. The use of a selective acetylcholinesterase inhibitor in the estimation of pseudocholinesterase activity in rat brain. Biochem. J. 62 : 62-67.
- Beal, M.F., Ellison, D.W., Mazurek, M.F., Swartz, K.J., Malloy, J.R., Bird, E.D., and Martin, J.B. 1988a. A detailed examination of substance P in pathologically graded cases of Huntington's disease. J. Neurol. Sci. 84 : 51-61.
- Beal, M.F., Mazurek, M.F., Ellison, D.W., Swartz, K.J., McGarvey, U., Bird, E.D., and Martin, J.B. 1988b. Somatostatin and Neuropeptide Y concentrations in pathologically graded cases of Huntington's disease. Ann. Neurol. 23 : 562-569.
- Beltramino, C., and Taleisnik, S. 1978. Facilitatory and inhibitory effects of electrochemical stimulation of the amygdala on the release of luteinizing hormone. Brain Res. 144 : 95-107.

- Beltramino, C., and Taleisnik, S. 1980. Dual action of electrochemical stimulation of the bed nucleus of the stria terminalis on the release of luteinizing hormone. *Neuroendocrinology* 30 : 238-242.
- Bentivoglio, M., Kuypers, H.G.J.M., and Catsman-Berrevoets, C.E. 1978. Retrograde neuronal labelling by means of bisbenzimidazole and nuclear yellow (Hoechst S 769121). Measures to prevent diffusion of the tracers out of retrogradely labelled neurons. *Neurosci. Lett.* 18 : 19-24.
- Bentivoglio, M., Kuypers, H.G.J.M., Catsman-Berrevoets, C.E., Loewe, H., and Dann, O. 1980. Two fluorescent retrograde neuronal tracers which are transported over long distances. *Neurosci. Lett.* 18 : 25-30.
- Berrevoets, C.E., and Kuypers, H.G.J.M. 1975. Pericruciate cortical neurons projecting to brainstem reticular formation, dorsal column nuclei and spinal cord in the cat. *Neurosci. Lett.* 1 : 257-262.
- Blackstad, T.W. 1956. Commissural connections of the hippocampal region in the rat, with special reference to their mode of termination. *J. Comp. Neurol.* 105 : 417-537.
- Blakeslee, S. 1994. Brain's wiring diagram for emotional reactions. *Bangkok Post* 48(363) : 31.
- Bloom, F.E. 1988. *Neuropeptides : General aspects*. Boston : Kluwer Academic Publishers.
- Bolton, J.S. 1900. The exact histological localization of the visual area of the human cerebral cortex. *Philos. Trans. R. Soc.* 193 : 115-122.
- Bolton, J.S. 1910. A contribution to the localization of cerebral function, based on the clinicopathological study of mental disease. *Brain* 33 : 26-147.
- Bonvallet, M., and Bobo, E.G. 1972. Changes in phrenic activity and heart rate elicited by localized stimulation of amygdala and adjacent structures. *Electroenceph. Clin. Neurophysiol.* 32 : 1-16.
- Braak, H. 1972. Zur pigmentarchitektonik der grosshirnrinde des menschen I. regio entorhinalis. *Z. Zellforsch. Mikrosk. Anat.* 127 : 407-438.
- Brann, M.R., and Emson, R.C. 1980. Microiontophoretic injections of fluorescent tracer combined with simultaneous immunofluorescent histochemistry for the demonstration of efferents from the caudate-putamen projecting to the globus pallidus. *Neurosci. Lett.* 16 : 61-65.
- Brodman, K. 1909. *Vergleichende lokalisationslehre der grosshirnrinde in ihren prinzipien*

- dargestellt aufgrund des zellenbaues. Leipzig : Barth.
- Cajal, S. Ramon, Y. 1901. Estudios sobre la corteza cerebral human IV. estructura de la corteza cerebral olfactiva del hombre y manifiestos. Trab. Lab. Invest. Biol. Madr. 1 : 1-140.
- _____. 1903. Studie nuber die hirnrinde des menschen IV. heft. die riechrinde beim menschen und saugentier. Leipzig : Barth.
- _____. 1911. Histologie du systeme nerveux de l'homme et des verte' bre's. T.2.A. Paris : Maloine.
- Christensen, L.W., and Clemens, L.G. 1974. Intrahypothalamic implants of testosterone or estradiol and resumption of masculine sexual behavior in long-term castrated male rats. Endocrinology 95 : 984-990.
- Cortes, R., Gueye, B., Palacios, J.M., Pazos, A., and Probst, A. 1989. Dopamine receptors in human brain : Autoradiographic distribution of D1 sites. Neuroscience 28 : 263-273.
- Coulter, J.S., Carter, C., and Ewing, L. 1976. Origin of primary sensorimotor cortical projections to lumbar spinal cord of cat and monkey. Brain Res. 103 : 366-372.
- Davidson, J.M., and Block, G.J. 1969. Neuroendocrine aspects of male reproduction. Biol. Reprod. 1 : 67-92.
- de Groot, J. 1959. The rat forebrain in stereotaxic coordinates. B. Natuurkd. 2 : 1-40.
- DeOlmos, J.S. 1990. Amygdala. New York : Academic Press.
- DeOlmos, J.S., Alheid, G.F., and Beltramino, C.A. 1985. Amygdala. Sydney : Academic Press.
- Farley, I.J., Deck, J.H.N., Hordynski, W., Homykiewicz, O., McCullough, E., and Price, K.S. 1978. Norepinephrine in chronic paranoid schizophrenia : above-normal levels in limbic forebrain. Science 200 : 456-458.
- Ferrier, I.N., Roberts, G.W., Crow, T.J., Johnston, E.C., Owens, D.G.C., Lee, Y.C., Shaughnessy, D.O., Adrian, T.E., Polak, J.M., and Bloom, S.R. 1983. Reduced cholecystokinin - like and somatostatin - like immunoreactivity in limbic lobe is associated with symptoms in schizophrenia. Life Sci. 33 : 475-482.
- Filimonoff, I.N. 1947. A rational subdivision of the cerebral cortex. Arch. Neurol. Psychiatry. 58 : 296-311.
- Fulton, J.F. 1949. Physiology of the neurons system. 3rd. London : Oxford university press.

- Galeno, T.M., and Brody, M.J. 1983. Hemodynamic responses to amygdaloid stimulation in spontaneously hypertensive rats. *Am. J. Physiol.* 245 : R281-R286.
- Gasper, P., Beck, B., Benoit, R., Berger, B., Duyekaerts, C., and Febvret, A. 1989. Sub populations of somatostatin 28-immunoreactive neurons display different vulnerability in senile dementia of the Alzheimer type. *Brain Res.* 490 : 1-13.
- Geary, W.A., and Wooten, G.F. 1983. A behavioral and 2-deoxyglucose autoradiographic study of the effects of cumulative morphine dose on naloxone precipitated withdrawal in the rat. *Brain Res.* 275 : 117-126.
- Geneser-Jensen, F.A., and Blackstad, T.W. 1971. Distribution of acetylcholinesterase in the hippocampal region of the guinea pig I. entorhinal area, parasubiculum, and presubiculum. *Z. Zellforsch* 114 : 460-481.
- Gibson, A., Baker, J., Glickstein, M., and Mower, G. 1978a. Corticopontine cells in area 18 of the cat. *J. Neurophysiol.* 41 : 484-495.
- Goldman-Rakic, P.S., Schwartz, M.L., and Selemon, L.D. 1984. Dual pathways connecting the dorsolateral prefrontal cortex with the hippocampal formation and parahippocampal cortex in the rhesus monkey. *Neurosci.* 12 : 719-734.
- Gordon, J.-J. 1948. N - diethylaminoethylphenothiazine : a specific inhibitor of pseudocholinesterase. *Nature* 162 : 146
- Gray, J.A. 1991. *Neural system, emotion and personality, neurobiology of learning emotion and affect.* New York : Raven Press.
- Harper, R.M., Frysinger, R.C., Marks, J.D., and Trelease, R.B. 1984. State dependent alteration of respiratory cycle timing by stimulation of the central nucleus of the amygdala. *Brain Res.* 306 : 1-8.
- Henke, P.G. 1982. The telencephalic limbic system and experimental gastric pathology: A review. *Neurosci.Rev.* 6 : 381-390.
- Herzog, A.G., and Kemper, T.L. 1980. Amygdaloid changes in aging and dementia. *Arch.Neurol.* 37 : 625-629.
- Hilton, S.M., and Zbrozyna, A.W. 1963. Amygdaloid region for defence reactions and its efferent pathway to the brainstem. *J. Physiol.* 165 : 160-173.
- Hjorth-Simonsen, A. 1971. Hippocampal efferents to the ipsilateral entorhinal area : An experimental study in the rat. *J. Comp. Neurol.* 142 : 417-437.
- Hjorth-Simonsen, A., and Jeune, B. 1972. Origin and termination of the hippocampal perforant path in the rat studied by silver impregnation. *J. Comp. Neurol.* 144 : 215-231.

- Hokfelt, T., Terenius, L., Kuypers, H.G.J.M., and Dann, O. 1979. Evidence for enkephalin immunoreactive neurons in the medulla oblongata projecting to the spinal cord. *Neurosci. Lett.* 14 : 55-60.
- Howell, G.A., Frederickson, C.A., and Perez-Clausell, J. 1991. Zinc containing projections to the bed nucleus of the stria terminalis. *Brain Res.* 562 : 181-189.
- Hoyer, B.H., Goodman, M., Roberts, R.B., and Van de Velde, N.W. 1972. Examination of hominid evolution by DNA sequence homology. *J. Hum. Evol.* 1 : 645-649.
- Huisman, A.M., Kuypers, H.G.J.M., Coonde, F., and Keizer, K. 1983. Collaterals of rubrospinal neurons to the cerebellum in the rat. A retrograde fluorescent double labelling study. *Brain Res.* 264 : 181-196.
- Humphrey, D.R., and Rietz, R.R. 1976. Cells of origin of corticorubral projections from the arm area of primate motor cortex and their synaptic actions in the red nucleus. *Brain Res.* 110 : 162-169.
- Hyman, B.T., Barnes, C.L., Damasio, A.R., and Van Hoesen, G.W. 1982. Alzheimer's disease : Cell-specific pathology isolates the hippocampal formation. *Science* 225 : 1168-1170.
- Hyman, B.T., Damasio, A.R., Kromer, L.J., and Van Hoesen, G.W. 1986. Perforant pathway changes and the memory impairment of Alzheimer's disease. *Ann. Neurol.* 20 : 472-481.
- Jacobson, S., and Trojanowski, J.Q. 1975. Corticothalamic neurons and thalamocortical terminal fields : An investigation in rat using horseradish peroxidase and autoradiography. *Brain Res.* 85 : 385-401.
- Johnston, J.B. 1923. Further contribution to the study of the evolution of the forebrain. *J. Comp. Neurol.* 35 : 337-481.
- Jones, E.G. 1984a. *History of cortical cytology.* New York and London : Plenum Press.
- _____. 1984b. *Laminar distribution of cortical efferent cells.* New York and London : Plenum Press.
- Jones, E.G., Burton, H., and Porter, R. 1975. Commissural and corticocortical columns in the somatic sensory cortex of primates. *Science* 190 : 572-574.
- Jones, E.G., Coulter, J.D., and Hendry, S.H.C. 1978. Intracortical connectivity of architectonic fields in the somatic sensory, motor and parietal cortex of monkey. *J. Comp. Neurol.* 181 : 291-348.
- Jones, E.G., Burton, H., Coulter, J., and Porter, R. 1977. Cells of origin and terminal distribution of corticostriatal fibers arising in the sensory-motor cortex of monkeys.

- J. Comp. Neurol. 173 : 53-80.
- Kaada, B.R. 1972. Stimulation and regional ablation of the amygdaloid complex with reference to functional representations. New York : Plenum Press.
- Kappers, C.U. 1928. The development of the and the functions its different layers. Acta Psychiat. Neurol. 3 : 115-132.
- Kohler, C. 1985. Intrinsic projections of the retrohippocampal region in the rat brain. I. The subicular complex. J. Comp. Neurol. 236 : 504-522.
- Kohler, C., Harkmark, W., Shipley, M.T., and Srebro, B. 1978. Some retrohippocampal afferents to the entorhinal cortex. Cells of origin as studied by the HRP method in the rat and mouse. Neurosci. Lett. 10 : 115-120.
- Krieg, W.J.S. 1946. Connections of the cerebral cortex I. albino rat A. Topography of the cortical areas. J. Comp. Neurol. 84 : 221-275.
- _____. 1947. Connections of the cerebral cortex I. albino rat B. Structure of the cortical areas. J. Comp. Neurol. 86 (3) : 277-394.
- Kuypers, H.G.J.M., and Huisman, A.M., Fluorescent tracers in Fedoreff, S. (Ed). 1984. Advance in cellular neurobiology. New York : Academic Press.
- Kuypers, H.G.J.M., Bentivoglio, M., Catsman-Berrevoets, C.E., and Bharos, A.T. 1980. Double retrograde neuronal labelling through divergent axon collaterals, using two fluorescent tracers with the same excitation wavelength which label different features of the cell. Exp. Brain Res. 40 : 383-391.
- Lewis, P.R. 1961. The effect of varying the conditions in the Koelle technique. Bibliotheca Anat. 2 : 11-20.
- Lorente de No', R. 1933. Studies on the cerebral cortex I. The area entorhinalis. J. Psychol. Neurol. 45 : 381-438.
- _____. 1934. Studies on the structure of the cerebral cortex II. continuation of the study of the ammonic system. J. Psychol. Neurol. 46 : 113-117.
- Lund, J.S., Bunt, A.H., Fuchs, A.F., Hendrickson, A.E., and Lund, R.D. 1975. The origin of efferent pathways from the primary visual cortex, area 17, of the macaque monkey as shown by retrograde transport of horseradish peroxidase. J. Comp. Neurol. 164 : 287-304.
- Magalhaes-Castro, H.H., Magalhaes-Castro, B., and Saraiva, P.E.S. 1975. Identification of corticotectal cells of the visual cortex of cats by means of horseradish peroxidase. Brain Res. 83 : 474-479.

- Markgraf, C.G., Kapp, B.S., and Khazam, C.D. 1985. Fear induced cardiac arrhythmias in the digitalis predisposed rabbit: amygdaloid central nucleus contributions. Soc. Neurosci. Abstr. 11 : 1270.
- Martin, J.B., and Beal, M.F. 1988. Neuropeptide abnormalities in Alzheimer's and Huntington's diseases. Boston : Kluwer Academic Publishers.
- Martin, L.J., Dellovade, T.L., Powers, R.E., and Price, D.L. 1991. The bed nucleus amygdala continuum in human and monkey. J. Comp. Neurol. 309 : 445-485.
- Mathisen, J.S., and Blackstad, T.W. 1964. Cholinesterase in the hippocampal region, distribution and relation to architectonics and afferent systems. Acta Anat. 56 : 216- 253.
- Meibach, R.C., and Siegel, A. 1977. Efferent connections of the hippocampal formation in the rat. Brain Res. 124 : 197-224.
- Mesulam, M-M. 1982. Tracing neural connections with horseradish peroxidase. New York : John Willy and sons.
- Meynert, T. 1867. Der Bau der Grosshirnrinde und seine örtlichen Verschiedenheiten, nebst einem pathologisch-anatomischen Corollarium. Vierteljahrsschr. Psychiatr. 1 : 77-93 .
- Meynert, T. 1868. Der Bau der Grosshirnrinde und seine örtlichen Verschiedenheiten, nebst einem pathologisch-anatomischen Corollarium. Vierteljahrsschr. Psychiatr. 1 : 381-403, 2 : 88-113.
- Meynert, T. 1869-1872. Von Gehirne der Säugethiere. In Handbuch der Lehre von der Gewebe des Menschen und der Thiere. 2 : 694-808.
- Mishkin, M. 1978. Memory in monkeys severely impaired by combined but not separate removal of amygdala and hippocampus. Nature 273 : 297-298.
- Nair, N.P.V., Bloom, D.M., and Lal, S. 1986. Cholecystokinin and schizophrenia. Prog. Brain Res. 65 : 237-258.
- Panya, D.N., Domesick, V.B., and Van Hoesen, G.W. 1973. A cinguloamygdaloid projection in the rhesus monkey. Brain Res. 61 : 369-373.
- Pellegrino, L.J., Pellegrino, A.S., and Cushman, A.J. 1981. A stereotaxic atlas of the rat brain. 2nd. New York and London : Plenum Press.
- Pelletier, G., Liao, N., Follea, N., and Govindan, M.V. 1988. Mapping of estrogen receptor producing cells in the rat brain by in situ hybridization. Neurosci. 94 : 23-28.
- Pfaff, D., and Keiner, M. 1973. Atlas of estradiol-concentrating cells in the central nervous system in the female rat. J. Comp. Neurol. 151 : 121-158.

- Robson, J.A., and Hall, W.C. 1975. Connections of layer VI in striate cortex of the gray squirrel. *Brain Res.* 93 : 133-139.
- Romagnano, M.A., and Maciewicz, R.J. 1975. Peroxidase labelling of motor cortex neurons projecting to ventrolateral nucleus in the cat. *Brain Res.* 83 : 469-473.
- Rose, J.E., and Woolesly, C.N. 1948. Structure and relations of limbic cortex and anterior thalamic nuclei in rabbit and cat. *J. Comp. Neurol.* 89 : 279-347.
- Rose, M. 1926. Der allocortex beiteirund mensch. *J. Psychol. Neurol.* 32 : 97-160.
- _____. 1927. Die sog riechrinde beim mensche und beim affen II. teil des "Allocortex bei teir und mensch." *J. Psychol. Neurol.* 34 : 261-401.
- _____. 1929. Cytoarchitektonischer atlas der grosshirnrinde der maus. *J. Psychol. Neurol.* 40 : 1-51.
- _____. 1931. Cytoarchitektonischer atlas der grosshirnrinde der kaninchens. *J. Psychol. Neurol.* 43 : 353-440.
- Ruth, R.E., Collier, T.J., and Routtenberg, R. 1982. Topography between the entorhinal cortex and the dentate septotemporal axis in rats I. medial and intermediate entorhinal projecting cells. *J.Comp. Neurol.* 209 : 69-78.
- Sanides, F. 1962. *Die architektonik des menschlichen stimhirns.* Berlin and New York : Springer-Verlag.
- Sarich, V.M., and Cronin, J.E. 1976. *Molecular systematics of the primates.* n.p..
- Sarich, V.M., and Wilson, A. 1967. Immunological timescale for hominid evolution. *Science* 158 : 1200-1203.
- Sawchenko, P.E., and Swanson, L.W. 1981. A methode for tracing biochemically defined pathways in the central neurons system using combined fluorescent retrograde transport and immunohistochemical techniques. *Brain Res.* 210 : 31-51.
- Schmued, L.C., and Fallon, J.H. 1986. Fluoro-gold : a new fluorescent retrograde axonal tracer with humerous unique properties. *Brain Res.* 377 : 147-154.
- Scoville, W.B. 1954. The limbic lobe in man. *J. Neurol. Surg.* 11 : 64-66.
- Seltzer, B., and Pandya, D.N. 1984. Further observations on parietotemporal connections in the rhesus monkey. *Exp. Brain Res.* 55 : 301-312.
- Seltzer, B., and Van Hoesen, G.W. 1979. A direct inferior parietal lobule projection to the presubiculum in the rhesus monkey. *Brain Res.* 179 : 157-161.
- Sheridan, P.J. 1979. The nucleus interstitialis stria terminalis and th nucleus amygdaloideus medialis : prime targets for androgen in the rat forebrain. *Endocrinology.* 104 : 130-136.

- Shipley, M.T. 1975. The topographical and laminar organization of the presubiculum's projection to the ipsi- and contralateral entorhinal cortex in the guinea pig. *J. Comp. Neurol.* 160 : 127-146.
- Sikes, R.W., Chronister, R.B., and White, L.E. Jr. 1978. Origin of the direct hippocampus-anterior thalamic bundle in the rat: A combined horseradish peroxidase golgi analysis. *Exp. Neurol.* 57 : 379-395.
- Smith, E.R., and Davidson, J.M. 1967. Testicular maintenance and its inhibition in pituitary transplanted rats. *Endocrinology* 80 : 725-734.
- Sorensen, K.E., and Shipley, M.T. 1979. Projections from the subiculum to the deep layer's of the ipsilateral presubiculum and entorhinal cortices in the guinea pig. *J. Comp. Neurol.* 188 : 313-334.
- Spatz, W.B. 1975. An efferent connection of the solitary cells of Meynert : A study with horseradish peroxidase in the marmoset callithrix. *Brain Res.* 92 : 450-455.
- Sripanidkulchai, K. 1986. Cortical and thalamic connections of the retrosplenial cortex in the rat. Doctor of Philosophy Graduate school University of Alabama at Birmingham.
- Sripanidkulchai, K., and Wyss, J.M. 1986 Two rapid methods of counterstaining fluorescent dye tracer containing sections without reducing the fluorescence. *Brain Res.* 397 : 117-129.
- Sripanidkulchai, K., and Wyss, J.M. 1994. Tracing neuronal connection-retrograde transport of fluorescence dye. *The second annual meeting Thai Neuroscience Society.* 2 : 36-53.
- Stephan, H. 1975. *Allocortex, Handbuch der mikroskopischen anatomie des menschen.* Berlin and New York : Springer verlog.
- Stevens, J.R. 1973. An anatomy of schizophrenia? *Arch. Gen. Psychiatry.* 29 : 177-189.
- Steward, O. 1976. Topographic organization of the projections from the entorhinal area to the hippocampal formation of the rat. *J. Comp. Neurol.* 167 : 285-314.
- Steward, O., and Scoville, S.A. 1976. Cells of origin of entorhinal cortical afferents to the hippocampus and fascia dentata of the rat. *J. Comp. Neurol.* 169 : 347-370.
- Stumpf, W.E. 1970. Estrogen-neurons and estrogen-systems in the periventricular brain. *Am. J. Anat.* 129 : 207-218.
- Sun, N., Cassell, M.D., and Roberts, L. 1991. Rat central amygdaloid nucleus projections to the bed nucleus of the stria terminalis. *Brain Res.* 27 : 651-662.

- Swanson, L.W., and Cowan, W.M. 1977. An autoradiographic study of the organization of the efferent connection of the hippocampal formation in the rat. J. Comp. Neurol. 172 : 49-84.
- Swerdloff, R.S., Walsh, P.C., and Odell, W.D. 1972. Control of LH and FSH secretion in the male : Evidence that aromatization of androgens to estradiol is not required for inhibition of gonadotropin secretion. Steroids 20 : 13-22.
- Van der Kooy, D., Kuypers, H.G.J.M., and Catsman-Berrevoets, C.E. 1978. Single mamillary body cell with divergent axon collaterals. Demonstration by a single fluorescent retrograde double labelling technique in rat. Brain Res. 158 : 189-196.
- Van Hoesen G.W. 1982. The parahippocampal gyrus. New observations regarding its cortical connections in the monkey. Trends Neurosci. 5 : 345-350.
- Van Hoesen, G.W., and Hyman, B.T., 1990. Hippocampal formation : anatomy and the patterns of pathology in Alzheimer's disease. Prog. Brain Res. 83 : 445-570.
- Van Hoesen, G.W., and Pandya, D.N. 1975a. Some connections of the entorhinal (area28) and perirhinal (area35) cortices of the rhesus monkey I. temporal lobe afferents. Brain Res. 95 : 1-24.
- Van Hoesen, G.W., and Pandya, D.N. 1975b. Some connections of the entorhinal (area28) and perirhinal (area35) cortices of the rhesus monkey III. efferents connections. Brain Res. 95 : 35-59.
- Vaz Ferreira, A. 1951. The cortical areas of the albino rat studies by silver impregnation. J. Comp. Neurol. 95 : 177-243.
- Vogt, B.A., and Miller, M.W. 1983. Cortical connections between rat cingulate cortex and visual motor and postsubicular cortices. J. Comp. Neurol. 216 : 192-210.
- Vogt, B.A., Sikes, R.W., Swadlow, H.A., and Weyand, T.G. 1986. Rabbit cingulate cortex : cytoarchitecture, physiological border with visual cortex, and afferent connections of visual, motor, postsubicular and intracingulate origin. J. Comp. Neurol. 248 : 74-94.
- Vogt, C., and Vogt, O. 1956. Weitere ausfuehrungen zum arbeits programm des hirnforschungs in stituts in neustadt. Schwarzwald 2 : 403-427.
- Vogt, O. 1910. Die myeloarchitektonische felderung des menschlichen stirnhirns. J. Psychol. Neurol. 15 : 221.

- Weisberg, J.A., and Rustioni, A. 1976. Cortical cells projecting to dorsal column nuclei of cats : An anatomical study with the horseradish peroxidase technique. *J. Comp. Neurol.* 168 : 425-437.
- Weller, K.L., and Smith, D.A. 1982. Afferent connections to the bed nucleus of the stria terminalis. *Brain Res.* 232 : 255-270.
- Winfield, D.A., Gatter, K.C., and Powell, T.P.S. 1975. Certain connections of the visual cortex of the monkey shown by the use of horseradish peroxidase. *Brain Res.* 92 : 456-461.
- Wise, S.P., and Jones, E.G. 1976. The organization and postnatal developmet of the commissural projection of the rat somatic sensory cortex. *J. Comp. Neurol.* 163 : 313-343.
- _____. 1977a. Cells of origin and terminal distribution of descending projections of the rat somatic sensory cortex. *J. Comp. Neurol.* 175 : 129-158.
- _____. 1977b. Topographic and columnar distribution of the corticotectal projection from the rat somatic sensory cortex. *Brain Res.* 133 : 223-235.
- Witter, M.P., and Groenwegen, H.T. 1984. Laminar origin and septotemporal distribution of entorhinal and perirhinal projections to the hippocampus in the cat. *J. Comp. Neurol.* 224 : 317-385.
- Witter, M.P., Griffioen, A.W., Jorritsma-Byham, B.J., and Krijnen, J.L.M. 1988. Entorhinal projections to the hippocampal CA1 region in the rat : An underestimated pathways. *Neurosci. Lett.* 85 : 193-198.
- Witter, M.P., Van Hoesen, G.W., and Amaral, D.G. 1989. Topographical organization of the entorhinal projection to the dentate gyrus of the monkey. *J. Neurosci.* 9 : 612-228.
- Young, M.W. 1936. The nuclear pattern and fiber connections of the non-cortical centers of the telencephalon of the rabbit. *J. Comp. Neurol.* 65 : 295-401.
- Zech, M., and Bogerts, B., 1985. Methionine-enkephalin and substance P in the basal ganglia of normals, Parkinson patients, Huntington's patients, and Schizophrenics. *Acta Neuropathol.* 68 : 32-38.
- Zech, M., Bogerts, B., Crow, T.J., Polak, J.M., and Roberts, G.W., 1986. Neuropeptides in the amygdala of controls, schizophrenics and patients suffering from Huntington's chorea : An immunohistochemical study. *Acta Neuropathol.* 71 : 259-266.

- Zola-Morgan, S., and Squire, L.R. 1985. Medial temporal resions in monkeys impair memory in a variety of tasks sensitive to amnesia. Behav. Neurosci. 99 : 22-34.
- Zola-Morgan, S., and Squire, L.R. 1986. Memory impairment in monkeys following lesions of the hippocampus. Behav. Neurosci. 100

