



ชื่อเรื่องวิทยานิพนธ์ ความสัมพันธ์ระหว่างการปรับตัวด้านอัตมโนทัศน์ กับการปรับตัวด้านบทบาท


หน้าที่ ในผู้ป่วยมะเร็ง เต้านมภายหลังผ่าตัดเต้านมออก

ชื่อผู้ทำวิทยานิพนธ์ นางสาววันทนา ดลโสภณ

คณะกรรมการที่ปรึกษาวิทยานิพนธ์

..........ประธานกรรมการ
(รองศาสตราจารย์สุจิตรา ลิ้มอำนวยลาก)

..........กรรมการ
(ผู้ช่วยศาสตราจารย์เพ็ญจันทร์ เลิศรัตน์)

..........กรรมการ
(รองศาสตราจารย์ปัญญากรณ์ ชุติงกร)

บทคัดย่อ

การวิจัยครั้งนี้ เป็นการศึกษาความสัมพันธ์ระหว่างการปรับตัวด้านอัตมโนทัศน์ กับการปรับตัวด้านบทบาทหน้าที่ในผู้ป่วยมะเร็ง เต้านมภายหลังการผ่าตัดเต้านมออก โดยใช้ทฤษฎีการปรับตัวของ Roy เป็นกรอบแนวคิดในการวิจัย กลุ่มตัวอย่างที่ใช้ในการวิจัย เป็นผู้ป่วยมะเร็ง เต้านมภายหลังการผ่าตัด และรักษาด้วยเคมีบำบัดร่วมด้วย กำลังติดตามการรักษาที่โรงพยาบาล ศรีนครินทร์ โรงพยาบาลศูนย์ขอนแก่น และโรงพยาบาลมหาราชนครราชสีมา ขนาดของกลุ่มตัวอย่างคำนวณจากสูตรของ Lachin (1981) ได้ขนาดของกลุ่มตัวอย่าง จำนวน 86 ราย และสุ่มกลุ่มตัวอย่างแบบง่าย เครื่องมือที่ใช้ในการวิจัยประกอบด้วย 3 ชุด คือ ชุดที่ 1 ลักษณะทั่วไปของกลุ่มตัวอย่าง ชุดที่ 2 แบบวัดอัตมโนทัศน์ ซึ่งดัดแปลงจากเครื่องมือวัดอัตมโนทัศน์ของ เมซิดู ไซคบาร์ง (2535) ที่สร้างจากทฤษฎีการปรับตัวของ Roy เฉพาะด้านอัตมโนทัศน์ มีค่าความเที่ยง เมื่อนำไปใช้กับผู้ป่วยมะเร็ง เต้านมเท่ากับ 0.71 ชุดที่ 3 แบบวัดพฤติกรรมด้านบทบาทหน้าที่ ผู้วิจัยสร้างจากทฤษฎีการปรับตัวของ Roy มีบทบาทของภรรยา บทบาทมารดา บทบาทอาชีพหรือการทำงานและบทบาทผู้ป่วยเรื้อรัง มีค่าความเที่ยง เมื่อนำไปใช้กับผู้ป่วยมะเร็ง

คำนวณเท่ากับ 0.79 เก็บข้อมูลในช่วงวันที่ 15 ตุลาคม 2537 ถึง วันที่ 25 พฤษภาคม 2538 ทำการวิเคราะห์ข้อมูลโดยการหาค่าสัมประสิทธิ์สหสัมพันธ์ของเพียร์สัน (Pearson's product moment correlation coefficient) และทดสอบความมีนัยสำคัญของค่าสัมประสิทธิ์สหสัมพันธ์โดยการทดสอบที (t-test)

ผลการวิจัยสรุปได้ว่า

การปรับตัวด้านอัตมโนทัศน์มีความสัมพันธ์ทางบวกกับการปรับตัวด้านบทบาทหน้าที่ในผู้ป่วยมะเร็งเต้านมภายหลังการผ่าตัดเต้านมออก อย่างมีนัยสำคัญทางสถิติ ($r = 0.4914$, $p < 0.001$)

ความสัมพันธ์ในรายด้าน พบว่า

การปรับตัวด้านอัตมโนทัศน์มีความสัมพันธ์ทางบวกกับบทบาทภรรยาในผู้ป่วยมะเร็งเต้านมภายหลังการผ่าตัดเต้านมออก อย่างมีนัยสำคัญทางสถิติ ($r = 0.3834$, $p < 0.001$)

การปรับตัวด้านอัตมโนทัศน์มีความสัมพันธ์ทางบวกกับบทบาทมารดาในผู้ป่วยมะเร็งเต้านมภายหลังการผ่าตัดเต้านมออก อย่างมีนัยสำคัญทางสถิติ ($r = 0.4808$, $p < 0.001$)

การปรับตัวด้านอัตมโนทัศน์มีความสัมพันธ์ทางบวกกับบทบาทอาชีพหรือการทำงานในผู้ป่วยมะเร็งเต้านมภายหลังการผ่าตัดเต้านมออก อย่างมีนัยสำคัญทางสถิติ ($r = 0.2983$, $p < 0.001$)

การปรับตัวด้านอัตมโนทัศน์มีความสัมพันธ์ทางบวกกับบทบาทผู้ป่วยเรื้อรังในผู้ป่วยมะเร็งเต้านมภายหลังการผ่าตัดเต้านมออก อย่างมีนัยสำคัญทางสถิติ ($r = 0.3986$, $p < 0.001$)

THESIS TITLE : RELATIONSHIP BETWEEN ADAPTATION IN SELF-CONCEPT AND
ADAPTATION IN ROLE FUNCTION OF BREAST CANCER PATIENTS
WITH MASTECTOMY

AUTHOR : MISS WANTANA DOLSOPHON

THESIS ADVISORY COMMITTEE :

.....*Suchitra Limunnolap*.....Chairman
(Associate Professor Suchitra Limunnolap)

.....*Penchun Lertrat*.....Member
(Assistant Professor Penchun Lertrat)

.....*Piyakorn Chutangkorn*.....Member
(Associate Professor Piyakorn Chutangkorn)

ABSTRACT

The purpose of this study was to investigate the relationship between adaptation in the self-concept and adaptation in the role function of the breast cancer patients with mastectomy. The conceptual framework was Roy's adaptation model. The sample was composed of 86 breast cancer patients with mastectomy and chemotherapy which was calculated from Lachin's formula (1981) who were selected by simple random sampling which were on the follow-up schedule at Srinagarind hospital, Khonkean center hospital and Maharahnakonrachasima hospital. The instruments used in this study were demographic data questionnaire, self-concept questionnaire

developed based on Roy's adaptation model. The reliability of self-concept questionnaire was 0.71. The role function questionnaire was developed based on Roy's adaptation model and consisted of 4 components : wife role, mother role, work or occupation role and chronic patient role. The reliability of role function questionnaire was 0.79. Sample was collected during 15th October 1994 to 25th May 1995. The data were analysed by using Pearson's product moment correlation coefficient, and t-test was used to test for the significant relationship.

The results is as the following.

There is a statistically significant positive correlation between adaptation in self-concept function and adaptation in the role function of the breast cancer patients with mastectomy ($r = 0.4914$, $p < 0.001$).

There is a statistically significant positive correlation between adaptation in self-concept and wife role of the breast cancer patients with mastectomy ($r = 0.3834$, $p < 0.001$).

There is a statistically significant positive correlation between adaptation in self-concept and mother role of the breast cancer patients with mastectomy ($r = 0.4808$, $p < 0.001$).

There is a statistically significant positive correlation between adaptation in self-concept and work or occupation role of the breast cancer patients with mastectomy ($r = 0.2983$, $p < 0.001$).

There is a statistically significant positive correlation between adaptation in self-concept and chronic patient role of the breast cancer patients with mastectomy ($r = 0.3986$, $p < 0.001$).