

เอกสารอ้างอิง

- กรกานต์ ป้อมบุญมี. (2538). ผลของการใช้โปรแกรมการออกกำลังกายต่อสมรรถภาพทางกายของผู้สูงอายุ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- กระทรวงสาธารณสุข. (2543). สถิติสาธารณสุข. กรุงเทพฯ ๑: องค์การสงเคราะห์ทหารผ่านศึก.
- กิตติกร พรหมจันทร์. (2541). เอกสารประกอบการสอนวิชาการออกกำลังกายเพื่อการรักษา 3. เชียงใหม่. คณะเทคนิคการแพทย์ มหาวิทยาลัยเชียงใหม่.
- กุสุมา คุววัฒนสัมฤทธิ์. (2539). คุณภาพชีวิตของผู้ป่วยหลังผ่าตัดทำทางเบี่ยงหลอดเลือดหัวใจ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- เขมิกา ยามะรัต. (2527). ความพึงพอใจในชีวิตของคนชรา ศึกษากรณีข้าราชการบำนาญ กระทรวงเกษตรและสหกรณ์. วิทยานิพนธ์สังคมศาสตรมหาบัณฑิต สาขาสังคมศาสตร์การแพทย์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- จริยา ตันติธรรม. (2536). รูปแบบการช่วยเหลือผู้ป่วยโรคกล้ามเนื้อหัวใจตายเฉียบพลันในการพัฒนาความสามารถในการดูแลตนเอง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- จริยา ตันติธรรม. (2540). การพยาบาลผู้ป่วยที่ใส่โคโรนารีสเตนต์ (coronary stent). Ramathibadi Nursing Journal. (3)1, 81-101.
- จิรวรรณ อินคุ่ม. (2541). การศึกษาพฤติกรรมการส่งเสริมสุขภาพของผู้สูงอายุโรคหลอดเลือดหัวใจตีบ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ฉัฐยา จิตประไพ. (2532). กรณีเลือกสรรการพยาบาลเพื่อฟื้นฟูสภาพ เล่ม 3 หน่วยที่ 11-15. กรุงเทพฯ: อักษรไทย.
- ฉัฐยา จิตประไพ. (2536). การฟื้นฟูสมรรถภาพหัวใจในโรคหลอดเลือดโคโรนารี. ใน สมชาติ โลจายะ, บุญชอบ พงษ์พาณิชย์, และพันธุ์พิชญ์ สาครพันธ์ (บรรณาธิการ.), ตำราโรคหัวใจและหลอดเลือด (หน้า 1126-1135). กรุงเทพฯ: คณะแพทยศาสตร์ศิริราชพยาบาล.

- ชมรมฟื้นฟูหัวใจ สมาคมแพทย์โรคหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์. (1999). Cardiac rehabilitation guideline [Online]. Available: <http://www.thaiheart.org/careshai/rehabguide.htm> [1999, Dec 20].
- ชวนพิศ ทำนอง. (2527). ผลของการฟื้นฟูสมรรถภาพหัวใจต่อความสามารถในการออกกำลังกายและการทำกิจกรรมในผู้ป่วยกล้ามเนื้อหัวใจตายเฉียบพลัน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และ ศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ชมภูนุท อ่องจรีต. (2538). โรคหัวใจขาดเลือด. ใน วิทยา ศรีดามา (บรรณาธิการ.), ตำราอายุรศาสตร์ 2 (หน้า 709-725). กรุงเทพฯ: ยูนิตีพับลิเคชั่น.
- ชูศักดิ์ เวชแพทย์, และกันยา ปาละวิวัฒน์. (2536). สรีรวิทยาการออกกำลังกาย. กรุงเทพฯ: ธรรมการพิมพ์.
- ณัฐสุภา ฉลาดสุนทรวาทิ. (2539). การดูแลตนเองของผู้ป่วยโรคกล้ามเนื้อหัวใจตายเฉียบพลัน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ดำรง กิจกุล. (2536). คู่มือการออกกำลังกาย. กรุงเทพฯ: เอช-เอ็น สเตชันนารีและการพิมพ์.
- ดุจใจ ชัยวานิชศิริ. (2539). การฟื้นฟูผู้ป่วยโรคหัวใจ. ใน เสก อักษรานุเคราะห์. (บรรณาธิการ.), ตำราเวชศาสตร์ฟื้นฟู เล่ม 2. (พิมพ์ครั้งที่ 3) (หน้า 865-899). กรุงเทพฯ: สมาคมเวชศาสตร์ฟื้นฟูแห่งประเทศไทย.
- เดือนฉาย ชยานนท์, ฉลาด โสมบุตร, และถาวร สุทธิไชยากุล. (2537). Update in ischemic heart disease. ใน วิทยา ศรีดามา (บรรณาธิการ.), อายุรศาสตร์ (หน้า 22-45). กรุงเทพฯ: ยูนิตีพับลิเคชั่น.
- ทัศนีย์ จินางกูร. (2530). คุณภาพชีวิตของผู้ป่วยไตล้มเหลวเรื้อรังที่รักษาด้วยการล้างช่องท้อง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- นพรัตน์ ธนชัยพันธ์. (2537). Coronary artery heart disease. ใน เกษม วัฒนชัย และคณะ. (บรรณาธิการ.), ตำราโรคหัวใจทางคลินิก (หน้า 261-275). เชียงใหม่: โรงพิมพ์ป๋อง.
- นัฏฐกาล ลีลารุ่งระยับ. (2540). กายภาพบำบัดทางระบบทรวงอก เล่ม 2. เชียงใหม่. คณะเทคนิคการแพทย์ มหาวิทยาลัยเชียงใหม่.
- นิ่มนวล ศรีจาด. (2537). โรคหลอดเลือดหัวใจ : ปัจจัยเสี่ยงและแนวทางป้องกัน. วารสาร มหาวิทยาลัยพายัพ. (3)1, 18-30.

- ประกอบ อินทรสมบัติ.(2539). การดูแลตนเองในผู้ป่วยเรื้อรัง. ใน สมจิต หนูเจริญกุล (บรรณาธิการ.), การดูแลตนเอง: ศาสตร์และศิลปะทางการแพทย์ (หน้า 133-164). กรุงเทพฯ: วี.เจ. พรินติ้ง.
- ประดิษฐ์ชัย ชัยเสรี และคณะ. (2537). ทางเลือดในการรักษาภาวะหลอดเลือดอุดตันเฉียบพลัน. *คลินิก*. 10(11), 759-764.
- ประภา รัตนเมธานนท์. (2532). การศึกษาปัจจัยบางประการที่มีผลต่อคุณภาพชีวิตของผู้ป่วยโรคกล้ามเนื้อหัวใจตาย. *ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล*.
- พิชิต ภูติจันทร์, ธงชัย วงศ์เสนา, และชัยวิชญ์ ภูงามทอง. (2533). *วิทยาศาสตร์การกีฬา*. กรุงเทพฯ: แสงศิลป์การพิมพ์.
- วิภา เข็มคำอาจค์. (2536). การสร้างมาตรฐานการพยาบาลเพื่อฟื้นฟูสมรรถภาพร่างกายในผู้ป่วยโรคหลอดเลือดหัวใจ. *วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาล อายุรศาสตร์และสัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่*.
- วิศาล กันธรัตน์กุล. (บรรณาธิการ). (กันยายน, 2538). คู่มือการอบรม ครั้งที่ 1 เวชศาสตร์ฟื้นฟูในผู้ป่วยโรคหัวใจ แนวทางการรักษาที่ควรรู้ ณ ห้องประชุมชั้น 5 อาคารศูนย์การแพทย์ศิริกิติ์ โรงพยาบาลรามารับดี.
- วิชัย ต้นไผจิตร. (2534). ไข่มุกกับโรคหัวใจตีบตัน. ใน กมล สีนชวนนท์ และคณะ (บรรณาธิการ.), *หัวใจของเรา* (หน้า 104-113). กรุงเทพฯ: อักษรสัมพันธ์.
- วิไล พัววิไล. (2536). การทดสอบสมรรถภาพหัวใจด้วยการออกกำลังกาย. ใน สมชาติ โลจายะ, บุญชอบ พงษ์พาณิชย์, และพันธุ์พิชญ์ สาครพันธ์ (บรรณาธิการ.), *ตำราโรคหัวใจและหลอดเลือด* (หน้า 282-290). กรุงเทพฯ: คณะแพทยศาสตร์ศิริราชพยาบาล.
- ศูนย์โรคหัวใจ. (2541-2542). สถิติผู้ป่วยโรคหลอดเลือดหัวใจตีบที่ได้รับการขยายหลอดเลือดด้วยบอลลูนและขดลวดโครงตาข่าย. *โรงพยาบาลมหาราชนครเชียงใหม่*.
- สมชาติ โลจายะ. (บรรณาธิการ). (2526). *โรคหลอดเลือดโคโรนารีในประเทศไทย*. วารสารอายุรศาสตร์, 3(), 111-114.
- สมชาติ โลจายะ, บุญชอบ พงษ์พาณิชย์, และพันธุ์พิชญ์ สาครพันธ์. (บรรณาธิการ). (2536). *ตำราโรคหัวใจและหลอดเลือด*. กรุงเทพฯ: คณะแพทยศาสตร์ศิริราชพยาบาล.
- สมจิตร พึ่งวงศ์สำราญ. (2541). คุณภาพชีวิตของผู้ป่วยโรคหลอดเลือดหัวใจตีบในระยะก่อนและหลังขยายหลอดเลือดโคโรนารีด้วยบอลลูน. *วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต*

- สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- สายฝน จีบใจ. (2540). คุณภาพชีวิตของผู้สูงอายุโรคหลอดเลือดหัวใจตีบ. วิทยานิพนธ์พยาบาล
ศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- สุรพันธ์ สิทธิกุล. (2538). โรคหัวใจขาดเลือด. การประชุมวิชาการประจำปีชมรมพยาบาลโรคหัวใจ
และทรวงอกแห่งประเทศไทย (หน้า 1-29). ห้องบรรยายอาทิตยาทรกิตติคุณ
ตึกสยามมินทร์ ชั้น 7 โรงพยาบาลศิริราช.
- สุนีย์ เขียมศิริกุล. (2540). ปัจจัยที่เกี่ยวข้องกับการมารับการรักษาของผู้ป่วยกลุ่มอาการหัวใจ
ขาดเลือดเฉียบพลัน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่,
บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- สุเอ็ด กษเสนีย์. (2531). โรคหัวใจขาดเลือด. คลินิก. (5)4, 337-340.
- หน่วยเวชระเบียนและสถิติ. (2537-2540). สถิติผู้ป่วยใน. โรงพยาบาลมหาราชนครเชียงใหม่.
- อุดม โปษกฤษณะ. (2534). บันทึกประสบการณ์โรคหลอดเลือดหัวใจตีบตัน. ใน กมล สันธวานนท์
และคณะ (บรรณาธิการ.), หัวใจของเรา (หน้า 46-51). กรุงเทพฯ: อักษรสัมพันธ์.
- อุมา จันทวิเศษ. (2539). การให้ความหมายเกี่ยวกับความเจ็บป่วยและการดูแลตนเองของผู้ป่วย
หลังเกิดภาวะกล้ามเนื้อหัวใจตาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต
สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- Abela, G.S. & Conti, C.R. (1994). The use of the laser in treatment of coronary and peripheral
Arterial obstruction. In J.W. Schlant. (Ed.), **The heart** (pp.1359-1365). New York:
McGraw-Hill.
- Adelman, A.G. et al. (1993). A comparison of directional atherectomy with balloon angioplasty
for lesion of the left anterior descending coronary artery. **New England Journal of
Medicine**, 329(4), 228-333.
- American Association of Cardiovascular & Pulmonary Rehabilitation. (1995). **Guidelines for
cardiac rehabilitation** (2nd ed.): Human Kinetics.
- American Heart Association.(1998). Cardiovascular disease statistic [Online]. Available:
http://www.americanheart.org/Heart_and_Stroke_A_Z_Guide/cvds.html [1999 Doc. 28]
- American Heart Association.(1998). Angioplasty and cardiac revascularization [Online].
Available: http://www.americanheart.org/Heart_and_Stroke_A_Z_Guide/angioc.html
[1999 Doc. 28]

- American Heart Association.(1995).Physical activity and cardiovascular health: fact sheet [Online]. Available: <http://www.americanheart.org/Scientific/statement/1995/029530.html> [1999 Dec. 28].
- Beere, P.A., Russel, S.D., & Morey, M.C. (1999). Aerobic exercise training can reverse age-related peripheral circulatory change in healthy older-man. *Circulation*, 100(), 1085-1094.
- Belardinelli, R. (1998, November). Moderate exercise training improves outcomes following Coronary angioplasty or stent [Online]. Available: <http://www.medscape.com/Medscape/CNO/1998/AHA/11.09/beta.15/beta.15.html> [1998, Nov 09].
- Berghorn, F.S., Schafer, D.E. & Associates. (1981). **The dynamics of aging**. Colorado: Wastview Press.
- Bjarnason, W.B., Predel, H.G., Graf, C., & Rost, R. (1999, April). Ambulatory cardiac phaseII rehabilitation "The cologne model" including 3 year outcome after termination of rehabilitation: <http://www.medscape.com/Medscape/CNO/1998/AHA/11.09/beta.15/beta.15.html> [1998, Nov 09].
- Boue, A.A., & Santamore, W.P. (1987). Mechanical performance of the heart. In R.O. Brandenburg, V. Fuster, E.R. Giuliani, & D.C. McGoon (Eds.), **Cardiology fundamentals and practice** (pp. 149 – 163). London: Year book medical.
- Brannon, F.J., Geyer, M.J. & Foley, M.W. (1988). **Cardiac rehabilitation**. Philadelphia: F.A. Davis.
- Buja, L.M., & McAllister, H.A. (1995). Anatomic abnormal. In J.T. Willerson., & J.N. Cohn. (Eds.), **Cardiovascular medicine** (pp.316-333). New York: Churchill Livingstone.
- Burke, L.E. (1990). Cardiovascular disturbance and sexuality. In C.I. Fogel., & D. Lauver. (Eds.), **Sexual health promotion**.(pp.360-371). Philadelphia: WB. Saunders.
- Cahaline, L.P. (1998, January). Physical therapy assessment and treatment techniques of Cardio – pulmonary disease. เอกสารประกอบการอบรมวิชาการ ณ อาคารการศึกษานานาชาติ ชั้น 13 จุฬาลงกรณ์มหาวิทยาลัย.
- Chin, P.A., Finocchiaro, D.N., & Roscrough, A. (1998). **Rehabilitation nursing practice**. New York: McGraw – Hill.
- Chung, E.K. (1983). **Exercise electrocardiography practical approach** (2nd ed.). Baltimore:

Waverly.

- Davies, M.J. (1994). The pathology of coronary atherosclerosis. In J.W. Schlant (Ed.), **The heart** (pp.1009-1020). New York: McGraw-Hill.
- DeBusk, R.F., Blomquist, C.G., Kouchoukos, N.T. et al. (1986). Identification and treatment of low risk patients after acute myocardial infarction and CABG surgery. **Nursing English Journal Medicine**. 314(6): 161.
- Douglas, J.S. (1994). Coronary angioplasty. In J.W. Hurst (Eds.), **Current therapy in cardiovascular disease** (pp.201-205). New York: Mosby.
- Fardy, P.S., & Yanawitz, F.G. (1995). **Cardiac rehabilitation adult fitness and exercise testing** (3rd ed.). Baltimore: Waverly.
- Fermer, J.A., & Gotto, A.M. (1997). Dyslipidemia and other risk factors for coronary artery disease. In E. Braunwald. (Ed.), **Heart disease: A text book of cardiovascular medicine**. (pp.1126-1160).Philadelphia: WB. Saunders.
- Ferrans, C.E. & Power, M.J. (1985). Quality of life index: development and psychometric properties. **Advance in Nursing Science**, 8(10), 15-24.
- Ferrans, C.E. (1992). Conceptualization of life in cardiovascular research. **Progress in Cardiovascular Nursing**, 7(2), 2-6.
- Franey, M.H. et al. (1991). Using stent in the coronary circulation: Nursing perspective. **Focus On Critical Care**, 18(), 132-140.
- Gersh, B.J., Braunwald, E., & Rutherford, J.D. (1997). Chronic coronary artery disease. In E. Braunwald. (Ed.), **Heart disease: A Textbook of cardiovascular medicine** (pp.1289-1365). Philadelphia: WB. Saunder.
- Guyton, A.C., & Hall, J.E. (2000). **Textbook of medical physiology** (pp.1059-1069). Philadelphia: W.B. Saunder.
- Haak, S.W., & Huether, S.E. (1992). The person with angina pectoris. **Cardiovascular nursing: Holistic care** (pp.221-249). St. Louis: Mosby.
- Hanucharunkul, S. (1988). **Social support, self-care and quality of life in cancer patient receiving radiotherapy in thailand**.Dissertation for the degree of doctor of philosophy, Graduate school of Wayne State University, Detroit, Michigan.

- Hillegoss, E.A. & Sadowsky, H.S. (1994). **Essentials of cardiopulmonary physical therapy**. Philadelphia: W.B. Saunders company.
- Hillis, L.D. & Rutherford, J.D. (1994). Coronary angioplasty compared with bypass grafting. **New England Journal of Medicine**, 331(6), 1086.
- Hudak, C.M., Gallo, B.M. (1994). **Critical care nursing: a holistic approach** (6th ed). Philadelphia: Lippincott.
- Irwin, S., & Teckin, J.S. (1995). **Cardiopulmonary physical therapy** (3rd ed.). St.Louis: Mosby
- Karam, C. (1989). A practical guide to cardiac rehabilitation. Maryland: Aspen Publication, Inc.
- King, I.M. (1994). Quality of life goal attainment. **Nursing Science Quarterly**, 7(1), 29-35.
- Kinney, M.R., Packa, D.R., Andreoli, K.G., & Zipes, D.P. (Eds.). (1991). **Comprehensive cardiac care** (7th ed.). St.Louis: Mosby Year Book.
- Kinney, M.R., Burfitt, S.N., Stullenbarger, E., Rees, B., & Debolt, M.R. (1996). Quality of life in cardiac patient research: a meta-analysis. **Nursing Research**, 45(3), 173-180.
- Landau, C., Lange, R.A., & Hillis, D. (1994). Percutaneous transluminal coronary angioplasty. **New England Journal of Medicine**, 330(14), 981-993.
- Lavie, C.J., & Milani, R.V. (1994). Patients with high baseline exercise capacity benefit from cardiac rehabilitation and exercise training program. **American Heart Journal**, 128, 1105 – 1109.
- Lavie, C.J., & Milani, R.V., (1997, Febuary). Effects of cardiac rehabilitation, exercise training, and weight reduction on exercise capacity, coronary risk factor, behavioral characteristic, and quality of life in obese coronary patient. **Online American Journal Cardiology** [On-line serial]. Available: Febuary. NO. 4
- Lee, T.H. (1997). Practice guidelines in cardiovascular medicine. In E. Braunwald (Ed.), **Heart disease: A textbook of cardiovascular medicine** (pp.1939-1996). Philadelphia: WB. Saunders.
- Lincoff, A.M., & Topol, E.J. (1997). Interventional catheterization techniques. In E. Braunwald. (Ed.), **Heart disease: A textbook of cardiovascular medicine** (pp.1366-1387). Philadelphia: WB. Saunders.

- Linxue, L., Nohara, R., Makita, S., Hosokawa, R., Hata, T., Okuda, K., Hamazaki, H., Fujita, M., & Sasayama, S. (1999, February). Effect of long-term exercise training on regional myocardial perfusion changes in patients with coronary artery disease. **Online Japanese Circulation Journal** [On -line serial]. Available: Feb. NO. 2
- Luckman, J., Sorensen, K.C. (1987). **Medical - surgical nursing: A psychophysiologic approach** (2nd ed). Philadelphia: W.B. Saunders.
- Lukkarinen, H., & Hentinen, M. (1997). Assessment of quality of life with the nottingham health profile among patients with coronary heart disease. **Journal of Advanced Nursing**, 26 (1), 73-84.
- Maines, T.Y., Lavine, C.J., Malani, R.V., Cassidy, M.M., Gilliland, Y.E., & Murgo, J. P. (1997). Effects of cardiac rehabilitation and exercise programs on exercise capacity, coronary risk factors, behavior, and quality of life in patient with coronary artery disease. **Online South Medicine Journal** [On-line serial]. Available: January. NO. 1
- Mark, D.B. et al. (1994). Continuing evaluation of therapy for coronary artery disease initial result from the era of coronary angioplasty. **Circulation**, 89(5), 2015-2025.
- McKenna, M. (1992). Management of the patient undergoing percutaneous transluminal coronary angioplasty. **Nursing Clinic of North America**, 27(1), 231-242.
- Mickus, D. (1986). Activities of daily living in women after myocardial infarction. **Heart & Lung**, 15(4), 375-381.
- Miller, N.H. (1991). Cardiac rehabilitation. In M.R. Kinney, D.R. Packa, K.G. Andreoli, & D.P. Zipes (Eds.), **Comprehansive cardiac care** (pp.447-458). St.Louis: Mosby.
- Murdaugh, C. (1997). Health-related quality of life as an outcome in organization research. **Medical Care**, 35(11), 41-48.
- Nolan, M., & Nolan, J. (1998). Cardiac rehabilitation following myocardial infarction. **British Journal of Nursing**, 7, 219 – 225.
- Noy, K. (1998). Cardiac rehabilitation: structure, effectiveness and the future. **British Journal of Nursing**, 7, 1033 – 1040.
- Oka, R.K. (1990). Cardiovascular response to exercise. In K. Holm (Ed.), **Cardiovascular**

- Nursing**, 26(6), 31-36.
- Oldridge, N.B. (1997). Outcome assessment in cardiac rehabilitation. **Journal of Cardiopulmonary Rehabilitation**, 17(3), 179-194.
- Orem, D.E. (1985). **Nursing concept of practice**. New York: McGraw - Hill.
- Ornish, D. et al. (1990). Can life style change reverse coronary heart disease. **Lancet**, 336, 129-133.
- Padilla, G.V. & Grant, M.M. (1983.). Quality of life as a cancer nursing outcome variable. **Advanced in Nursing Science**, 8(), 45-60.
- Peplau, H.E. (1994). Quality of life: an interpersonal perspective. **Nursing Science Quarterly**, 7(1), 10-15.
- Pillon, J.M. (1991). Coronary artery disease. In M.R. Kinney, D.R. Packa, K.G. Andreoli, & D.P. Zipes (Eds.), **Comprehensive cardiac care** (pp.253-326). St.Louis: Mosby.
- Polit, D.F. & Hungler, B.P. (1999). **Nursing research principle and methods** (6th ed.). Philadelphia: Lippincott.
- Ribeiro, P.A., & Shah, P.M. (1996). Unstable angina: New insight into pathophysiology characteristics, prognosis and management strategies. **Current problem in cardiology**, 21(11), 675-729.
- Riegel, B., Glaser, D., Thomas, V., Gocka, I., & Gillesple, T.A. (1997). Development of an instrument to measure cardiac illness dependency. **Heart & Lung**, 26(6), 448-457.
- Ross, R. (1994). Factors influencing atherogenesis. In R.C. Schlant, & R.W. Alexander (Eds.), **The heart** (pp.989-1008). New York: McGraw - Hill.
- Rukholm, E., & McGirr, M. (1994). A quality of life index for clients with ischemic heart disease: Establishing reliability and validity. **Rehabilitation Nursing**, 1(19), 12-16.
- Rutherford, J.D. et al. (1997). Unstable angina. In E. Braunwald (Ed.), **Heart disease: A textbook Of cardiovascular medicine** (pp. 1334-1341). Philadelphia: WB. Saunders.
- Selwyn, A.P., & Braunwald, E. (1998). Ischemic heart disease. In A.S. Fauci et al. (Eds.), **Harrison's principles of internal medicine** (pp.1365-1375). New York: McGraw - Hill.

- Snyder, M.L., & Deelstra, M.H. (1995). Interventional cardiology techniques. In S.L. Wood., E.S.S. Froelicher., & C.J. Halpenny. (Eds.), **Cardiac nursing** (pp.506-527). Philadelphia: Lippincott Raven.
- Stewart, A.L. et al. (1989). Functional status and well-being of patients with chronic conditions. **JAMA**, 262(7), 907-913.
- Strimilk, C.L. (1995). Caring for a patient with an intracoronary stent. **American Journal Nursing**, 10,40-5.
- Taylor, S.H. (1987). Drug therapy and quality of life in angina pectoris. **American Heart Journal**, 60, 234.
- Tram, T.V., Chatter, L., & Associates. (1991). **The dynamics of aging**. (pp.405-409). Colorado: Westview.
- UNESCO. Evaluating the quality of life in belgim. **Social Indicators Research**. 8(9),312.
- Underhill, S.L., Woods, S.L., Froelicher, E.S.S., & Halpenny, C.J. (1989). **Cardiac nursing** (2nd ed.). Philadelphia: J.B. Lippincott.
- United State of America Department of Health and Human Services. (1995). **Cardiac Rehabilitation**.
- VandenBurge, M.J. (1987). Measuring the quality of life of patients with angina. In S.R. Walker., & R.M. Rosser. (Eds.), **Quality of life: assessment and application** (pp.267-277). Lancaster: MTP.
- Verbrugge, L.M., & Patrick, D.J. (1995). Seven chronic condition: Their impact on us adults' activity levels and use of medical services. **American Journal of Public Health**, 85(2), 173-182.
- Vittello-Cicciu, J., & Morrissey, A.M. (1993). Coronary artery disease. In M.R. Kinney (Ed.), **AACN's clinical reference of critical care nursing** (pp.509-569). St.Louis: Mosby.
- Wasserman, K., Hansen, J. E., Sue, D.Y., Casaburi, R., & Whipp, B.J. (1999). **Principles of exercise testing and interpretation**. (3rd ed.). Baltimore: Lippincott Williams & Wilkins.
- Watanabe, K. et al. (1996). Preventive effects of probucol on restenosis after percutaneous transluminal coronary angioplasty. **American Heart Journal**, 132(1), 23-29.

- Wenger, N.K., Wattson, M.E., Ferberg, C.D., & Elinson, J. (1984). Assessment of quality of life in clinical trials of cardiovascular therapies. **The American Journal of Cardiology**, 54(7), 908-913.
- Wenger, N.K. (1985). **Exercise and heart** (2nd ed.). Philadelphia: F.A. Davis.
- Wenger, N.K., Noughton, M.J., & Furberg, C.D. (1996). Cardiovascular disorder. In B. Spilker (Ed.), **Quality of life and pharmacoeconomic in clinical trials** (pp.883-891). Philadelphia: Lippincott.
- Wooden, A.K., Nair, R.C., & Tang, A. S-L. (1997). Definition of life quality from a patient Versus health care professional perspective. **International Journal of Rehabilitation Research**, 20, 71-80.
- Wright DJ. (1999). Cardiac rehabilitation: are the potential benefits being realized. **Hospital Medicine**, 60, 119 - 112.
- Yate, B.C., & Belknap, D.C. (1991). Predictors of physical functional after a cardiac event. **Heart & Lung**, 20(4), 383-390.
- Zygmunt, D.M. (1996). Coronary artery disease. In S.D. Ruppert, J.G. Kernicki, & J.T. Dolan (Eds.), **Critical care nursing: Clinical management though the nursing process** (pp.271-292). Philadelphia: FA. Davis.
- Zhan, L. (1992). Quality of life: concept and measurement issue. **Journal Of Advanced Nursing**. 17(7), 795-800.