

เอกสารอ้างอิง

- [1] กระทรวงอุตสาหกรรม. “สรุปภาวะเศรษฐกิจอุตสาหกรรมปี 2558.” [online]. เข้าถึงได้จาก: http://www.oie.go.th/sites/default/files/attachments/industry_overview/annual2015.pdf. 2558
- [2] ThaiRoHS. “สารต้องห้ามตามระเบียบ RoHS”. [Online]. เข้าถึงได้จาก: http://www.thairohs.org/index.php?option=com_content&task=view&id=65&Itemid=98
- [3] Lee C. “Getting ready for Lead-Free Solder.” [online] Available: http://www.indui.com/pbfree/documents/techpapers/Getting_Ready.pdf. 2010
- [4] Carol H., West L., Ursula K., Gaithersburg, and kil W.M. “Fundamental Properties of Pb-Free Solder Alloys.” **Lead-Free Soldering**, 2007. pp. 21-74.
- [5] Betrabet H.S., McGee S.M., and McKinlay J.K. “Processing dispersion- strengthened Sn-Pb solder to achieve microstructural refinement and stability.” **Scripta Metallurgica et Materialia**, vol. 25, 1991. pp. 2323-2328.
- [6] Mavoori H., and Jin S. “New, creep-resistant, low melting point solder with ultrafine oxide dispersions,” **Journal of Electronic Materials**, vol. 27, 1998. pp. 1216-1222.
- [7] El-Daly A.A., Fawzy A., Mansour S.F., Younis M.J., Thermal analysis and mechanical properties of Sn-1.0Ag-0.5Cu solder alloy after modification, **Journal of Materials Science: Materials in Electronics**, 2013, DOI 10.1007/s10854-013-1200-8.
- [8] Liu P., Yao P., Liu J., Effect of SiC nanoparticle addition on microstructure and microhardness of Sn-Ag-Cu solder alloy, **Journal of Electronic Materials**, 2008; 37(6): 874-879.
- [9] Jakubowska M., Bukat K., Koscielski M., Mlozniak A., Niedzwiedz W., Sloma M., Sitek J., Investigation of properties of the SAC solder paste with the silver nanoparticle and carbon nanotube additives and the nano solder joints, **Electronic System Integration Technology Conference**, 2010.
- [10] Tsao L.C. “Suppressing effect of 0.5 wt% nano-TiO₂ addition into Sn-3.5Ag-0.5Cu solder alloy on the intermetallic growth with Cu substrate during isothermal aging,” **Journal of Alloys and Compounds**, vol. 509, 2011, pp. 8441-8448.

เอกสารอ้างอิง (ต่อ)

- [11] Tsao L.C., Huang C.H., Chung C.H., Chen R.S. “Influence of TiO₂ nanoparticles addition on the microstructural and mechanical properties of Sn0.7Cu nano-composite solder,” **Materials Science and Engineering A**, vol. 545, 2012, pp. 194-200.
- [12] Tsao L.C. “An investigation of microstructure and mechanical properties of novel Sn3.5Ag0.5Cu-xTiO₂ composite solders as functions of alloy composition and cooling rate,” **Materials Science and Engineering A**, vol. 529, 2011, pp. 41-48.
- [13] Massalski T.B., Binary Alloy Phase Diagram, 2nd Edition, 2001, ASM International
- [14] Boesenberg A.J., Anderson I.E., Harringa J.L. “Development of Sn-Ag-Cu-X solder for electronic assembly by micro-alloying with Al,” **the Journal of Electronic Materials**, vol. 41, 2012, pp. 1868-1881.
- [15] Kanlayasiri K., Mongkolwongrojn M., Ariga T., Influence of indium addition on characteristics of Sn-0.3Ag-0.7Cu solder alloy. **The Journal of Alloys and Compounds**. 2009; 485: 255-230.
- [16] Chang S.Y., Jain C.C., Chuang T.H., Feng L.P., Tsao L.C. “Effect of addition of TiO₂ nanoparticles on the microstructure, microhardness and interfacial reactions of Sn3.5AgxCu solder,” **Materials and Design**, vol. 32, 2011, pp. 4720-4727.
- [17] Tang Y., Li G.Y., Pan Y.C. “Influence of TiO₂ nanoparticles on IMC growth in Sn-3.0Ag-0.5Cu-xTiO₂ solder joints in reflow process,” **the Journal of alloys and Compounds**, vol. 554, 2013, pp. 195-203.
- [18] Siewet T.A., Handwerker C.A., Test Procedures for Developing Solder Data. National Institute of Standards and Technology, USA. 2002.
- [19] ศิริกุล วิสุทธ์เมธางกูร และ ธวัชชัย ปลุกผล. “การผลิตผงโลหะบัดกรีไร้สารตะกั่วโดยกระบวนการอัลตราโซนิกอะตอมไมเซชัน.” รายงานการวิจัยฉบับสมบูรณ์, 2552
- [20] A Random Lab Assistant. “PCB Assembly 101” [online] เข้าถึงได้จาก : <https://hax.co/2012/10/17/pcb-assembly-101/>. 2012
- [21] Douglas Krantz. “General Electronics” [online] เข้าถึงได้จาก : <http://www.douglaskrantz.com/ElecMixedAssembly.html>
- [22] KOKI COMPANY LIMITED. “General Information on Solder Paste” [online] Available : http://www.pmdtkt.upc.smm.lt/dokumentai/Medziaga/inzinerine/mm12/Priedai/3_4%20priedas.%2023_Solder_paste_general_info_KOKI.pdf

เอกสารอ้างอิง (ต่อ)

- [23] นิชธิมา แพ่งนคร. “วิทยาศาสตร์การไหล (Rheology).” เอกสารประกอบการสอน เคมีฟิล์ม กัลป์สำหรับเภสัชศาสตร์, 2552.
- [24] Satyanarayan, Prabhu K.N. “Reactive wetting, evolution of interfacial and bulk IMCs and their effect on mechanical properties of eutectic Sn–Cu solder alloy,” **Advances in Colloid and Interface Science**, vol. 166, 2011, pp. 87-118.
- [25] JAE YONG PARK, CHOON SIK KANG, and JAE PIL JUNG. “The Analysis of the Withdrawal Force Curve of the Wetting Curve Using 63Sn-37Pb and 96.5Sn-3.5Ag Eutectic Solders” **Journal of Electronic Materials**, vol 28, 1999, pp. 1256-1262
- [26] สุเนตร มุลทา. “โครงสร้างผลึก การแพร่ของอะตอมและการแข็งตัวของโลหะ.” Metallurgy engineering. สาขาวิศวกรรมอุตสาหการ สถาบันเทคโนโลยีปทุมวัน.
- [27] Zhai Q.J., Guan S.K., Shang Q.Y. “Alloy thermo-mechanism: Theory and application,” **Metallurgy Industry Press**, 1999, pp. 156-60.
- [28] Himikatus. “Himikatusru.” [online]. Available : <http://www.himikatus.ru/art/phase-diagr1/diagrams.php>
- [29] Abtew M., Selvaduray G. “Lead-free solder in microelectronics,” **Materials Science and Engineering**, vol. 27, 2000, pp. 95-141.
- [30] Nai S.M.L., Wei J., Gupta M. “Improving the performance of lead-free solder reinforced with multi-walled carbon nanotubes,” **Materials Science and Engineering**, vol. 423, 2006, pp. 166-169.
- [31] Nai S.M.L., Wei J., Gupta M. “Lead-free solder reinforces with multiwalled carbon nanotubes,” **The Journal of Electronic Materials**, vol 35, 2006, pp. 1518-1522.
- [32] Shen J., Liu Y.C., Han Y.J., Tian Y.M., Gao H.X. “Strengthening effects of ZrO₂ nanoparticles on the microstructure and microhardness of Sn-3.5Ag lead-free solder,” **Journal of Electronic Materials**, vol 35, 2006, pp. 1672-1679.
- [33] Kumar K.M., Kripesh V., Tay A.O. “Single-wall carbon nanotube (SWCNT) functionalized Sn-Ag-Cu lead-free composite solder,” **The Journal of Alloys and Compounds**, vol 450, 2008, pp. 229-237.
- [34] Kumar K.M., Kripesh V., Shen L., Tay A.O. “Study on the microstructure and mechanical properties of a novel SWCNT-reinforced solder alloy for ultra-fine pitch applications,” **Thin Solid Film**, vol 504, 2006, pp. 317-318.
- [35] Tay S.L., Haseeb A.S.M.A., Johan M.R., “Addition of cobalt nanoparticle into Sn-3.8Ag-0.7Cu lead-free solder by paste mixing,” **Soldering & Surface Mount Technology**, vol 23, 2011, pp.10-14.

เอกสารอ้างอิง (ต่อ)

- [36] Tsao L.C. “ An investigation of microstructure and mechanical properties of novel Sn_{3.5}Ag_{0.5}Cu-XTiO₂ composite solder solders as functions of alloy composition and cooling rate,” **Materials Science and Engineering A**, vol 529, 2011, pp.41-48.
- [37] Tai F., Guo F., Xia Z.D., Lei Y.P., Yan Y.F., Liu J.P., “Processing and creep properties of Sn-Cu Composite solder with small amounts of nanosized Ag reinforcement additions,” **Journal of Electronic Materials**, vol 34, 2005, pp. 1357-1362.
- [38] Yue G., Xiuchen Z., Yi B., Ying L., Yong W., Zhenyu L., “Effect of nano-Fe₂O₃ additions on wettability and interfacial intermetallic growth of low-Ag content Sn-Ag-Cu solders on Cu substrates,” **The Journal of Alloys and Compounds**, vol 627, 2015, pp.39-47.
- [39] Durairaj D., Lam Wai Man, Ekere N.N., Mallik S. “The effect of wall-slip formation on the rheological behavior of lead-free solder pastes,” **Materials and Design**, vol. 31, 2010, pp. 1056-1062.
- [40] Duraira D., Jackson G.J., Ekere N.N., Glinsk G., Bailey C. “Correlation of solder paste rheology with computational simulations of the stencil printing process,” **The Journal of Surface Mount Technology**, vol 14, 2002, pp. 11-17.
- [41] Zhao X., Wen Y., Li Y., Liu Y., Wang Y. “Effect of γ -Fe₂O₃ nanoparticles size on the properties of Sn-1.0Ag-0.5Cu nano-composite solders and joints,” **The Journal of Alloys and Compounds**, vol 662, 2016, pp. 272-282.
- [42] Almit. “ALMIT SRC Solder Paste LFM-48 W TM-HP.” [online]. Available : http://www.almit.com/downloads/Specs/leadfree/spec_lfm48w%20tmhp.pdf
- [43] SIGMA-ALDRICH. “Titanium(IV) oxide contains 1% Mn as dopant.” [online]. Available : <http://www.sigmaaldrich.com/catalog/product/aldrich/677469?lang=en®ion=SG>
- [44] SIGMA-ALDRICH. “Titanium(IV) oxide.” [online]. Available : http://www.sigmaaldrich.com/catalog/product/aldrich/637262?lang=en®ion=SG&cm_sp=Insite-_-prodRecCold_xviews-_-prodRecCold10-2
- [45] SIGMA-ALDRICH. “Safety Data Sheet.” [Online]. Available : <http://www.sigmaaldrich.com/catalog/product/aldrich/264032?lang=en®ion=TH.2016>.
- [46] NETZSCH. “Differential Scanning Calorimetry.” [online]. Available : http://www.paralab.pt/sites/default/files/pdf/DSC204F1_PHEONIX.pdf
- [47] NXP. “Recommended Reflow Soldering Profile.” [online]. Available : www.nxp.com/.../reflow_soldering/Reflow_Soldering_Profile.pdf

เอกสารอ้างอิง (ต่อ)

- [48] Struers. “Minitom precision cut-off machine.” [online]. Available : http://www.struers.com/default.asp?doc_id=262. 2016.
- [49] Intecinstruments. “LaboPol-5.” [online]. Available : http://www.intecinstruments.com/display/dsp_struers_19.htm. 2016.
- [50] “JSM-6510 Series Scanning Electron Microscope.” [online]. Available : <https://www.jeol.co.jp/en/products/detail/JSM-6510series.html>
- [51] Tsao L.C., Huang C.H., Chung C.H., Chen R.S. “Influence of TiO₂ nanoparticles addition on the microstructural and mechanical and mechanical properties of Sn_{0.7}Cu nanocomposite solder,” **Materials Science and Engineering A**, vol.545, 2012, pp. 194-200.
- [52] El-Daly A.A., Hammad A.E., Al-Ganainy G.S., Ragab M. “Influence of Zn addition on the microstructure, melt properties and creep behavior of low Ag-content Sn-Ag-Cu lead-free solders,” **Materials Science and Engineering A**, vol. 608, 2014, pp. 130-138
- [53] El-Daly A.A., Fawzy A., Mansour S.F., Younis M.J. “Novel SiC nanoparticles-containing Sn-1.0Ag-0.5Cu solder with good drop impact performance,” **Materials Science and Engineering A**, vol. 578, 2013, pp. 62-71
- [54] Guang Chen, Hao peng, Vadim V. Silberschmidt, Chan Y.C., Changqing Liu. “Performance of Sn-3.0Ag-0.5Cu composite solder with TiC reinforcement: Physical properties, solderability and microstructural evolution under isothermal ageing,” **The Journal of Alloys and Compounds**, vol 685, 2016, pp. 680-689.
- [55] Tadashi Takemoto, Makoto Miyazaki. “Effect of excess temperature above liquidus of lead-free solders on wetting time in a wetting balance test,” **Materials Transactions**, vol.42, 2001, pp.745-750.
- [56] Min-Jung Son, Inyung Kim, Sangsun Yang, Taik-Min Lee, Hoo-Jeong Lee. “Employment of roll-offset printing for fabrication of solder bump arrays: Harnessing the rheological properties of lead-free solder pastes using particle size distribution,” **Microelectronic Engineering**, vol.164, 2016, pp.128-134.
- [57] Amalu E.H., Ekere N.N., Mallik S. “Evaluation of rheological properties of lead-free solder pastes and their relationship with efficiency during stencil printing process,” **Materials and Design**, vol 32, 2011, pp.3189-3197.

เอกสารอ้างอิง (ต่อ)

- [58] Liu J., Gao Y.L., and Zhai Q.J., “Recent development of nano-solder paste for electronics interconnect applications,” **Electronics Packaging Technology Conference**, pp. 84-93, 2008.
- [59] Humpston G. and David M. Jacobson. **Principles of Soldering**. United States of America : ASM International. 2004.
- [60] Guang Chen, Hao Peng, Vadim V. Silberschmidt, Chan Y.C., Changqing Liu, Fengshun Wu. “Performance of Sn-3.0Ag-0.5Cu composite solder with TiC reinforcement: Physical properties, solderability and microstructural evolution under isothermal ageing,” **The Journal of Alloys and Compounds**, vol.685, 2016, pp.680-689.
- [61] Yi Li, XiuChen Zhao, Ying Liu, Yuan Wang, Yong Wang. “Effect of TiO₂ addition on wettability and intermetallic compounds growth of Sn3.0Ag0.5Cu-xTiO₂ nano-composite solder,” **Journal of Materials Science: Materials in Electronics**, vol.25, 2014, pp. 3816-3827.