



1. Harmening DM, Firestone D. The ABO blood group system. In : Harmening DM, 3rd ed. Modern blood banking and transfusion practices. Philadelphia : F.A. Davis Company, 1994: 86-115.
2. Turgeon ML, ed. Fundamentals of immunohematology : theory and technique. Philadelphia : Lea & Febiger, 1989: 95-205.
3. Oriol R, Le Pendu J, Mollicone R. Genetics of ABO, H, Lewis, X and related antigens. Vox Sang 1986; 51:161-71.
4. Harmening-Pittiglio D. Genetic and biochemistry of A, B, H and Lewis antigens. In : Wallace ME, Gibbs FL, ed. Blood group systems : ABH and Lewis. American Association of Blood Banks, Arlington, VA, 1986:1-56.
5. Rippee C, Myers J, Gindy L. Blood groups. In : Petz LD, Swisher SW, 2nd ed. Clinical practice of transfusion medicine. New York : Churchill Livingstone, 1989:59-134.
6. Solomon J, Waggoner R, Leyshon WC. A quantitative immunogenetic study of gene suppression invoking A₁ and H antigens of erythrocyte without affecting secreted blood group substance : The A^h_m and O^h_m. Blood 1965; 25:470-85.
7. Toft AD, Blackwell CC, Saadi AT, et al. Secretor status and infection in patients with Graves disease. Autoimmunity 1990; 7:279-89.
8. Mentis A, Blackwell CC, Weir DM, Spiliadis C, Dailianas A, Skandalis N. ABO blood group, secretor status and detection of Helicobacter pylori among patients with gastric or duodenal ulcers. Epidemiol Infect 1991; 106:221-9.
9. Lamey PJ, Darwazeh AM, Muirhead J, Rennie JS, Samaranayake LP, MacFarlane TW. Chronic hyperplastic candidosis and secretor status. J Oral Pathol Med 1991; 20:64-7.
10. Odeigah PG. Influence of blood group and secretor genes on susceptibility to duodenal ulcer. East Afr Med J. 1990; 67:487-500.

11. Jacobson SH, Lomberg H. Overrepresentation of blood group non-secretors in adults with renal scarring. *Scand J Urol Nephrol* 1990; 24:145-50.
12. Benun FR, Roth GA, Monferean CG. Cumar FA. Binding of cholera toxin to pig intestinal mucosa glycosphingolipids : relationship with the ABO blood group system. *Infect Immun* 1989; 57:969-74.
13. Shinebaum R, Blackwell CC, Forster PJ. Hurst NP, Weir DM, Nuki G. Non-secretion of ABO blood group antigens as a host susceptibility factor in the spondyloarthropathies. *Br Med J* 1987; 294:208-10.
14. Raza MW, Blackwell CC. Molyneaux P, et al. Association between secretor status and respiratory viral illness. *Br Med J* 1991; 303:815-8.
15. Walker RH, ed. Technical manual. 11th ed. Bethesda, Maryland: American Association of Blood Banks; 1993: 625-7.
16. Wegmann TG, Smithies O. A simple hemagglutination system requiring small amounts of red cells and antibodies. *Transfusion* 1966; 6:67-73.
17. Turgeon ML, ed. Fundamentals of immunohematology: theory and technique. Philadelphia : Lea & Febiger, 1989: 440-77.
18. Walker RH, ed. Technical manual. 11th ed. Bethesda, Maryland : American Association of Blood Banks, 1993: 612-9.
19. Wegmann TG. Smithies O. Improvement of the microtiter hemagglutination method. *Transfusion* 1968; 8:47.
20. Crawford MN, Gottman FE, Gottman CA. Microplate system for routine use in blood bank Laboratories. *Transfusion* 1970; 10:258-63.
21. Parker JL, Marcoux DA, Hafleigh EB, Grumet FC. Modified microtiter tray method for blood typing. *Transfusion* 1978; 18:417-22.
22. Depew KA, Balk JW, Meiers J, Schorr JB. Adaptation of the microtiter technique for use in a blood bank Laboratory (abstracts). *Transfusion* 1978; 18:381-2.
23. Maisel S, Sererat S, Schifano J, Moore V, Lau P. Blood group serological testing by manual microplate technique-A 15 month experience in a regional blood center (abstracts). *Transfusion* 1983; 23:441.

24. Anderson HJ, Patel S. Red cell phenotyping using hexadimethrine bromide (polybrene) in a microplate system. *Transfusion* 1984; 24:353-6.
25. Epley KM, Severns ML, Kline LM. A one step D^u test in microplates. *Transfusion* 1988; 28:233-6.
26. Sererat S, Beatty JE, Schifano JV, Lau P. Standardization of ABO typing sera for the manual microplate technique. *Lab Med* 1986; 17:523-25.
27. Crawford MN. A review of micromethods for blood bank laboratories. *Lab Med* 1987; 18:149-52
28. Takatori T, Tsutsubuchi Y. An ELISA using avidin-biotin complex for the determination of ABH group from saliva. *Forensic Sci Int* 1986; 31:61-8.
29. Zhou B, Guo JY, Wang CX, Chen J. The rapid determination of the ABO group from body fluid (or stains) by dot enzyme linked immunosorbent assay (dot-ELISA) using enzyme labeled monoclonal antibodies. *J Forensic Sci* 1990; 35 : 1125-32.
30. Kimura A, Matsumura F, Sodesaki K, Tsuji T. ABO blood grouping of saliva from mixed body fluids by sandwich methods using monoclonal antibodies to tissue specific epitopes on blood group substance in saliva. *Int J Legal Med* 1991; 104:189-92.
31. Kimura A, Matsumura F, Sodesaki K, Tsuji T. Production and characterization of monoclonal antibodies against tissue specific epitopes on ABO blood group substance in saliva. *Int J Legal Med* 1991; 104:193-6.
32. Des Roziers NB, Pouilles F, Roche M, Claret G. A microtiter plate assay for measurement of serum alanine aminotransferase in blood donors. *Transfusion* 1995; 35 : 331-4.
33. Chung A, Birch P, Ilagan K. A microplate system for ABO and Rh (D) blood grouping. *Transfusion* 1993; 33 : 384-8.

34. Henry SM, Benny AG, Woodfield DG. Investigation of Lewis phenotypes in Polynesians : Evidence of a weak secretor phenotype. Vox Sang 1990; 58:61-6.
35. Chandanayingyong D, Bejrachandra S, Metaseta P, Pongsataporn S. Further study of Rh, Kell, Duffy, P, MN, Lewis and Gerbiech blood groups of the Thais. Southeast Asian J Trop Med Pub Hlth 1979; 10:209-11.

มหาวิทยาลัยมหิดล