

เอกสารอ้างอิง

- Alonso, A. and C. Kohler. 1984. A study of the reciprocal connections between the septum and the entorhinal area using anterograde and retrograde axonal transport methods in the rat brain. *J. Comp. Neurol.* 225: 327-343.
- Amaral, D.G. and R. Insausti. 1990. Hippocampal formation, In *The human nervous system*, pp. 711-755. Paxinos, G., ed. San Diego : Academic Press.
- Amaral, D.G., R. Insausti and W.M. Cowan. 1984. The commissural connections of the monkey hippocampal formation. *J. Comp. Neurol.* 224: 307-336.
- Amaral, D.G., R. Insausti and W.M. Cowan. 1987. The entorhinal cortex of the monkeys I. cytoarchitectonic organization. *J. Comp. Neurol.* 264: 326-355.
- Andersen, P., B. Holmquist and P.E. Voorhoeve. 1966. Entorhinal activation of dentate granule cells. *Acta physiol. Scand.* 66: 448-460.
- Ariens Kappers, C.U. 1909. The phylogenesis of the paleocortex and archicortex compared with the evolution of the visual cortex. *Arch. Neurol. Psychiat.* 4: 161-173.
- Bailey, P. and G. von Bonin. 1951. *The isocortex of man*. Urbana: University of Illinois Press.
- Bakst, I. and D.G. Amaral. 1984. The distribution of acetylcholinesterase in the hippocampal formation of the monkey. *J. Comp. Neurol.* 225: 344-371.
- Bayliss, B.J. and A. Todrick. 1956. The use of a selective acetylcholinesterase inhibitor in the estimation of pseudocholinesterase activity in rat brain. *Biochem. J.* 62: 62-67.
- Beckstead, R.M. 1978. Afferent connections of the entorhinal area in the rat as demonstrated by retrograde cell-labeling with horseradish peroxidase. *Brain Res.* 152: 249-264.

- Bentivoglio, M., H.G.J.M. Kuypers, C.E. Catsman-Berrevoets and O. Dann. 1979. Fluorescent retrograde neuronal labeling in rat by means of substances specific binding adenine-thymine rich DNA. *Neurosci. Lett.* 12: 235-240.
- Bentivoglio, M., H.G.J.M. Kuypers, C.E. Catsman-Berrevoets, H. Loewe and O. Dann. 1980. Two new fluorescent retrograde neuronal tracers which are transported over long distances. *Neurosci. Lett.* 18: 25-30.
- Berrevoets, C.E. and H.G.J.M. Kuypers. 1975. Pericruciate cortical neurons projecting to brain stem reticular formation, dorsal column nuclei and spinal cord in the cat. *Neurosci. Lett.* 1: 257-262.
- Blackstad, T.W. 1956. Commissural connections of the hippocampal region in the rat, with special reference to their mode of termination. *J. Comp. Neurol.* 105: 417-537.
- Braak, H. 1972. Zur pigmentarchitektur der Grosshirnrinde des Menschen. 1. Regio entorhinalis. *Z. Zellforsch. Mikrosk. Anat.* 127: 407-438.
- Broca, P. 1878. Anatomie comparee des circonvolutions cerebrales. Le grand lobe limbique et la scissure limbique dans la serie des mammiferes. *Rev. Anthropol. Ser.* 21: 385-498.
- Brodal, A. 1947. The hippocampus and the sense of smell. A review *Brain.* 70: 179-222.
- Brodal, A. 1981. Neurological anatomy in relation to clinical medicine. pp. 689-690. 3rd ed. New York and Oxford : Oxford University Press.
- Brodman, K. 1903. Beiträge zur histologischen Lokalisation der Grosshirnrinde, Erste Mitteilung. Die Regio Rolandica. *J. Psychol. Neurol.* 2: 79-132.
- Brodman, K. 1909. Vergleichende Lokalisationslehre der Grosshirnrinde In ihren Prinzipien dargestellt auf Grund des Zellenbaues. Leipzig : Barth.
- Catsman-Berrevoets, C.E. and H.G.J.M. Kuypers. 1976. Cell of origin of cortical projections to dorsal column nuclei, spinal cord and bulbar medial reticular formation in the rhesus monkey. *Neurosci. Lett.* 3: 245-252.

- Coulter, J.D., L. Ewing and C. Carter. 1976. Origin of primary sensorimotor cortical projections to lumbar spinal cord of cat and monkey. *Brain Res.* 103: 366-372.
- Damasio, A.R. 1984. The anatomic basis of memory disorders. *Semin. Neurol.* 4: 226-228.
- Dill, R.E. and E. Costa. 1977. Behavioral dissociation of the enkephalinergic system of accumbens and the nucleus caudatus. *Neuropharmacology.* 16: 323-326.
- Domesick, V.B. 1973. Thalamic projections in the cingulum bundle to the parahippocampal cortex of the rat. *Anat. Rec.* 175: 308. (abstract).
- Donovan, M.K. and J.M. Wyss. 1983. Evidence for some collateralization between cortical and diencephalic efferent axons of the rat subicular cortex. *Brain Res.* 259: 181-192.
- Ebbeson, S.O.E. 1980. The parcellation theory and its relation to interspecific variability in brain organization, evolutionary and ontogenetic development, and neuronal plasticity. *Cell Tissue Res.* 213: 179-212.
- Economo, C. von. and G.N. Koskinas. 1925. *Die cytoarchitektonikder Hirnrinde des erwachsenen Menschen.* Berling.
- Filimonoff, I.N. 1947. A rational subdivision of the cerebral cortex. *Arch. Neurol. Psychiat.* 58: 296-311.
- Fulton, J.F. 1949. *Physiology of the nervous system.* 3rd ed. London : Oxford University Press.
- Geneser, F.A. 1986. Distribution of acetylcholinesterase in the hippocampal region of the rabbit : I. Entorhinal area, parasubiculum, and presubiculum. *J. Comp. Neurol.* 254: 352-368.
- Geneser-Jensen, F.A. and T.W. Blackstad. 1971. Distribution of acetylcholinesterase in the hippocampal region of the guinea pig I. Entorhinal area, parasubiculum, and presubiculum. *Z. Zellforsch.* 114: 460-481.
-

- Gilbert, C.D. and J.P. Kelly. 1975. The projection of cells in different layers of the cat's visual cortex. *J. Comp. Neurol.* 163: 81-106.
- Girgis, M. 1972. The distribution of acetylcholinesterase enzyme in amygdala and its role in aggressive behavior. In *the Neurobiology of the amygdala*. pp. 283-293. Eleftherion, B.E., ed. New York : Plenum Press.
- Goldman-Rakic, P.S., L.D. Selemon and M.L. Schwartz. 1984. Dual pathways connecting the dorsolateral prefrontal cortex with the hippocampal formation and parahippocampal cortex in the rhesus monkey. *Neuroscience* 12(3): 719-743.
- Gray, J.A. 1991. *Neurol system, emotion and personality, neurobiology of learning emotion and effect*. New York : Raven press.
- Green, R.C. and M.M. Mesulam. 1988. Acetylcholinesterase fiber staining in the human hippocampus and parahippocampal gyrus. *J. Comp. Neurol.* 273(4): 488-499.
- Groenewegen, H.J., P. Room and A.H.M. Lohman. 1982. Cortical afferents of the nucleus accumbens in the cat studied with anterograd and retrograde transport techniques. *Neuro-science*. 7: 112-118.
- Hammarberg, C. 1895. *Studien über klinik und pathologie der idiotie nebst untersuchungen über die normale anatomie der hirnrinde*. Berling : upsala.
- Haug, F.M.S. 1976. Sulphide silver pattern and cytoarchitectonics of parahippocampal areas in the rat : special reference to the subdivisions of area entorhinalis (area 28) and its demarcation from the pyriform cortex. *Adv. Anat. Embryol. Cell Biol.* 52: 1-73.
- Heimer, L. and M.J. RoBard. 1981. *Neuroanatomical tract-tracing method*. RoBard M.J., ed. New York : Plenum Press.
- Heym, Ch. and W.-G. Forssmann. 1981. *Techniques in neuroanatomical research*. New York : Springer-Verlag.

- Hjorth-Simonsen, A. 1972. Projection of the lateral part of the entorhinal area to the hippocampus and fascia dentata. *J. Comp. Neurol.* 146(2): 219-231.
- Hjorth-Simonsen, A. and B. Jeune. 1972. Origin and termination of the hippocampal perforant path in the rat studied by silver impregnation. *J. Comp. Neurol.* 144: 215-231.
- Hjorth-Simonsen, A. and S. Laurberg. 1977. Commissural connections of the dentate area of the rat. *J. Comp. Neurol.* 174: 591-606.
- Huisman, A.M., H.G.J.M. Kuypers, F. Conde and K. Keizer. 1983. Collaterals of rubrospinal neurons to the cerebellum in the rat. A retrograde fluorescent double labeling study. *Brain Res.* 264: 181-196.
- Humphrey, D.R. and R.R. Rietz. 1976. Cells of origin of corticorubral projections from the arm area of primate motor cortex and their synaptic actions in the red nucleus. *Brain Res.* 110: 162-169.
- Hyman, B.T., G.W. Van Hoesen, A.R. Damasio and C.L. Barnes. 1982. Alzheimer's disease : cell-specific pathology isolates the hippocampal formation. *Science* 225: 1168-1170.
- Hyman, B.T., G.W. Van Hoesen, L.J. Kromer and A.R. Damasio. 1986. Perforant pathway changes and the memory impairment of Alzheimer's disease. *Ann. Neurol.* 20(4): 472-481.
- Isaacson, R.L. 1982. The limbic system. New York : Plenum Press.
- Jacobson, S. and J.Q. Trojanowski. 1975. Corticothalamic neurons and thalamocortical terminal fields : An investigation in rat using horseradish peroxidase and autoradiography. *Brain Res.* 85: 385-401.
- Jacobson, S. and J.Q. Trojanowski. 1977. Prefrontal granular cortex of the rhesus monkey. II. Interhemispheric cortical afferents. *Brain Res.* 132: 235-246.
- Jarrard, L.E. 1976. Anatomical and behavioral analysis of hippocampal cell fields in the rat. *J. Comp. Physiol. Psychol.* 11: 1035-1050.
-

- Jarrard, L.E. 1983. Selective hippocampal lesions and behavior: effects of kainic and lesions on performance of place and cue tasks. *Behav. Neurosci.* 97: 873-889.
- Jones, E.G. 1981. Anatomy of cerebral cortex. In *The organization of the cerebral cortex*, pp. 199-235. Schmitt, F.O. et al., eds. London : MIT Press.
- Jones, E.G. 1984. Laminar distribution of cortical efferent cells. In *the cerebral cortex*. pp. 521-553. Peters, A. and E.G. Jones. eds. New York : Plenum press.
- Jones, E.G. and H. Burton. 1976. Areal differences in the laminar distribution of thalamic afferents in cortical fields of the insular, parietal and temporal regions for primates. *J. Comp. Neurol.* 168: 197-248.
- Jones, E.G. and H. Burton. 1976. A projection from the medial pulvinar to the amygdala in primates. *Brain Res.* 104(1): 142-147.
- Jones, E.G., J.D. Coulter and S.P. Wise. 1979. Commissural columns in the sensory motor cortex of monkeys. *J. Comp. Neurol.* 188: 113-136.
- Jones, E.G. and S.P. Wise. 1977. Size, laminar and columnar distribution of efferent cells in the sensory-motor cortex of monkeys. *J. Comp. Neurol.* 175: 391-438.
- Kelly, K.E. and V.B. Domesick. 1982. The distribution of the projection from the hippocampal formation to the nucleus accumbens in the rat. An anterograde and retrograde horseradish peroxidase study. *Neurosci.* 7: 2321-2335.
- Kluver, H. and P.C. Bucy. 1939. Psychic blindness and other symptoms following bilateral temporal lobectomy in rhesus monkeys. *Am. J. Physiol.* 199: 352-353.
- Koelle, G.B. and J.S. Friedenwald. 1949. A histochemical method for localizing cholinesterase activity. *Proc. Soc. Exp. Biol. Med.* 70: 617-622.
- Kohler, C. 1984. Morphological details of the projection from the presubiculum to the entorhinal area as shown with the novel PHA-L Immunohistochemical tracing method in the rat. *Neurosci. Lett.* 45: 285-290.
-

- Kohler, C. 1985.a Intrinsic projections of the retrohippocampal region in the rat brain. I. The subicular complex. *J. Comp. Neurol.* 236: 504-522.
- Kohler, C. 1985.b A projection from the deep layers of the entorhinal area to the hippocampal formation in the rat brain. *Neurosci. Lett.* 56: 13-19.
- Kohler, C. 1986. Intrinsic connections of the retrohippocampal region in the rat brain. II. The medial entorhinal area. *J. Comp. Neurol.* 246: 149-169.
- Kohler, C., M.T. Shipley, B. Srebro and W. Harkmark. 1978. Some retrohippocampal afferents to the entorhinal cortex : cells of origin as studied by the HRP method in the rat and mouse. *Neurosci. Lett.* 10: 115-120.
- Kolkegami, H., Y. Hirata and J. Ogrema. 1967. Studies on the paralimbic brain, structures and some experiments on the nucleus accumbens. *Folia Psychiat. Neurol. Jpn.* 21: 151-180.
- Kolb, B. and R.C. Tees. 1990. The cerebral cortex of the rat. Massachusetts : The MIT Press.
- Krayniak, P.F., R.C. Meibach and A. Siegel. 1981. A projections from the entorhinal to the nucleus accumbens in the rat. *Brain Res.* 209: 427-431.
- Krayniak, P.F., S. Weiner and A. Siegel. 1980. An analysis of the efferent connections of the septal area in the cat. *Brain Res.* 189: 15-29.
- Krettek, J.E. and J.L. Price. 1977. Projections from the amygdaloid complex and adjacent olfactory structures to the entorhinal cortex and to the subiculum in the rat and cat. *J. Comp. Neurol.* 172: 723-752.
- Krieg, W.J.S. 1946a. Connections of the cerebral cortex. I. The albino rat. A. Topography of the cortical areas. *J. Comp. Neurol.* 84: 221-275.
- Krieg, W.J.S. 1946b. Connections of the cerebral cortex. I. The albino rat. B. Structure of the cortical areas. *J. Comp. Neurol.* 84(3): 277-394.
- Kuypers, H.G.J.M. and A.M. Hulsman. 1984. Fluorescent neuronal tracers. In *Advances in cellular neurobiology*. Vol. 5, pp. 307-340. Fedoreff, S. ed. New York : Academic Press.
-

- Kuypers, H.G.J.M., C.E. Catsman-Berrevoets and K.E. Padt. 1977. Retrograde axonal transport of fluorescent substances in the rat forebrain. *Neurosci. Lett.* 6: 127-135.
- Kuypers, H.G.J.M., M. Bentivoglio, D. Van der Kooy and C.E. Catsman-Berrevoets. 1979. Retrograde transport of bisbenzimidazole and propidium iodide through axons to their parent cell bodies. *Neurosci. Lett.* 12: 1-7.
- Kuypers, H.G.J.M., M. Bentivoglio, C.E. Catsman-Berrevoets and A.T. Bharos. 1980. Double retrograde neuronal labeling through divergent axon collaterals using two fluorescent tracers with the same excitation wavelength which label different features of the cell. *Exp. Brain Res.* 40: 383-392.
- Lopes da Silva, F.H., D.E.A.T. Arnolds and H.C. Neljt. 1984. A functional link between the limbic cortex and ventral striatum : physiology of the subiculum accumbens pathway. *Exp. Brain Res.* 55: 205-214.
- Lorente de No', R. 1933. Studies on the cerebral cortex 1. The area entorhinalis. *J. Psychol. Neurol.* 45: 381-438.
- Lorente de No', R. 1934. Studies on the structure of the cerebral cortex. II. Continuation of the study of the ammonic system. *J. Psychol. Neurol.* 46: 113-177.
- Lund, J.S., R.D. Lund, A.E. Hendrickson, A.H. Bunt and A.F. Fuchs. 1975. The origin of efferent pathways from the primary visual cortex, area 17, of the macaque monkey as shown by retrograde transport of horseradish peroxidase. *J. Comp. Neurol.* 164: 287-304.
- MacLean, P. 1954. The limbic system with respect to self-preservation and the preservation of the species. *J. Nerv. Ment. Dis.* 127: 1-11.
- Matthysse, S. 1891. Nucleus accumbens and schizophrenia, Jr. *Neurobiology of the nucleus accumbens.* pp. 351-359. Chronister, R.S. and J.F. France, eds. Brunswick, Maine: Haer Institute Press.

- Meibach, R.C. and A. Siegal. 1977. Subicular projections to the posterior cingulate cortex in rats. *Exp. Neurol.* 57: 264-274.
- Mesulam, M.M. 1982. Tracing neural connections with horseradish peroxidase. New York : John Wiley and sons.
- Mesulam, M.M. and E.J. Mufson. 1982. Insula of the world monkey. III. Efferent cortical output and comments of function. *J. Comp. Neurol.* 212: 38-52.
- Mishkin, M. 1978. Memory in monkeys severely impaired by combined but not separate removal of amygdala and hippocampus. *Nature.* 273: 297-298.
- Mishkin, M. 1982. A memory system in the monkey. *Phil. Trans. R. Soc. Lond.* 298: 83-95.
- Newman, R. and S.S. Winans. 1980. An experimental study of the ventral striatum of the golden hamster. II. The neuronal connections of the olfactory tubercle. *J. Comp. Neurol.* 191: 167-192.
- Noback, C.R. and W. Montagna, eds. New York : Appleton Century-Crofts.
- O'Keefe, J. and L. Nadal. 1978. The hippocampus as a cognitive map. Oxford : Clarendon Press.
- Papez, J.W. 1937. A proposed mechanism of emotion. *Arch. Neurol. Psychiatry.* 38: 725-743.
- Paxinos, G. and C. Watson. 1986. The rat brain in stereotaxic coordinates. 2nd ed. Sydney : Academic Press.
- Pellegrino, L.J., A.S. Pellegrino and A.J. Cushman. 1981. A stereotaxic atlas of the rat brain. 2nd ed. New York and London : Plenum Press.
- Pijnenburg, A.J.J., G.N. Woodruff and J.M. Van Rossum. 1973. Ergometrine induce locomotor activity following intracerebral injection into the nucleus accumbens. *Brain Res.* 59: 289-302.
- Pohle, W., T. Ott and P. Muller-Weld. 1984. Identification of neurons of origin providing the dopaminergic innervation of the hippocampus. *J. Hirnforsch.* 25: 1-10.
-

- Raisman, G., W.M. Cowan and T.P.S. Powell. 1965. The extrinsic afferent, commissural and association fibers of the hippocampus. *Brain*. 88: 963-997.
- Ramon y Cajal, S. 1901. Estudios sobre la corteza cerebral humana. IV. Estructura de la corteza cerebral olfactiva del hombre y mamiferos. *Trab. Lab. Invest. Biol. Univ. Madrid* 1: 1-140.
- Ramon y Cajal, S. 1903. Sobre un ganglio especial de la corteza eseno-occipital. *Trab. Lab. Invest. Biol. Univ. Madrid*. 1: 189-206.
- Ramon y Cajal, S. 1955. Studies on the cerebral cortex (limbic structures), translated from the spanish by Lisbeth M. Kraft. English translation of Cajal (1901-1902). London: Lloyd-Luke.
- Robbins, T.W. and G.F. Koob. 1980. Selective disruption of displacement behavior by lesions of the mesolimbic dopamine system. *Nature*. 285: 409-412.
- Robertson, R.T., S.S. Kaiz and M.J. Robards. 1980. A subcortical pathway links sensory and limbic systems of the forebrain. *Neurosci. Lett*. 17: 161-165.
- Room, P. and H.J. Groenewegen. 1986. Connections of the parahippocampal cortex. I. Cortical afferents. *J. Comp. Neurol*. 251: 415-450.
- Room, P. and H.J. Groenewegen. 1986. Connections of the parahippocampal cortex in the cat. II. Subcortical afferents. *J. Comp. Neurol*. 251: 451-473.
- Rose, J.E. and C.N. Woolsey. 1948. Structure and relations of limbic cortex and anterior thalamic nuclei in rabbit and cat. *J. Comp. Neurol*. 89: 279-348.
- Rose, M. 1927. Die sog. Riechrinde beim Menschen und beim Affen. II. Teil des "Allocortex bei Tier und Mensch." *J. Psychol. Neurol*. 34: 262-401.
- Rose, M. 1929. Cytoarchitektonischer Atlas der Grosshirnrinde der Maus. *J. Psychol. Neurol*. 40: 1-51.
- Ruth, R.E., T.J. Collier and A. Routtenberg. 1982. Topography between the entorhinal cortex and the dentate septotemporal axis in rats : I. Medial and intermediate entorhinal projecting cells. *J. Comp. Neurol*. 209: 69-78.
-

- Sanides, F. 1970. Functional architecture of motor and sensory cortices in primates in the light of a new concept of neocortex evolution. In the primate brain, pp. 137-208.
- Sanides, F. 1972. Representation in the cerebral cortex and its areal lamination patterns. In the structure and function of nervous tissue. Vol. 5, pp. 329-453. Bourne, G.H. ed. New York : Academic Press.
- Sawchenko, P.E. and L.W. Swanson. 1981. A method for tracing biochemically defined pathways in the central nervous system using combined fluorescent retrograde transport and immuno histochemical technique. Brain Res. 210: 31-51.
- Schwartz, S.P. and P.D. Coleman. 1981. Neurons of origin of the perforant path. Exp. Neurol. 74: 305-312.
- Scoville, W.B. and B. Milner. 1957. Loss of recent memory after bilateral hippocampal lesions. J. Neurol. Neurosurg. Psychiatry. 20: 11-21.
- Segal, M. 1977. Afferents to the entorhinal cortex of the rat studied by the method of retrograde transport of horseradish peroxidase. Exp. Neurol. 57: 750-765.
- Segal, M. and S. Landis. 1974. Afferents to the hippocampus of the rat studied with the method of retrograde transport of horseradish peroxidase. Brain Res. 78: 1-15.
- Sgonina, K. 1938. Zur vergleichenden anatomie der entorhinal und prasubikular region. J. Psychol. Neurol. 48: 56-163.
- Shiple, M.T. 1974. Presubiculum afferents to the entorhinal area and the Papez circuit. Brain Res. 67: 162-168.
- Shiple, M.T. 1975. The topographical and laminar organization of the presubiculum's projection to the ipsi- and contralateral entorhinal cortex in the guinea pig. J. Comp. Neurol. 160: 127-146.
-

- Shiple, M.T. and K.E. Sorensen. 1975. On the laminar organization of the anterior thalamus projections to the presubiculum in the guinea pig. *Brain Res.* 86: 473-477.
- Sikes, R.W., R.B. Chronister and L.E. White, Jr. 1977. Origin of the direct hippocampus-anterior thalamic bundle in the rat : A combined horseradish peroxidase-Golgi analysis. *Exp. Neurol.* 57: 379-395.
- Slomianka, L. and F.A. Geneser. 1991. Distribution of acetylcholinesterase in the hippocampal region of the mouse : I. Entorhinal area, parasubiculum, retrosplenial area and presubiculum. *J. Comp. Neurol.* 303: 339-354.
- Smith, M.O. and R. Holland. 1975. Effects on lesions of the nucleus accumbens on lactation and postpartum behavior. *Psychol.* 3: 331-350.
- Sorensen, K.E. 1982. Commissural-associational projections in the parahippocampal region of the guinea pig. *Neurosci. Lett. (Suppl.)* 10: S458 (abstract).
- Sorensen, K.E. 1985. Projections of the entorhinal area to the striatum, nucleus accumbens and cerebral cortex in the guinea pig. *J. Comp. Neurol.* 238: 308-322.
- Sorensen, K.E. and M.P. Witter. 1983. Entorhinal efferents reach the caudo-putamen. *Neurosci. Lett.* 35: 259-264.
- Sorensen, K.E. and M.T. Shipley. 1979. Projections from the subiculum to the deep layers of the ipsilateral presubicular and entorhinal cortices in the guinea pig. *J. Comp. Neurol.* 188: 313-334.
- Squire, L.R. and S. Zola-Morgan. 1983. The neurology of memory : the case for correspondence between the findings for human and nonhuman primate. In the physiological basis of memory, pp. 200-268. Deutsch, J.A., ed. New York : Academic Press.
- Sripanidkulchai, K. and J.M. Wyss. 1986.a. Thalamic projections to retrosplenial cortex in the rat. *J. Comp. Neurol.* 254: 143-165.
-

- Sripanidkulchai, K. and J.M. Wyss. 1986.b. Two rapid methods of counterstaining fluorescent dye tracer containing sections without reducing the fluorescence. *Brain Res.* 397: 117-129.
- Sripanidkulchai, K. and J.M. Wyss. 1987. Laminar organization of efferent neuronal cell bodies in the retrosplenial cortex *Brain Res.* 406: 255-269.
- Stephan, H. 1975. Allocortex. In *Handbuch der mikroskopischen Anatomie des Menschen*, Vol. 4, part 9, pp. 1-998. Bargman, W., ed. New York : Springer.
- Stephan, H. and O.J. Andy. 1970. The allocortex in primates. In *The primate brain*, pp. 109-135. Noback, C.R. and W. Montagna, eds. New York : Appleton-Century-Crofts.
- Stevens, J.R. 1979. Schizophrenia and dopaminine regulation in the mesolimbic. *Trend. Neurosci.* 2: 120-125.
- Steward, O. 1976. Topographic organization of the projections from the entorhinal area to the hippocampal formation of the rat. *J. Comp. Neurol.* 167: 285-314.
- Steward, O. and S.A. Scoville. 1976. Cells of origin of entorhinal cortical afferents to the hippocampus and fascia dentata of the rat. *J. Comp. Neurol.* 169: 347-370.
- Storm-Mathisen, J. 1970. Quantitative histochemistry of acetylcholinesterase in rat hippocampal region correlated to histochemical staining. *J. Neurochem.* 17: 739-750.
- Storm-Mathisen, J. and T.W. Blackstad. 1964. Cholinesterase in the hippocampal region distribution and relation to architectonics and afferent system. *Acta anat.* 56: 216-253.
- Swanson, L.W. 1983. The hippocampus and the concept of the limbic system. In *Neurobiology of the hippocampus*, pp. 3-17. Seifert, W., ed. London : Academic Press.

- Swanson, L.W. and C. Kohler. 1986. Anatomical evidence for direct projections from the entorhinal area to the entire cortical mantle in the rat. *J. Neurosci.* 6: 3010-3023.
- Swanson, L.W., P.E. Sawchenko and W.M. Cowan. 1981. Evidence that the commissural, associational and septal projections of the regio inferior of the hippocampus arise from the same neurons. *Brain Res.* 197: 207-212.
- Swanson, L.W. and W.M. Cowan. 1977. An autoradiographic study of the organization of the efferent connections of the hippocampal formation in the rat. *J. Comp. Neurol.* 172 (1) : 49-84.
- Van Groen, T. and J.M. Wyss. 1990. The connection of presubiculum and parasubiculum in the rat. *Brain Res.* 518: 227-243.
- Van Groen, T. and J.M. Wyss. 1990. The postsubicular cortex in the rat : characterization of the fourth region of the subicular cortex and its connections. *Brain Res.* 529: 165-177.
- Van Groen, Th., F. van Haren, M.P. Witter and H.J. Groenewegen. 1986. The organization of the reciprocal connections between the subiculum and the entorhinal cortex in the cat. 1. A neuroanatomical study. *J. Comp. Neurol.* 250: 485-497.
- Van Hoesen, G.W. 1982. The parahippocampal gyrus new observations regarding its cortical connections in the monkey. *Trends Neurosci.* 5: 345-350.
- Van Hoesen, G.W. and B.T. Hyman. 1990. Hippocampal formation : anatomy and the patterns of pathology in Alzheimer's disease. *Brain Res.* 83: 445-457.
- Van Hoesen, G.W. and D.N. Pandya. 1975.a. Some connections of the entorhinal (area 28) and perirhinal (area 35) cortices of the rhesus monkey. I. Temporal lobe afferents. *Brain Res.* 95: 1-24.
- Van Hoesen, G.W. and D.N. Pandya. 1975.b. Some connections of the entorhinal (area 28) and perirhinal (area 35) cortices of the rhesus monkey. III. Efferent connections. *Brain Res.* 95: 39-59.
-

- Vaz Ferreira, A. 1951. The cortical areas of the albino rat studied by silver impregnation. *J. Comp. Neurol.* 95(2): 177-243.
- Vogt, B.A. and M.W. Miller. 1983. Cortical connections between rat cingulate cortex and visual, motor and postsubicular cortices. *J. Comp. Neurol.* 216: 192-210.
- Vogt, C. and O. Vogt. 1919. *Allgemeine Ergebnisse unserer Hirnforschung.* *J. Psychol. Neurol.* 25: 279-462.
- Weisberg, J.A. and A. Rustioni. 1976. Cortical cells projecting to the dorsal column nuclei of cats : An anatomical study with the horseradish peroxidase technique. *J. Comp. Neurol.* 168: 425-437.
- Wilson, C.O., M. Isokawa-Akesson, T.L. Babb, J. Jr. Engel, L.D. Cahan and P.H. Crandall. 1987. Comparative view of Local and interhemispheric limbic pathway in humans : An evoked potential analysis. In *Fundamental Mechanisms of Human Brain function.* pp. 23-38. Engel, J. Jr., G.A. Ojemann, H.O. Lunder, and P.D. Williamson, eds. New York : Raven Press.
- Wise, S.P. 1975. The laminar organization of certain afferent and efferent fiber systems in the rat somatosensory cortex. *Brain Res.* 90: 139-142.
- Wise, S.P. and E.G. Jones. 1977. Topographic and columnar distribution of the corticotectal projection from the rat somatic sensory cortex. *Brain Res.* 133: 223-235.
- Witter, M.P. 1989. Connectivity of the rat hippocampus. In *The hippocampus*, pp. 53-69. Chan-Paley, V. and C. Kohler, eds. New York : Alan R. Liss.
- Witter, M.P. and D.G. Amaral. 1991. Entorhinal cortex of the monkey : V. Projections to the dentate gyrus, hippocampus and subicular complex. *J. Comp. Neurol.* 307: 437-459.
- Witter, M.P., G.W. Van Hoessen and D.G. Amaral. 1989. Topographical organization of the entorhinal projection to the dentate gyrus of the monkey. *J. Neurosci.* 9: 612-228.

- Witter, M.P. and H.J. Groenewegen. 1984. Laminar origin and septotemporal distribution of entorhinal and perirhinal projections to the hippocampus in the cat. *J. Comp. Neurol.* 224: 371-385.
- Witter, M.P. and H.J. Groenewegen. 1986. Connections of the parahippocampal cortex in the cat. III. Cortical and thalamic efferents. *J. Comp. Neurol.* 252: 1-31.
- Witter, M.P. and H.J. Groenewegen. 1986. Connections of the para hippocampal cortex in the cat. IV. Subcortical efferents. *J. Comp. Neurol.* 251: 51-77.
- Wyss, J.M. 1981. An autoradiographic study of the efferent connections of the entorhinal cortex in the rat. *J. Comp. Neurol.* 199: 495-512.
- Wyss, J.M. and K. Sripanidkulchai. 1984. The topography of the mesencephalic and pontine-projections from the cingulate cortex of the rat. *Brain Res.* 293: 1-15.
- Wyss, J.M., L.W. Swanson and W.M. Cowan. 1979. A study of subcortical afferents to the hippocampal formation in the rat. *Neurosci.* 4: 463-476.
- Zola-Morgan, S. and L.R. Squire. 1985. Medial temporal lesions in the monkeys impair memory in variety of tasks sensitive to amnesia. *Behav. Neurosci.* 99: 22-34.
- Zola-Morgan, S. and L.R. Squire. 1986. Memory impairment in monkeys following lesions of the hippocampus. *Behav. Neurosci.* 100: 155-160.
- Zola-Morgan, S., L.R. Squire and D.G. Amaral. 1986. Human amnesia and the medial temporal region : Enduring memory impairment following a bilateral lesion limited to field CA1 of the hippocampus. *J. Neurosci.* 6: 2950-2967.