

อ้างอิง

- เพ็ญศรี โควสุวรรณ, สมิตร์ สุตรา, ผกากรอง ลุมพิกานนท์, อนุชา พัวไพโรจน์ สมาน เทศนา และ
จิตเจริญ ไชยคำ 2529. ฝีในตับและพยาธิใบไม้ตับฟาสซิโอลา. J. Pediatr. Soc. Thai. 25(2)
: 87-92.
- ไพโรจน์ ปาริชาติกานนท์ และ อำนาจ สารสาส 2527. พยาธิใบไม้ตับฟาสซิโอลาในท่อน้ำดีคน :
รายงานผู้ป่วยรายแรกของประเทศไทย. สารศิริราช. 36 : 31-38.
- ร่ำพิง คิสสมาน 2498. การสำรวจพยาธิใบไม้. สัตวแพทยสาร. ตุลาคม 2498.
- วิกิจ วีรานูวัตต์, เจียมจิตต์ ดำรงค์ศักดิ์, ชูเกียรติ อัสวามิชัย, เต็มชัย ไชยอนุวัติ และสวัสดิ์ หิตะนันท์
2524. Hemoperitoneum caused by *Fasciola hepatica*. วารสารอายุรศาสตร์. 1:22-24.
- วิจิตร สุขเพณีย์ 2523. ประสิทธิภาพของยาไนโตรโซนิล ในการถ่ายพยาธิใบไม้ในตับโค. วารสาร
สมาคมปาราสิตวิทยาและอายุรศาสตร์เขตร้อนแห่งประเทศไทย. 3 : 55-60.
- วีรยุทธ แคนสีแก้ว, ศศิธร แก้วเกษ และจำรัส พุ่มพวง. 2533. รายงานการพบพยาธิใบไม้ตับ
(*Fasciola* sp.) ใน omentum ของผู้ป่วยจากจังหวัด อุบลราชธานี. สรรพสิทธิเวชสาร 11(3) :
111-114.
- วัฒนา แสงกิต. 2533. Clinical Syndrome of Fascioliasis. ใน : วัฒนาการในโรกระบบทางเดิน
อาหาร วีระศักดิ์ ว่องไพฑูรย์, เกรียงไกร อัครวงศ์ และทองดี ชัยพานิช บรรณาธิการ. สมาคม
แพทย์ระบบทางเดินอาหารแห่งประเทศไทย สำนักพิมพ์กรุงเทพเวชสาร. 6: 183-206.
- สุวัชร วัชรเสถียร และ วิเชียร สุนทรศิริ 2522. อาการทางผิวหนังของโรคพยาธิใบไม้ตับ. เวชสาร
แพทย์ตำรวจ. 5 : 48-53.
- Baever, P. C., Jung, R.C. and Cupp, E. W. Fascioliasis. In : Clinical parasitology. Beaver, P.C.,
Jung, R.C. and Cupp, E.W., eds. Philadelphia : Lea & Febiger, 1984 : 451-455.
- Bhodhi-ngoen, S. Veterinary helminthology. Bangkok : Chulalongkorn University Press, 1982
: 32.
- Buranasin, P. and Harinasuta, T. 1970. A case of Fascioliasis in Thailand. Southeast Asian J.
Trop. Med. Pub. Hlth. 1 : 146-147.
- Chitchang, S., Mitamun, W. and Ratananikom, N. 1982. *Fasciola hepatica* in human pancreas. :
A case report. J. Med. Assoc. Thailand 65 : 345-349.
- Clay, R.C. and Straight, W.M. 1961. Surgical removal of liver flukes from the common bile
duct. JAMA. 177 : 786.
- Dissamarn, R. 1955. La douve du foie, du boeuf et du buffle, en Thailand. Bull. off. int.
Epizoot. 43(3/4) : 435-438.

- Dissamarn, R. 1961. A note on some parasitic diseases of cattle and buffalo in Thailand. Bull. off. int. Epizoot. 56 : 1002-1004.
- Espino, A.M., Dumeigo, B.E., Fernandez, R. and Finlay, C.M. 1987. Immunodiagnosis of human fascioliasis by enzyme-linked immunosorbent assay using excretory-secretory products. Am. J. Trop. Med. Hyg. 37 : 605-608.
- Espino, A.M., Millan, J.C. and Finlay, C.M. 1992. Detection of antibodies and circulating excretory-secretory antigens for assessing cure in patients with fascioliasis. Tran. R. Soc. Trop. Med. Hyg. 86 : 649.
- Facey, R.V. and Marsden, P.D. 1960. Fascioliasis in man; an out break in Hamshire. Br. Med. J. 11 : 619-625.
- Fagbeni, B.O. and Obarisiagbon, I.O. 1990. Comparative evaluation of the enzyme-linked immunosorbent assay (ELISA) in the diagnosis of natural *Fasciola gigantica* infection in cattle. Vet. Q. 12 : 35-38 .
- Hadden, J.W. and Pascarelli, E.F. 1967. Diagnosis and treatment of human fascioliasis. JAMA. 202 : 149.
- Hardman, E.W., Jones, R.I.H. and Davies, A.H. 1970. Fascioliasis a large out-break. Br. Med. J. 29 : 502-505.
- Hillyer, G.V., Sanchez, Z. and de Leon, D. 1985. Immunodiagnosis of bovine fascioliasis by enzyme-linked immunosorbent assay and immunoprecipitation methods. J. Parasitol. 71 : 449-454.
- Hillyer, G.V., De Galanes, M.S., Rodriguez-Perez, J., Bjorland, J., De Lagrava, M.S., Guzman, S.R. and Bryan, R.T. 1992. Use of the Falcon assay screening test-enzyme-linked immunosorbent assay (Fast-ELISA) and the enzyme-linked immunoelectrotransfer of human fascioliasis in the Bolivian Altipano. Am. J. Trop. Med. Hyg. 46 : 603-609.
- Khalil, H.M., Abdel, T.M., Maklad, M.K., Abdallah, H.M., Fahmy, I.A. and el-Zayyat-EA. 1990. Specificity of crude and purified *Fasciola* antigens in immunodiagnosis of human fascioliasis. J. Egypt. Soc. Parasitol. 20 : 87-94.
- Khamboonruang, C. and Sakulwong, K. 1971. *Fasciola hepatica* from a breast abscess (Lab Demons). Southeast Asian J. Trop. Med. Pub. Hlth. 2 : 588.

- Langley, R.J. and Hillyer, G.V. 1989. Detection of circulating parasite antigen in murine fascioliasis by two-site enzyme-linked immunosorbent assays. *Am. J. Trop. Med. Hyg.* 41 : 472-478.
- Loehr, K.F. 1982. Annual report. Regional Veterinary Investigation Centre. Tha Phra, Khon Kaen. Ministry of Agriculture and Cooperatives. Department of Livestock Development. Thailand.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall R.J. 1951 Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* 193 : 265-275.
- Maleewong, W., Pariyanonda, S., Wongkham, C., Intapan, P., Daenseegaew, W. and Morakote, N. 1990. Comparison of adult somatic and excretory-secretory antigen in ELISA for serodiagnosis of human paragonimiasis heterotremus. *Trans. R. Soc. Trop. Med. Hyg.* 84: 840-841.
- Maleewong, W., Wongkham, C., Pariyanonda, S., Intapan, P., Pipitgool, V., Daenseegaew, W. and Morakote, N. 1991. Antigenic components of *Paragonimus heterotremus* recognized by infected human serum. *Parasite Immunol.* 13 : 89-93.
- Mansour, N.S., Youssef, F.G., Mikhail, E.M. and Boctor F.N. 1983. Use of a partially purified *Fasciola gigantica* worm antigen in the serological diagnosis of human fascioliasis in Egypt. *Am. J. Trop. Med. Hyg.* 32(3) : 550-554.
- Naquira-Vidoso, F., Marcial-Rojas, R.A. Fascioliasis *In* : Pathology of protozoa and helminthic diseases. Marcial Rojas R.A. ed. Baltimore : Williams & Wilkins, 1975 : 477-487.
- Rivera Marrero, C.A., Santiago, N. and Hillyer, G.V. 1988. Evaluation of immunodiagnostic antigens in the excretory-secretory products of *Fasciola hepatica*. *J. Parasitol.* 74 : 646-652.
- Sahba, G.H., Arfira, F., Farahmandian, I. and Jalati, H. 1972. Animal fascioliasis in Khuzestan, Southwestern Iran. *J. Parasitol.* 58 : 712-716.
- Santiago, N. and Hillyer, G.V. 1988. Antibody profiles by EITB and ELISA of cattle and sheep infected with *Fasciola hepatica*. *J. Parasitol.* 74 : 810-818.
- Sinclair, I.J. and Wassall, D.A. 1988. Sero-diagnosis of *Fasciola hepatica* infections in cattle. *Vet. Parasitol.* 27(3-4) : 283-290.

- Srikitjakarn, L. 1986. Zur Bekaempfung der Helminthosen bei Kaelbern und der Fasciolose bei adulten Bueffeln in Nordost Thailand. Vet. med. Diss. FU Berlin
- Swarup, D., Pachauri, S.P. and Sharma, B. 1987. Serodiagnosis of fascioliasis in buffaloes by immunoprecipitation using adult *Fasciola gigantica* antigens. Res. Vet. Sci. 42 : 130
- Tesana, S., Pamarapa, A. and Sae Sio, O.T. 1989. Acute cholecystitis and *Fasciola* spp. infection in Thailand : Report of two cases. Southeast Asian J. Trop. Med. Pub. Hlth. 20 (3) : 447-452.
- Tuti, S., Vichasri, S. and Sirisingha S. 1982 . Effect of culture media on production of excretory-secretory product and egg output of *Opisthorchis viverrini* in vitro. J. Parasitol. 68 : 892-897.
- Usanagornkul, S. and Sukhapesna. V. 1980. Diseases and parasites in swamp buffaloes. 169-167. In : Buffalo production in small farms. ASPAC FFTC, Taiwan.
- Voller, A., Bartlett, A. and Bidwell, D.E. 1976. Enzyme immunoassays for parasitic deseases. Trans. R. Soc. Trop. Med. Hyg. 70 : 98-106.
- Youssef, F.G. and Mansour, N.S. 1991. A purified *Fasciola gigantica* worm antigen for the serodiagnosis of human fascioliasis. Trans. R. Soc. Trop. Med. Hyg. 85(4) : 535-537.
- Watanabe, S. A revision of genus *Fasciola* in Japan, with particular reference to *F. hepatica* and *F. gigantica*. Prograss of Medical Parasitology in Japan, Tokyo : Maruzen, 1965.
- Wongratanacheewin, S., Bunnag, D., Vaeusorn, N. and Sirisingha, S. 1988. Characterization of humoral immune response in the serum and bile of patients with opisthorchis and its application in immunodiagnosis. Am. J. Trop. Med. Hyg. 38 : 356-362.