

เอกสารอ้างอิง

- ข้าวเศรษฐกิจการเกษตร. 2536. ภาพเศรษฐกิจการเกษตร. สำนักงานเศรษฐกิจ
การเกษตร กระทรวงเกษตรและสหกรณ์ ปีที่ 39 ฉบับที่ 442 กันยายน 2536.
- เมธา วรณรัตน์. 2533. โภชนศาสตร์สัตว์เคี้ยวเอื้อง. ภาควิชาสัตวศาสตร์ คณะ
เกษตรศาสตร์ มหาวิทยาลัยขอนแก่น, หน้า 78-81.
- เขามาลัย คำเจริญ. 2523. คู่มือปฏิบัติการวิเคราะห์อาหารสัตว์. ภาควิชาสัตวศาสตร์
คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น.
- เขามาลัย คำเจริญ และ สาโรช คำเจริญ. 2530. อาหารและการให้อาหารสัตว์ปีก.
พิมพ์ครั้งที่ 1. ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น.
- อุทัย คันโช. 2529. อาหารและการผลิตอาหารเลี้ยงสุกรและสัตว์ปีก. ศูนย์วิจัยและ
ฝึกอบรมการเลี้ยงสุกรแห่งชาติ นครปฐม.
- Abernethy, R.H., G.M. Paulsen and Jr. R. Ellis. 1973. Relationship
among phytic acid, phosphorus, and zinc during maturation
of winter wheat. J. Agric. Food. Chem. 21(2): 282-284.
- Anonymous. 1984. Phosphorus bioavailability in poultry nutrition.
Nutr. Rev. 42(11): 387-388.
- Anonymous. 1989. Phytase and phytate degradation in humans.
Nutr. Rev. 47(5): 155-157.
- Anonymous. 1991a. Fungal phytase can improve the bioavailability
of plant phosphorus. Nutr. Rev. 49(7): 207-208.
- Anonymous. 1991b. Fiber, phytates and mineral nutrition. Nutr.
Rev. 50(1): 30-31.
- Anonymous. 1992. Low calcium diets enhance phytate phosphorus
availability. Nutr. Rev. 50(6): 170-171.

- Akpe, M.P., P.E. Waibel, K. Larntz, A.L. Metz, S.L. Noll and M.M. Walser. 1987. Phosphorus availability bioassay using bone ash and bone densitometry as response criteria. *Poult. Sci.* 66: 713-720.
- A.O.A.C. 1985. Official methods of analysis (12th Ed.). Association of Official Analysis Chemists. Washington, D.C.
- Ballam, G.C., T.S. Nelson and L.K. Kirby. 1984. Effect of fiber and phytate source and of calcium and phosphorus level on phytate hydrolysis in the chick. *Poult. Sci.* 63: 333-338.
- Beers, S. and A.W. Jongbloed. 1992. Apparent overall (total tract) digestibility of P in relation to doses of *Aspergillus niger* phytase in diets for pigs. *J. Anim. Sci.* 70 (suppl.1): 242.
- Calvert, C.C., R.J. Besecker, M.P. Plumlee, T.R. Cline and D.M. Forsyth. 1978. Apparent digestibility of phosphorus in barley and corn for growing swine. *J. Anim. Sci.* 47(2): 420-426.
- Champagne, E.T., R.M. Rao, J.A. Liuzzo, J.W. Robinson, R.J. Gale and F. Miller. 1985a. Solubility behaviors of the minerals, proteins and phytic acid in rice bran with time, temperature and pH. *Cereal Chem.* 62(3): 218-222.
- Champagne, E.T., R.M. Rao, J.A. Liuzzo, J.W. Robinson, R.J. Gale and F. Miller. 1985b. The interactions of minerals, proteins and phytic acid in rice bran. *Cereal Chem.* 62(4): 231-238.

- Cooper, J.R. and H.S. Gowing. 1983. Mammalian small intestinal phytase (EC 3.1.3.8). Br. J. Nutr. 50: 673-678.
- Cosgrove, D.J. 1980. Inositol phosphates; their chemistry, biochemistry and physiology. Elsevier Science Publishers, Amsterdam, The Netherlands. p. 175.
- Cromwell, G.L. and T.S. Stahly. 1988. Bioavailability of phosphorus in high-protein feedstuffs for pigs. J. Anim. Sci. 66 (suppl.): 317-318.
- Cromwell, G.L., T.S. Stahly, R.D. Coffey, H.J. Monegue and J.H. Randolph. 1993. Efficacy of phytase in improving the bioavailability of phosphorus in soybean meal and corn-soybean meal diets for pigs. J. Anim. Sci. 71: 1831-1840.
- Davies, M.L., G.M. Ritcey and I. Motzok. 1970. Intestinal phytase and alkaline phosphatase of chicks : influence of dietary calcium, inorganic and phytate phosphorus and vitamin D₃. Poult. Sci. 49: 1280-1286.
- de Boland, A.R., G.B. Garner and B.L. O'Dell. 1975. Identification and properties of "phytase" in cereal grains and oilseed products. J. Agric. Food Chem. 23(6): 1186-1189.
- Erdman, J.W. 1979. Oilseed phytates : nutritional implications. J. Oil Amer. Chem. Soc. 56: 736.
- Frolich, W., T. DraKenberg and N.G. Asp. 1986. Enzymatic degradation of phytate (myo-inositol hexakisphosphate) in whole grain flour suspension and dough. A comparison between ³¹P NMR spectroscopy and a ferric ion method. J. Cereal Sci. 4: 325.

- Heaney, R.P., C.M. Weaver and M.L. Fitzsimmons. 1991. Soybean phytate content : effect on calcium absorption. *Am. J. Clin. Nutr.* 53: 745-747.
- Holden, N.E., R.L. Martin and I.L. Barnes. 1981. Isotopic composition of the elements. *Pure. Appl. Chem.* 55: 1119-1136.
- Jongbloed, A.W., Z. Mroz and P.A. Komme. 1992. The effect of supplementary *Aspergillus niger* phytase in diets for pigs on concentration and apparent digestibility of dry matter, total phosphorus and phytic acid in different. Sections of the alimentary tract. *J. Anim. Sci.* 70: 1157-1168.
- Khajjarern, J.M. 1971. Effect of calcium and phosphorus on bone darkening in broiler chicks. A thesis submitted to the graduate faculty in partial fulfillment of the requirements for the degree of master of science, Iowa State University, Ames, Iowa. p.14-15.
- Lee, D.Y., J. Schraeder and D.T. Gordon. 1988. Enhancement of Cu bioavailability in the rat by phytic acid. *J. Nutr.* 118: 712-717.
- Lei, X.G., P.K. Ku, E.R. Miller and M.T. Yokoyama. 1992a. Improvement of phytate phosphorus utilization by microbial phytase in weanlings. *Res. Rep. Mich. State Univ. Agric. Exp. Stn-East-Cansing, East Learning, Mich : The Station.* Jan. 1992 (520): p.102-112.

- Lei, X.G., P.K. Ku, E.R. Miller and M.T. Yokoyama. 1992b. Supplemental dietary microbial phytase eliminates need for inorganic phosphorus supplementation of a corn-soybean meal diet for weanling pigs by maximizing phytate phosphorus utilizations. J. Anim. Sci. 70 (suppl.1): 243.
- Lei, X.G., P.K. Ku, E.R. Miller and M.T. Yokoyama. 1992c. Influence of dietary phytase activity on utilization of phytate phosphorus in a corn-soybean meal diet for weanling pigs. Res. Rep. Mich. State Univ. Agric. Exp. Stn. East Lansing, East Lansing. Mich. : The Station. Jan. 1992 (520): p.113-117.
- Lei, X.G., P.K., Ku, E.R. Miller, D.E. Ullroy and M.T. Yokoyama. 1992d. Determination of dietary phytase activity in maximizing utilization of phytate phosphorus in a corn-soybean meal diet for weanling pigs and its equivalence to inorganic P supplementation. Res. Rep. Mich. State Univ. Agric. Exp. Stn. East Lansing. East Lansing, Mich : The Station Jan. 1992 (520): p. 118-127.
- Lei, X.G., P.K. Ku, E.R. Miller, D.E. Vllrey. and M.T. Yokoyama. 1992e. Influences of supplemental dietary phytase on zinc utilization by weanling pigs. Res. Rep. Mich. State Univ. Agric. Exp. Stn. East Lansing, East Lansing. Mich : The Station. Jan. 1992 (520), p. 124-127.
- Lin, J.J., D.B. Dickinson and T.H. David Ho. 1987. Phytic and metabolism in Lily (*Lilium longiflorum* Thumb.) Pollen. Plant. Physiol. 83: 408-413.

- Maga, J.A. 1982. Phytate : its chemistry, occurrence, food interactions, nutritional significance and methods of analysis. *J. Agric. Food. Chem.* 30: 1.
- Morris, E.R., R. Ellis, A.D. Hill, S. Cortrell, P. Steele, T. May and P.B. Moser. 1984. Trace element nutriture of adult men consuming three levels of phytate. *Fed. Proceeding* 43: 846 (abstr.).
- Moser, R.L., E.R. Pro, B.D. Moser and A.J. Lewis. 1982. Effect of grain source and dietary level of oat hulls on phosphorus and calcium utilization in the growing pig. *J. Anim. Sci.* 54(4): 800-805.
- Mroz, Z., A.W. Jongbloed and P.A. Kemme. 1992. Circadian variation in the flow rate and composition of ileal digesta in pigs in relation to supplementary microbial phytase and feeding regime. *J. Anim. Sci.* 70 (Supple.1): 229.
- National Research Council. 1984. Nutrient requirement of poultry. (8th Ed.). National Academy Press, Washington, D.C.
- National Research Council. 1988. Nutrient requirements of swine. (9th Ed.). National Academy Press. Washington, DC.
- Nelson, T.S. 1976. The hydrolysis of phytate phosphorus by chicks and laying hens. *Poult. Sci.* 55: 2262-2264.
- Nelson, T.S., L.W. Ferrara and N.L. Stores. 1968. The phytate phosphorus content of feed ingredients derived from plants. *Poult. Sci.* 47: 1372.
- Nelson, T.S., T.R. Shieh, R.J. Wodzinski and J.H. Ware. 1971. Effect of supplemental phytase on the utilization of phytate phosphorus by chicks. *J. Nutr.* 101: 1289-1294.

- Oberleas, D. 1973. Phytase in "Toxicants occurring naturally in foods". Food Nutrition Board, National academy of science, National research council, Washington, D.C. p. 363.
- O'Dell, B.L. and J.E. Savage. 1984. Effect of phytic acid on zinc availability. *Nutr. Rev.* 42: 322-324.
- Pointillart, A., N. Fontaine. 1986. Effects of Vitamin D on calcium regulation in vitamin-D-deficient pigs given a phytate-phosphorus diet. *Br. J. Nutr.* 56: 661-669.
- Pointillart, A. 1991. Enhancement of phosphorus utilization in growing pigs fed phytate-rich diets by using rye bran. *J. Anim. Sci.* 69: 1109-1115.
- Raboy, V. and D.B. Dickinson. 1987. The timing and rate of phytic acid accumulation in developing soybean seeds. *Plant Physiol.* 85: 842-844.
- Riis, P.M. 1983. Minerals. *World animal science (A Basic information)*. Elsevier Science Publishing Company Inc., New York. p. 281-315.
- Saha, D.C., R.L. Gilbreath and J. Wohlf. 1988. Availability of phytate phosphorus and phytate bound minerals in mature swine. *J. anim. Sci.* 66 (suppl.): 316-317.
- Schneiman, B.O. and D. Gallaner. 1980. Changes in small intestinal digestive enzyme activity and bile acids with dietary cellulose in rats. *J. Nutr.* 110: 584.
- Scott, J.J. 1991. Alkaline phytase activity in nonionic detergent extracts of legume seeds. *Plant Physiol.* 95: 1298-1301.
- Scott, M.L., M.C. Nesheim, and R.J. Young. 1976. *Nutrition of the chicken (2nd Ed.)*. M.L. Scott & Associate Ithaca, New York.

- Scott, M.L., M.C. Nesheim and R.J. Young. 1982. Essential inorganic elements. Nutrition of the chicken. (3rd Ed.) M.L. Scott & Associates Ithaca, New York. p.281-304.
- Simell, M., M. Turunen, J. Piironen and T. Vaara. 1989. Feed and food applications of phytase. Lecture presented at the III meeting on industrial applications of enzymes. Barcelona.
- Simons, P.C.M. and H.A.J. Versteegh. 1990. Improvement of phosphorus availability by microbial phytase in broilers and pigs. Br. J. Nutr. 64: 525-540.
- Snedecor, G.W., and W.G. Cochran. 1967. Statistical methods (6th Ed.). The Iowa State University Press, Ames, Iowa, U.S.A.
- Steel, R.G.D. and J.H. Torrie. 1960. Principles and procedures of statistics. McGraw-Hill Book Co., New York.
- Thompson, L.U., C.L. Button and D. JA. Jenkins. 1987. Phytic acid and calcium affect the in vitro rate of navy bean starch digestion and blood glucose response in humans. Am. J. Clin. Nutr. 46: 467-473.
- Turnlund, J.R., J.R. King, B. Gong, W.R. Keyes and M.C. Michel. 1984. A stable isotope study of zinc absorption in young men : effect of phytate and cellulose. Am. J. clin. Nutr. 40: 1071-1077.
- Turnlund, J.R., J.C. King, B. Gong, W.R. Keyes and M.C. Michel. 1985. A stable isotope study of copper absorption in young men : effect of phytate and cellulose. Am. J. Clin. Nutr. 42: 18-23.

- Turunen, M. 1991. Assay of phytase activity analytical method B-021, Rev. B. Alko Biotechnology Ltd. Rajamaki, Finland.
- Wang, H.L., E.W. Swain and C.W. Hesseltine. 1980. Phytase of molds used in oriental food fermentation. J. Food Sci. 45: 1262-1266.
- Williams, P.J. and T.G. Taylor. 1985. A comparative study of phytate hydrolysis in the gastrointestinal tract of the golden hamster (*Mesocricetus auratus*) and the laboratory rat. Br. J. Nutr. 54: 429-435.
- Yoon, J.H., L.U. Thompson and D.J.A. Jenkins. 1983. The effect of phytic acid on in vitro rate of starch digestibility and blood glucose response. Am. J. clin. Nutr. 38: 835-842.
- Young, L.G., M. Leunissen and J.L. Atkinson. 1993. Addition of microbial phytase to diets of young pigs. J. Anim. Sci. 71: 2147-2150.
- Zyla, K., J. Koreleski and M. Kujawski. 1989. Dephosphorylation of phytate compounds by means of acid phosphatase from *Aspergillus niger*. J. Sci. Food. Agri. 49: 315-324.