

เอกสารอ้างอิง

- กมล เลิศรัตน์, พิศาล ศิริธร และวิระ ภาณุทัต. 2529. *เอกสารวิชาการเรื่องแดงเทศ*. คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น. 27 หน้า.
- กฤษฎา สัมพันธ์รักษ์. 2531. *การปรับปรุงพันธุ์แดงโม*. ภาควิชาพืชไร่นา มหาวิทยาลัยเกษตรศาสตร์ กรุงเทพฯ. 40 หน้า.
- เกษม สร้อยทอง. 2532. *การควบคุมเชื้อโรคพืชโดยชีววิธี*. ภาควิชาเทคโนโลยีการผลิตพืช คณะเทคโนโลยีการเกษตร สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง. 326 หน้า.
- เดือนใจ บุญหลง และสมาน แก้วบุญเรือน. 2533. วิธีทดสอบ Phytotoxin ที่ได้จากเชื้อ *Alternaria solani* และ *Ascochyta rabini*. *วารสารโรคพืช* 10(1-2): 36-38.
- พิศาล ศิริธร. 2530. *โรคของเมล็ดพันธุ์*. คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น. 188 หน้า.
- พิศาล ศิริธร และกมล เลิศรัตน์. 2531. *โรคแดงเทศที่แปลงทดลองมหาวิทยาลัยขอนแก่น*. ต้นฉบับ เอกสารประกอบการสัมมนาการประชุมทางวิชาการพืชผักแห่งชาติครั้งที่ 8 ณ สถาบันวิจัยและฝึกอบรมการเกษตรจังหวัดลำปาง. 6 หน้า.
- พรทิพย์ วงศ์แก้ว. 2532. *แนวทางป้องกันกำจัดโรคพืชโดยการกระตุ้นให้พืชสร้างภูมิคุ้มกัน* ใน *การประชุมสัมมนาวิชาการวิทยาการอารักขาพืชทันสมัย*. สมาคมนักโรคพืชแห่งประเทศไทย มหาวิทยาลัยเกษตรศาสตร์ กรุงเทพฯ. 131 หน้า.

- Amy, C.J. and Rowe, R.C. 1991. Effects of temperature and duration of surface wetness on spore production and infection of cucumbers by *Didymella bryoniae*. *Phytopathology* 81: 206-209.
- Bala, G. and Hosein, F. 1985. Studies on gummy stem blight disease of cucurbits in Trinidad. *Tropical Agriculture (Trinidad)* 53: 195-197.
- Bateman, D.F. and Millar, R.L. 1966. Pectic enzymes in tissue degradation. *Annual Review of Phytopathology* 14: 119-146.
- Bergstrom, G.C., Knavel, D.E. and Kue, J. 1982. Role of insect injury and powdery mildew in the epidemiology of the gummy stem blight disease of cucurbits. *Plant Disease* 66: 683-686.
- Brown, M.E. and Preece, T.E. 1968. Examination of cucumber seed for *Mycosphaerella melonis*. *Plant Pathology* 17: 116-118.
- Brown, M.E., Haward, E.M. and Knigh, B.C. 1970. Seed borne *Mycosphaerella melonis* on cucumber. *Plant Pathology* 19: 198.
- Charles, C. and Arden, F.S. 1960. *Vegetable disease and their control*. The Ronald Press Company. New York 693 pp.
- Chaube, H.S. and Singh, U.S. 1990. *Plant disease management: principles and practices*. CRC Press, Inc. 319 pp.
-

Chiu, W.F. 1948. The pathogenicity of *Mycosphaerella citrullina*. *Phytopathology* 38: 5.

Chiu, W.F. and Walker, J.C. 1949. Morphology and variability of the cucurbit black rot fungus. *Journal of Agricultural Research* 78: 81-102.

Chiu, W.F. and Walker, J.C. 1949. Physiology and pathogenicity of the cucurbit black rot fungus. *Journal of Agricultural Research* 78: 589-613.

Chiu, W.F. and Walker, J.C. em aboboreira de moita. 1966. Perdas causad as pelo fungo *Mycosphaerella melonis* (Pass). *Mycologico* XXXII: 203-205.

Close, R.C. 1985. *Plant protection and plant disease (teaching manual)*. Department of Agricultural Microbiology, Lincoln Collage. 71 pp.

CMI (Commonwealth Mycological Institute) (1972). *CMI Descriptions of pathogenic fungi and bacteria*, set 34. no 332. Kew.Surrey, Englang.

CMI (Commonwealth Mycological Institute) (1973). Guide to the used of terms in plant pathology. *Phytopathological*. 17 pp.

Curren, T. 1968. Pectic and cellulolytic enzymes produced by *Mycosphaerella citrullina* and their relation to black rot of squash. *Canadian Journal of Botany* 47: 791-794.

- Curren, T. 1969. The sporulation of two isolates of *Mycosphaerella citrullina* on agar media. *Canadian Journal of Botany* 47: 2108-2109.
- Dean, R.A. and Kuc, J. 1987. Rapid lignification in response to wounding and infection as a mechanism for induced systemic protection in cucumber. *Physiological and Molecular Plant Pathology* 31: 69-81.
- Dekker, J. and Georgopoulos, S.G. 1982. *Fungicide resistance in crop protection*. Center for Agricultural Publishing and Documentation, Wageningen. 265 pp.
- Delp, C.J. 1980. Coping with resistance to plant disease control agents. *Plant Disease* 64: 652-657.
- Dillard, H.R. and Cobb, A.C. 1993. Survival of *Collectotrichum lindemuthianum* in bean debris in New York State. *Plant Disease* 77: 1233-1238.
- Elad, Y., Chet, I., Boyle, P. and Henis, Y. 1982. Parasitism of *Trichoderma* spp. and *Sclerotium rofsii* scanning electron microscopy and fluorescence microscopy. *Phytopathology* 73: 85-88.
- Elad, Y., Yunis, H. and Katan, T. 1992. Multiple fungicide resistance to benzimidazoles, dicarboximides and diethofencarb in field isolates of *Botrytis cinerea* in Israel. *Plant Pathology* 41: 41-46.

Fagg, J. and Fletcher, T. 1987. Studies of the epidemiology and control of tomato stem rot caused by *Didymella lycopersici*. *Plant Pathology* 36: 361-366.

FAO (1982) Recommended methods for the detection and measurement of resistance of plant pathogens to fungicides general principles. FAO method no 26. FAO *Plant Protection Bulletin* 30: 39-45.

Fletcher, J.T. and Preece, T.F. 1966. Mycosphaerella stem rot of cucumbers in the Lea Valley. *Annals of Applied Biology* 58: 423-430.

Gomez, K.A. and Gomez, A.A. 1984. *Statistical Procedures for Agricultural Research*. An International Rice Research Institute. A Wiley-Interscience Publication. 680 pp.

Hammerschmidt, R. and Kuc, J. 1982. Lignification as a mechanism for induced systemic resistance in cucumber. *Physiological Plant Pathology* 20: 61-71.

Henis, Y., Adams, P.B., Lewia, J.A. and Papavivas, G.C. 1983. Penetration of sclerotia of *Sclerotium rolfsii* by *Trichoderma* spp. *Phytopathology* 73: 1043-1046.

Johnston, A. and Booth, C. 1983. *Plant pathologist's pocketbook*. 2nd ed. Commonwealth Mycological Institute. England. 439 pp.

Koller, W. and Scheinplug, H. 1987. Fungal resistance to sterol biosynthesis inhibitors: a new challenge. *Plant Disease* 71: 1066-1074.

- Leski, B. 1984. Black fruit and stem rot caused by *Didymella bryoniae* an important disease of glasshouse cucumber (new to Poland). *Acta Horticulturae* 156: 245-250.
- Lint, P.J.A.L.de. and Heij, G. 1982. Night temperature and flower abortion of glasshouse cucumber (*Cucumis sativus* L.). *Netherlands Journal of Agricultural Science* 30: 331-339.
- Luepschen, N.S. 1961. The development of *Mycosphaella* black rot and *Pellicularia rolfsii* rot of watermelons at various temperature. *Plant Disease Reporter* 45: 557-559.
- Malathrakis, N.E. and Vakalounakis, D.J. 1983. Resistance to benzimidazole fungicides in the gummy stem blight pathogen *Didymella bryoniae* on cucurbits. *Plant Pathology* 32: 395-399.
- Marsh, R.W. 1972. *Systemic fungicide*. Longman Group Limited. 321 pp.
- Meer, Q.P.Van.Der, Bennekom, J.L.Van. and Giessen, A.C. Van.Der. 1978. Gummy stem blight resistance of cucumbers (*Cucumis sativus* L.). *Euphytica* 27: 861- 864.
- Neergaard, P. 1977. *Seed pathology*. Vol I. Macmillan London and Basingstak. 839 pp.

- Neergaard, P. 1989. Histological investigation of flower parts of cucumber infected by *Didymella bryoniae*. *Canadian Journal of Plant Pathology* 11: 28-38.
- Norton, J.D. 1979. Inheritance of resistance to gummy stem blight in watermelon. *Hortscience* 14(5): 630-632.
- Norton, J.D. and Cosper, R.D. 1989. AC-70-154, A gummy stem blight resistant muskmelon breeding line. *Hortscience* 24(4): 709-711.
- Olsen, M.W. and Stanghellini, M.E. 1981. *Mycosphaerella melonis* on greenhouse cucumber. *Plant Disease* 65: 157-159.
- Rankin, H.W. 1954. Effectiveness of seed treatment for controlling antracnose and gummy stem blight of watermelon. *Phytopathology* 44: 675-680.
- Richard, L. 1993. *Seedling disease of watermelon*. Asgrow Seed Company. 6 pp.
- Sanoamuang, N. 1992. *Epidemiological aspects of MBC resistance in Monilinia fruticola* (Wint.) Honey and mechanisms of resistance. Ph.D. Thesis. Lincoln University, Canterbury. 137 pp.
- Schenck, N.C. 1962. *Mycosphaerella* fruit rot of watermelon. *Phytopathology* 52: 635-638.
-

- Schenck, N.C. 1968. Incidence of airborne fungus spore over watermelon fields in Florida. *Phytopathology* 58: 91-94.
- Schenck, N.C. 1968. Epidemiology of gummy stem blight (*Mycosphaerella citrullina*) on watermelon: Ascospore incidence and disease development. *Phytopathology* 5: 1420-1422.
- Singh, R.S. 1983. *Plant disease*. (Fifth Edition). Oxford and IBH Publishing Co. 608 pp.
- Sitterly, W.R. 1968. A new symptom of gummy stem blight (*Mycosphaerella melonis*) on cucumber fruit. *Plant Disease Reporter* 52: 49-51.
- Skylakakis, G. 1981. Effects of alternating and mixing pesticides on the build up of fungal resistance. *Phytopathology* 71: 1119-1121.
- Smith, C.M. 1988. History of benzimidazole use and resistance in North American phytopathological. St.Paul Minisota. 133 pp.
- Sowell, G.Jr. and Pointer, R.G. 1962. Gummy stem blight resistance watermelons. *Plant Disease Reporter* 46: 883-885.
- Sowell, G.Jr., Prasad, K. and Norton, J.D. 1966. Resistance of *Cucumis melo* introduction to *Mycosphaerella citrullina*. *Plant Disease Reporter* 50: 661-663.
-

- Sowell, G.Jr. 1981. Additional sources of resistance to gummy stem blight of muskmelon. *Plant Disease* 65: 253-254.
- Sowell, G.Jr. and Corley, W.L. 1974. PI 321005 (Tainan #2), A high-quality source of resistance to three cantaloup diseases. *Phytopathology* 58: 899-902.
- Steekelenburg, N.A.M. Van. 1978. Chemical control of *Didymella bryoniae* in cucumbers. *Netherlands Journal of Plant Pathology* 84: 27-34.
- Steekelenburg, N.A.M. Van. 1980. Influence of the glasshouse climate on development of disease in a cucumber crop with special reference to stem and fruit rot caused by *Didymella bryoniae*. *Acta Horticulturae* 118: 45-57.
- Steekelenburg, N.A.M. Van. 1981. Comparison of inoculation methods with *Didymella bryoniae* on *Cucumis sativus* L. *Euphytica* 30: 515-520.
- Steekelenburg, N.A.M. Van. 1982. Factors influencing external fruit rot of cucumber caused by *Didymella bryoniae*. *Netherlands Journal of Plant Pathology* 88: 47-56.
- Steekelenburg, N.A.M. Van. 1983. Epidemiology aspects of *Didymella bryoniae*, the cause of stem and fruit rot of cucumber. *Netherlands Journal of Plant Pathology* 89: 75-86.
-

Steekelenburg, N.A.M. Van. 1984. Influence of ventilation temperature and low ventilation rates on incidence of *Didymella bryoniae* in glasshouse cucumbers. *Acta Horticulturae* 156: 187-197.

Steekelenburg, N.A.M. Van. 1985. Influence of time transition from night to day temperature regimes on incidence of *Didymella bryoniae* and influence of the disease on growth and yield of glass house cucumbers. *Netherlands Journal of Plant Pathology* 91: 225-233.

Steekelenburg, N.A.M. Van. 1985. Influence of humidity on incidence of *Didymella bryoniae* on cucumber leaves and growing tips under controlled environmental conditions. *Netherlands Journal of Plant Pathology* 91: 277-283.

Steekelenburg, N.A.M. Van. 1986. Factors influencing internal fruit rot of cucumber caused by *Didymella bryoniae*. *Netherlands Journal of Plant Pathology* 92: 81-91.

Svedelius, G. and Unestam, T. 1978. Experimental factors favouring infection of attached cucumber leaves by *Didymella bryoniae*. *Transactions of the British Mycological Society* 71(1): 89-97.

Trapero, C.A. and Kaiser, W.J. 1992. Development of *Didymella rabiei* the teleomorph of *Ascochyta rabiei* on chickpea straw. *Phytopathology* 82: 1261-1266.

Walker, J.C. 1952. *Disease of vegetable crops*. McGraw-Hill Book Company, Inc USA.
529 pp.

Whitaker, T.W. and Davis, G.N. 1962. *Cucurbits*. Interscience publishers inc, Newyork.
250 pp.

Wiant, J.S. 1945. Mycosphaerella black rot of cucurbits. *Journal of Agricultural Research* (Washington) 71: 193-213.

Wyszogrodzka, A.J., William, P.H. and Peterson, C. 1986. Search for resistance to
gummy stem blight (*Didymella bryoniae*) incucumber (*Cucumis sativus* L.).
Euphytica 35: 603-623.

Zadoks, J.C., and Schein, R.D. 1979. *Epidemiology and plant disease management*. Oxford
University Press. 427 pp.

Ziv, O. and Zitter, T.A. 1992. Effects of bicarbonates and film forming polymers on
cucurbit foliar diseases. *Plant Disease* 76: 513-517.