

เอกสารอ้างอิง

- กองคลังข้อมูลและสนเทศสถิติ. (2540). สถิติรายปีประเทศไทย. สำนักงานสถิติแห่งชาติ
สำนักนายกรัฐมนตรี.
- กลุ่มฟื้นฟูสมรรถภาพสมอง. (2536). แบบทดสอบสมรรถภาพสมองของไทย. สารศิริราช, 45
(6), 359-374.
- กัมมันต์ พันธุมจินดา. (2530). Clinical epidemiology of cerebrovascular disease. ในจเร
ผลประเสริฐ, สุรัชย์ เคารพธรรม, และกัมมันต์ พันธุมจินดา (บรรณาธิการ.), Stroke.
กรุงเทพฯ: เอเชียรพบุคพับลิชเชอร์.
- งานเวชระเบียนและสถิติ. (2537-2539). รายงานสถิติประจำปี. เชียงใหม่: หน่วยสถิติทางการ
แพทย์ งานเวชระเบียนและสถิติ โรงพยาบาลมหาราชนครเชียงใหม่.
- จิราวรรณ ลีลาพัฒนาพาณิชย์. (2541). ความหวังของผู้ป่วยโรคหลอดเลือดสมอง.
วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่,
บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- เจียมจิต แสงสุวรรณ. (2530). การพยาบาลผู้ป่วยสโตรคที่มีปัญหาการดูดและการกลืน. วาร
สารสมาคมพยาบาลแห่งประเทศไทย สาขาภาคตะวันออกเฉียงเหนือ, 6 (ม.ค.-
เม.ย.), 11-18.
- เจียมจิต แสงสุวรรณ. (2541). โรคหลอดเลือดสมอง: การวินิจฉัยและการจัดการทางการ
พยาบาล (พิมพ์ครั้งที่ 2). ขอนแก่น: ศิริภรณ์ออฟเซ็ท.
- นภาพรณ แก้ววรรณ. (2533). ผลของการจูงใจญาติต่อพฤติกรรมการดูแลผู้ป่วยโรค
หลอดเลือดสมองในระยะพักฟื้น. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต
สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- นิพนธ์ พวงวรรณ. (2534). โรคหลอดเลือดสมอง: Stroke. กรุงเทพฯ: เรือนแก้ว.
- นิตยา สุทธยากร. (2531). การศึกษาความสัมพันธ์ระหว่างพฤติกรรมการเผชิญปัญหากับ
ความมั่นใจในการดูแลผู้ป่วยโรคหลอดเลือดสมองปัจจุบันของญาติ. วิทยา
นิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย
มหาวิทยาลัยมหิดล.

นกุล ตะบูนพงศ์, ช่อลดา พันธุเสนา, และนิตยา ตากวิริยะนันท์. (2537). ภูมิหลังและปัญหาของผู้ป่วยโรคหลอดเลือดสมอง. วารสารพยาบาลสงขลานครินทร์, 14(4), 1-13.

พรชัย จุลเมตต์. (2540). ผลของการสนับสนุนด้านข้อมูลและด้านอารมณ์ต่อภาระของผู้ดูแลผู้ป่วยโรคหลอดเลือดสมอง. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

พาริดา อิบราฮิม. (บรรณานิกร.). (2539). ผู้ป่วยอัมพาตครึ่งซีกและการดูแล. กรุงเทพฯ: สามเจริญพาณิชย์.

เพ็ญลดา เคนไชยวงศ์. (2539). ความสัมพันธ์ระหว่างการพึ่งพาของผู้ป่วย แรงสนับสนุนทางสังคม และภาระของผู้ดูแลผู้ป่วยโรคหลอดเลือดสมอง. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สถิตีผู้ป่วยคลินิกอายุรกรรมประสาท งานการพยาบาลผู้ป่วยนอกและฉุกเฉิน โรงพยาบาลพญาบาลมหาราชนครเชียงใหม่. (2539-2541).

สิริสุดา ชาวคำเขต. (2541). การสนับสนุนทางสังคมของครอบครัวกับความเครียดของผู้สูงอายุที่กระดูกสะโพกหัก. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สุชุมาล ต้อยแก้ว. (2540). การประเมินค่าทางปัญญาและการเผชิญความเครียดของผู้ป่วยโรคความดันโลหิตสูง. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สุพัตรา สุภาพ. (2534). สังคมและวัฒนธรรมไทย: ค่านิยม ครอบครัว ศาสนา ประเพณี. กรุงเทพฯ: ไทยวัฒนาพานิช.

สุภาพ อารีเอื้อ. (2540). ความเครียด การเผชิญปัญหา และคุณภาพชีวิตของหญิงสูงอายุโรคข้อเข่าเสื่อม. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

สำนักงานสาธารณสุขจังหวัดเชียงใหม่. (2541). เอกสารการนำเสนอผลการพัฒนางานสาธารณสุขจังหวัดเชียงใหม่. เชียงใหม่: ฝ่ายประเมินผลและแผนงานสาธารณสุข.

- หทัยรัตน์ จรัสอุไรสิน. (2538). ความสัมพันธ์ระหว่างพฤติกรรมการเผชิญปัญหาและภาวะสุขภาพของหญิงสูงอายุโรคข้อเสื่อม. วิทยานิพนธ์ปริญญาศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัย เชียงใหม่.
- อภิญา จำปามูล. (2534). การตรวจสอบความตรงของการวินิจฉัยการพยาบาลในคลินิก: การเผชิญความเครียดที่ไม่มีประสิทธิภาพของบุคคล. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- อำกร ประคองจิต. (2536). วิธีการเอาชนะความเครียด และความคิดเห็นต่อภาวะสุขภาพของนักศึกษาพยาบาลวิทยาลัยพยาบาลพะเยา. วิทยานิพนธ์ปริญญาศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัย เชียงใหม่.
- Arakawa, S. , Saku, Y. , Ibayashi, S. Nagao, T. , & Fujishima, M. (1998). Blood Pressure control and recurrence of hypertensive brain hemorrhage. *Stroke*, 29, 1806-1809.
- Astrom, M. , Asplund, K. , & Astrom, T. (1992). Psychosocial function and life satisfaction After stroke. *Stroke*, 23, 527-531.
- Beare, P. G. , & Myers, J. L. (1994). *Adult health nursing*. St. Louis: Mosby-Year.
- Bell, J. M. (1977). Stressful life event and coping method in mental illness and wellness behaviors. *Nursing Research*, 26, 136-141.
- Binder, L. M. (1984). Emotional problems after stroke. *Stroke*, 15, 174-177.
- Black, J. M. , & Matassarin-Jacobs, E. (1993). *Luckmann and Sorensen's medical surgical nursing: A psychophysiologic approach* (4th ed.). Philadelphia: W.B. Saunders.
- Boynton De Sepulveda, L. I. , & Chang, B. (1994). Effective coping with stroke disability in a community setting: The development of a causal model. *Journal of Neuroscience Nursing*, 26(4), 193-203.
- Breakwell, G. M. (1990). Are you stress out ?. *American Journal of Nursing*, 90, 31-33.

- Brillhart, B. (1988). Family support for disabled. *Rehabilitation Nursing*, 13(6), 316-319.
- Brittain, K. R. , Peet, S. M. , & Castleden, C. M. (1998). Stroke and incontinence. *Stroke*, 29, 524-528.
- Bronstein, K. S. (1991). Psychosocial components in stroke : Implication for adaptation. *Nursing Clinics of North America*, 26(4), 1007-1017.
- Burns, N. & Grove, S. K. (1987). *The practice of nursing research: Conduct, critique and utilization*. Philadelphia: W. B. Saunders.
- Close, H. , & Procter, S. (1999). Coping strategies used by hospitalized stroke patients: Implication for continuity and management of care. *Journal of Advanced Nursing*, 29(1), 138-144.
- Cohen, S. , Kamarck, T. , & Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behavior*, 24, 385-396.
- Cohen, S. , Kessler, R. C. , & Gordon, L. U. (Eds.). (1995). *Measuring stress: A guide for health and social scientists*. New York: Oxford University.
- Davidhizar, R. (1997). Disability does not have to be the grief that never end : Helping patient adjust. *Rehabilitation Nursing*, 22(1), 32-35.
- Dennis, M. , O'Rourke, S. , Lewis, S. , Sharpe, M. , & Warlow, C. (1998). A quantitation Study of the emotional outcome of people caring for stroke survivors. *Stroke*, 29, 1867-1872.
- Downe-Wamboldt, B. L. , & Melanson, P. M. (1995). Emotions, coping, and psychological well-being in elderly people with arthritis. *Western Journal of Nursing Research*, 17, 250-265.
- Dudas, S. (1986). Nursing diagnoses and interventions for the rehabilitation of stroke patient. *Nursing Clinics of North America*, 21, 345-357.
- Feys, H. M. , De Weerd, W. J. , Selz, B. E. , Cox Steck, G. A. , Spichiger, R. , Vereeck, L. E. , & Putman, K. D. (1998). Effect of therapeutic intervention for the hemiplegic: Upper limb in the acute phase after stroke. *Stroke*, 29, 785-792.

- Fuller, J. , & Schaller-Ayers, J. (1990). **Health assessment: A nursing approach**. Philadelphia: J. B. Lippincott.
- Gass, K. A. , & Chang, A. S. (1989). Appraisal of bereavement, coping, resources, and psychosocial health dysfunction in widows and widowers. **Nursing Research**, 38(1), 31-36.
- Gold, G. , & Fishman, P. (1995). Hypertension: Special concerns in managing the older patient. **Geriatrics**, 50, 39-45.
- Gurklis, J. A. , & Menke, E. M. (1988). Identification of stressors and use of coping methods in chronic hemodialysis patients. **Nursing Research**, 37(4), 236-239.
- Hafsteinsdottir, T. B. , & Grypdonck, M. (1997). Being a stroke patient: a review of The literature. **Journal of Advanced Nursing**, 26, 580-588.
- Hayes, M. K. (1991). A preventive approach to stroke. **Nursing Clinics of North America**, 26, 931-940.
- Hickey, J. V. (1986). **The clinical practice of neurological and neurosurgical nursing** (2nd ed.). Philadelphia: J. B. Lippincott.
- Hoeman, S. P. (Ed.). (1996). **Rehabilitation nursing**. Missouri: Mosby-Year.
- Houglan-Adkins, E. R. (1993). Quality of life after stroke: Exposing a gap in nursing literature. **Rehabilitation Nursing**, 18, 144-147.
- Ignatavicius, D. D. , & Bayne, V. M. (1991). **Medical - surgical nursing**. New York: W.B. Saunders.
- Jalowiec, A. (1988). Confirmatory factor analysis of the Jalowiec coping scale. In C. F. Waltz, & O. L. Strickland (Eds.) **Measurement of nursing outcomes: Measurement client outcomes**. (volume 1.) (pp.287-308). New York: Springer.
- Jalowiec, A. , Murphy, S. P. , & Powers, M. J. (1984). Psychometric assessment of the Jalowiec coping scale. **Nursing Research**, 33, 157-161.
- Jalowiec, A. , & Powers, M. J. (1981). Stress and coping in hypertensive and emergency room patients. **Nursing Research**, 30, 10-15.

- Kase, C. S. , Wolf, P. A. , Kelly-Hayes, M. , Kannel, W. B. , Beiser, A. , & D'Agostino, R. B. (1998). Intellectual decline after stroke: The Framingham study. *Stroke*, 29, 805-812.
- Labi, M. L. , Phillips, T. F. , & Gresham, G. E. (1980). Psychosocial disability in physical restored long-term stroke survivors. *Archives of Physical Medicine and Rehabilitation*, 61, 561-565.
- Langton-Hewer, R. (1982). Psychosocial aspects of stroke rehabilitation. In F. C. Rose (Ed.). *Advances in stroke therapy* (pp. 313-317). New York: Raven.
- Lazarus, R. S. , & Folkman, S. (1984). *Stress, appraisal, and coping*. New York: Springer.
- Lee, I. , & Paffenbarger, R. S. (1998). Physical activity and stroke incidence: The Harvard Alumni health study. *Stroke*, 29, 2049-2054.
- Lugger, K. E. (1994). Dysphagia in elderly stroke patient. *Journal of Neuroscience Nursing*, 26(2), 78-84.
- Miller, C. A. (1999). *Nursing care of older adults: Theory and practice* (3rd ed). Philadelphia: Lippincott.
- Miller, J. F. (1992). *Coping with chronic illness: Overcoming powerlessness* (2nd ed). Philadelphia: F. A. Davis.
- Monga, T. N. , Lawson, J. S. , & Inglis, J. (1986). Sexual Dysfunction in stroke patients. *Archives of Physical Medicine and Rehabilitation*, 67(1), 19-22.
- Moos, R. H. , & Schaefer, J. A. (1984). The crisis of physical illness: An overview and conceptual approach. In Moos (Ed.). *Coping with physical illness: new perspective* (pp. 3-25). New York: Plenum Medical Book.
- Olsen, T. S. (1990). Arm and leg paresis as outcome predictors in stroke rehabilitation. *Stroke*, 21, 247-251.
- Parikh, R. M. , Robinson, R. G. , Lipsey, J. R. , Starkstein, S. E. , Paul-Fedoroff, J. , & Price, T. R. (1990). The impact of poststroke depression on recovery in activities of daily living over a 2-year follow-up. *Archives of Neurology*, 47, 785-789.

- Phipps, M. A. (1991). Assessment of neurologic deficits in stroke : Acute-care and Rehabilitation implications. **Nursing Clinics of North America**, 26(4), 957-970.
- Pohjasvaara, T. , Erkinjuntti, T. Vataja, R. & Kaste, M. (1997). Comparison of Stroke Features and disability in daily life in patients with ischemic stroke: age 55 to 70 and 71 to 85 years. **Stroke**, 28, 729-735.
- Pohjasvaara, T. , Erkinjuntti, T. Vataja, R. & Kaste, M. (1997). Dementia three months Stroke after stroke: Baseline frequency and effect of different definitions of Dementia in the Helsinki Stroke Aging Memory Study (SAM) cohort. **Stroke**, 28, 785-792.
- Rambo, J. F. (1984). **Adaptation nursing: Assessment and intervention**. Philadelphia: W. B. Saunders.
- Ramirez-Lassepas, M. (1998). Stroke and the arteries. **Geriatrics**, 53(suppl.1), s44-s48.
- Rankin, S. H. , & Monahan, P. (1991). Great expectations: perceived social support in couples experiencing cardiac surgery. **Family Relation**, 40, 297-302.
- Robinson, R. G. , & Price, T. R. (1982). Post-stroke depressive disorders: A follow-up study of 103 patients. **Stroke**, 13, 635-641.
- Robinson, R. G. , Starr, L. B. , Kubos, K. L. , & Price, T. R. (1983). A Two-year longitudinal study of post-stroke mood disorders: Findings during the initial evaluation. **Stroke**, 14, 736-741.
- Robinson, R. G. , Starr, L. B. , Lipsey, J. R. , Rao, K. , & Price, T. R. (1984). A Two-year longitudinal study of post-stroke mood disorders: Dynamic changes in associated variables over the first six months of follow-up. **Stroke**, 15, 510-517.
- Roth, P. (1989). Family social support. In P. J. Bomar (Ed.). **Nurse and family health Promotion: Concepts, assessment, and intervention** (pp.90-102). Mexico: W. B. Suanders.

- Selye, H. (1976). *The Stress of life*. New York: McGraw-Hill.
- Silliman, R. A. , Wagner, E. H. , & Fletcher, R. H. (1987). The social and functional consequences of stroke for elderly patients. *Stroke*, **18**, 200-203.
- Vemmos, K. N. , Bots, M. L. , Tsibouris, P. K. , Zis, V. P. , Grobbee, D. E. , Stranjalis, G. S. , & Stamatelopoulos, S. (1999). Stroke incidence and case fatality in Southern Greece: the arcadia stroke registry. *Stroke*, **30**, 363-370.
- Vitaliano, P. P. , Maiuro, R. D. , Russo, J. , & Becker, J. (1987). Raw versus relative scores in the assessment of coping strategies. *Journal of Behavioral Medicine*, **10**(1), 1-18.
- Volicer, B. J. , & Burns, M. W. (1977). Preexisting correlates of hospital stress. *Nursing Research*, **26**, 408-415.
- Wade, D. T. , Legh-Smith, J. , & Hower, R. L. (1986). Effect of living with and looking after survivors of a stroke. *British Medical Journal*, **293**, 418-420.
- Watson, L. D. , & Quinn, D. A. (1998). Stage of stroke: a model for stroke rehabilitation. *British Journal of Nursing*, **7**(11), 631-640.
- Williams, A. (1994). What bothers caregivers of stroke victims ?. *Journal of Neuroscience Nursing*, **26**, 155-161.
- Zhu, L. , Fratiglioni, L. , Guo, Z. , Aguero-Torres, H. , Winblad, B. , & Viitanen, M. (1998). Association of stroke with dementia, cognitive impairment, and functional disability in the very old: A population-based study. *Stroke*, **29**, 2094-2099.