

เอกสารอ้างอิง

- [1] Larminie, J.; Dicks, A. (2003), *Fuel cell systems explained*, 2nd edition. John Wiley & Sons Ltd, West Sussex.
- [2] Blyholder, G. (1964), Molecular orbitals view of chemisorbed carbon monoxide, *J.Phys. Chems*, **68**, pp.2772-2778.
- [3] Glassey, W. (2004), Energy partitioning studies of CO and NO chemisorption on the Pd(111) surface, *J. Phys. Chems.*, **108**, pp.5967-5979.
- [4] Shim, J.; Lee, C.R.; Lee, H.K.; Lee, J.S.; Cairns, E.J. (2001), Electrochemical characteristics of Pt-WO₃/C and Pt-TiO₂/C electrocatalysts in a polymer electrolyte fuel cell, *J. Power Sour*, **102**, pp.172-177.
- [5] Xiong, L.; Manthiram, A. (2004), Synthesis and characterization of methanol tolerant Pt/TiO_x/C nanocompositions for oxygen reduction in direct methanol fuel cells, *Electrochimica Acta*, **49**, pp. 4163-4170.
- [6] Jusys, Z.; Schmidt, T.J.; Dudau, L.; Lasch, K.; Jörissen, L.; Garche, J.; Behm, R.J. (2002), Activity of PtRuMeO_x (Me = W, Mo or V) catalysts towards methanol oxidation and their characterization, *J. Power Sour*, **105**, pp. 297-304.
- [7] Abbet, S.; Sanchez, A.; Heiz, U.; Schneider, W.D. (2001), Tuning the selectivity of acetylene polymerization atom by atom, *J. Catal*, **198**, pp.122-127.
- [8] Abbet, S.; Ferrary, A.M.; Giordano, L.; Pacchioni, G.; Häkkinen, H.; Landman, U.; Heiz, U. (2002), Pd₁/MgO(100): a model system in nanocatalysis, *Surf Sci*, **514**, pp.249-255.
- [9] Abbet, S.; Heiz, U.; Ferrary, A.M.; Giordano, L.; Valentin, C.D.; Pacchioni, G., (2001), Nano-assembled Pd catalysts on MgO thin films, *Thin Solid Films*, **400**, pp. 37-42.
- [10] Sanchez, A.; Abbet, S.; Heiz, U.; Schneider, W.D., Häkkinen, H.; Barnett, R.N.; Landman, U. (1999), When gold is not noble: nanoscale gold catalysts, *J. Phys. Chem. A*, **103**, pp. 9573-9578.
- [11] Rolison, D.R.; Hagans, P.L.; Swider, K.E., Long, J.W. (1999), Role of hydrous ruthenium oxide in Pt-Ru direct methanol fuel cell anode electrocatalysts: the importance of mixed electron/proton conductivity, *Langmuir*, **15**, pp. 774-779.
- [12] Lin, S.D.; Hsiao, T.C.; Chang, J.R.; Lin, A.S. (1999), Morphology of carbon supported Pt-Ru electrocatalyst and the CO tolerance of anodes for PEM fuel cells, *J. Phys. Chem. B*, **103**, pp. 97-103.

- [13] Watanabe, M. (2003), Design of electrocatalysts for fuel cells *In*: Wieckowski, A.; Savinova, E.R.; Vayenas, C.G. eds., *Catalysis and electrocatalysis at nanoparticle surfaces*. Marcel Dekker, Inc. America.
- [14] Kabbabi, A.; Faure, R.; Durand, R.; Beden, B.; Hahn, F.; Leger, J.M.; Lamy, C. (1998), In situ FTIRS study of the electrocatalytic oxidation of carbon monoxide and methanol at platinum-ruthenium bulk alloy electrodes, *J. Electroanal. Chem.*, **444**, pp. 41-53.
- [15] Lin, W.F.; Zei, M.S.; Eirwirth, M.; Ertl, G.; Iwasita, T.; Vielstich, W. (1999), Electrocatalytic activity of Ru-modified Pt(111) electrodes toward CO oxidation, *J. Phys. Chem. B*, **103**, pp. 6968-6977.
- [16] Koper, M.T.M.; Shubina, T.E.; van Santen, R.A. (2002), Periodic density functional study of CO and OH adsorption on Pt-Ru alloy surfaces: implications for CO tolerant fuel cell catalysts, *J. Phys. Chem. B*, **106**, 686-692.
- [17] Koper, M.T.M.; Lukkien, J.J.; Jansen, A.P.J.; van Santen, R.A. (1999), Lattice gas model for CO electrooxidation on Pt-Ru bimetallic surfaces, *J. Phys. Chem. B*, **103**, pp. 5522-5529.
- [18] Epling, W.S.; Peden, C.H.F.; Henderson, M.A.; Diebold, U. (1998), Evidence for oxygen adatoms on TiO₂(110) resulting from O₂ dissociation at vacancy sites, *Surf Sci*, **412/413**, pp. 333-343.
- [19] Diebold, U. (2003), The surface science of titanium dioxide, *Surf. Sci., Rep.*, **48**, pp. 53-229.
- [20] Burdett, J.K.; Hughbanks, T.; Miller, G.J.; Richardson, J.W., Jr.; Smith, J.V. (1987), Structural-electronic powder neutron diffraction studies of the rutile and anatase polymorphs of titanium dioxide at 15 and 295K, *J. Am. Chem. Soc.*, **109**, pp. 3639-3646.
- [21] Dunning Jr., T.H.; Hay, P.J. (1976) *In*: Schaefer III, H.F. ed. *Modern Theoretical Chemistry. Volume 3*. Plenum, Newyork, pp. 1-28.
- [22] Hay, P.J.; Wadt, W.R. (1985), *Ab initio* effective core potentials for molecular calculations. Potentials for the transition metal atoms Sc to Hg, *J. Chem. Phys.*, **82**, pp. 270-283.
- [23] Wadt, W.R.; Hay, P.J. (1985), *Ab initio* effective core potentials for molecular calculations. Potentials for main group elements Na to Bi, *J. Chem. Phys.*, **82**, pp. 284-298.

- [24] Hay, P.J.; Wadt, W.R. (1985), *Ab initio* effective core potentials for molecular calculations. Potentials for K to Au including the outermost core orbitals, *J. Chem. Phys.*, **82**, pp. 299-310.
- [25] ArgusLab 4.0.1 Mark A. Thompson, Planaria Software LLC, Seattle, WA
<http://www.arguslab.com>
- [26] Rittner, F.; Fink, R.; Boddenberg, B.; Staemmler, V. (1998), Adsorption of nitrogen on rutile (110): ab initio cluster calculations, *Phys. Rev. B*, **57**, pp. 4160-4170.
- [27] Schierbaum, K.D.; Fisher, S.; Torquemada, M.C.; de Segovia, J.L.; Román, E.; Martín-Gago, J.A. (1996), The interaction of Pt with TiO₂(110) surfaces: a comparative XPS, UPS, ISS, and ESD study, *Surf. Sci.*, **345**, pp. 261-273.
- [28] Fisher, S.; Schierbaum, K.D.; Göpel, W. (1997), Surface defects and platinum overlayers on TiO₂(110) surfaces: STM and photoemission studies, *Vacuum*, **48**, pp. 601-605.
- [29] Steinrück, H.P.; Pesty, F.; Zhang, L.; Madey, T.E. (1995), Ultrathin films of Pt on TiO₂(110): growth and chemisorption-induced surfactant effects, *Phys. Rev. B*, **51**, pp. 2427-2439.
- [30] Dohnálek, Z.; Kim, J.; Bondarchuk, O.; White, J.M.; Kay, B.D. (2006), Physisorption of N₂, O₂, and CO on fully oxidized TiO₂(110), *J. Phys. Chem. B*, **110**, pp. 6229-6235.
- [31] Reinhardt, P.; Causà, M.; Marian, C.M.; Heß, B.A. (1996), Adsorption of CO on TiO₂ (110) studied by means of a cluster model surrounded by multipoles obtained from slab calculations, *Phys. Rev. B*, **54**, pp. 14812-14821.
- [32] Iddir, H.; Skavysh, V.; Ögüt, S.; Browning, N.D.; Disko, M.M. (2006), Preferential of Pt on rutile TiO₂, *Phys. Rev. B*, **73**, pp. 041403(R)-1 – 041403-4.
- [33] Iddir, H.; Ögüt, S.; Browning, N.D.; Disko, M.M. (2005), Adsorption and diffusion of Pt and Au on the stoichiometric and reduced TiO₂ rutile (110) surfaces, *Phys. Rev. B*, **72**, pp. 081407(R)-1 081407-4.
- [34] Sasahara, A.; Pang, C.L.; Onishi, H. (2006) Local work function of Pt clusters vacuum-deposited on a TiO₂ surface, *J. Phys. Chem. B*, **110**, pp. 17584-17588.



