

เอกสารอ้างอิง

- กรมส่งเสริมการเกษตร. 2550. ฝรั่ง. <http://www.doae.go.th/plant/farung.htm>.
- กองโภชนาการ. 2530. คุณค่าทางอาหารในส่วนที่กินได้. กรมอนามัย, กระทรวงสาธารณสุข. 10 หน้า.
- กองโภชนาการ. 2549. องค์ความรู้เรื่องปริมาณสารต้านอนุมูลอิสระในผลไม้เพื่อส่งเสริมสุขภาพ (วิตามินซี วิตามินอี และ เบต้าแคโรทีน) ในผลไม้. กรมอนามัย, กระทรวงสาธารณสุข. <http://nutrition.anamai.moph.go.th>.
- จริงแท้ ศิริพานิช. 2538. สรีวิทยาและเทคโนโลยีหลังการเก็บเกี่ยวยักและผลไม้. โรงพยาบาลศูนย์ส่งเสริมและฝึกอบรมการเกษตรแห่งชาติ จังหวัดนครปฐม. 369 หน้า.
- ชรีวัฒน์ ธรรมโมหะเว. 2549. ผลของสารเคลือบ Sucrose fatty acid ester Chitosan และฟิล์มพลาสติก PVC ต่อคุณภาพและอายุการวางจำหน่ายของฝรั่งพันธุ์กลมสาลีตัดแต่งพร้อมบริโภค. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเทคโนโลยีพระจอมเกล้าธนบุรี. 143 หน้า.
- ดวงจันทร์ เกรียงสุวรรณ. 2539. ฝรั่งพันธุ์แป้นสีทอง. บทความวิธุร้ายการสาระความรู้ทางการเกษตร ประจำวันจันทร์ที่ 12 กุมภาพันธ์ 2539. งานศูนย์บริการวิชาการและฝึกอบรม ฝ่ายวิจัยและบริการวิชาการ คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตหาดใหญ่. http://natres.psu.ac.th/radio/radio_article/radio38-39/38-390020.htm.
- Abreu, M., Beirao-da-Costa, S., Goncalves, E.M., Beirao-da-Costa, M.L. and Moldao-Martins, M. 2003. Use of mild heat pre-treatments for quality retention of fresh-cut 'Rocha' pear. Postharvest Biology and Technology. 30:153-160.
- Animal and Plant Health Inspection Service (APHIS). 1988. Section II, 9 and section VI-T106. Plant protection and quarantine manual. In Larie, S. 1998. Postharvest heat treatments. Postharvest Biology and Technology. 14:257-269.
- Arroqui, C., Lopez, A., Esnoz, A. and Virseda, M.P. 2003. Mathematical model of heat transfer and enzyme inactivation in an integrated blancher cooler. Journal of Food Engineering. 58:215-225.
- Atta Aly, M.A., 1992. Effect of high temperature on ethylene biosynthesis by tomato fruit. Postharvest Biology and Technology. 2:19–24.
- Barkai-Golan, R. and Phillips, D.J. 1991. Postharvest heat treatment of fresh fruits and vegetables for decay control. Plant Diseases. 75:1085-1089.
- Ben-Shalom, N. Hanzon, J. Klein J.D. and Lurie, S., 1993. A postharvest heat treatment inhibits cell wall degradation in apples during storage. Phytochemistry. 34:955–958.
- Ben-Shalom, N. Hanzon, J. Pinto R. and Lurie, S., 1996. Cell wall changes and partial prevention of fruit softening in prestorage heat treated 'Anna' apples. Journal of the Science of Food and Agriculture. 72:231–234.

- Ben-Yehoshua, S., Rodov, V., Peretz, J., 1997. The constitutive and induced resistance of citrus fruit against pathogens. In: Johnson, G.I., Highly, E., Joyce, D.C. (Eds.), Disease Resistance in Fruit. ACIAR Proc. No. 80. Canberra, Australia, pp. 78–92.
- Biggs, M.S. Woodson W.R. and Handa, A.K., 1988. Biochemical basis of high temperature inhibition of ethylene biosynthesis in ripening tomato fruits. *Physiologia Plantarum*. 72:572–578.
- Cantwell, M.T., Hong, G. and Suslow, T.V., 2001. Heat treatments control extension growth and enhance microbial disinfection of minimally processed green onions. *HortScience*. 36:732–737.
- Carlin, F., Nguyen-the, C., Chambroy, Y., and Reich, M. 1990. Effect of controlled atmosphere on microbial spoilage, electrolyte leakage and sugar content of fresh ‘ready-to-use’ Grated carrots. *International Journal of Food Science and Technology*. 25:110-119.
- Chan, H.T., 1991. Ripeness and tissue depth effects on heat inactivation of papaya ethylene forming enzyme. *Journal of Food Science*. 56:996–998.
- Chan H.T. and Linse, E., 1989. Conditioning cucumbers for quarantine heat treatments. *HortScience*. 24:985–989.
- Couey, H.M., 1989. Heat treatment for control of postharvest diseases and insect pests of fruit. *HortScience*. 24:198–202.
- Dahiya Pragati S. and Dhawan, S.S., 2003. Effect of drying method on nutrition composition of dehydrated aonla fruit. *Plant Food for Human Nutrition*. 58:921–928.
- Dea, S., Brecht, J.K., Nunes, M.C.N. and Baldwin, E.A., 2010. Quality of fresh-cut ‘Kent’ mango slices prepared from hot water or non-hot water-treated fruit. *Postharvest Biology and Technology*. 56:171-180.
- Dettori, A., D’Hallewin, G., Agabbio, M., Marceddu, S., Schirra, M., 1996. S.E.M. studies on *Penicillium italicum* ‘Star Ruby’ grapefruit interactions as affected by fruit hot water dipping. In: Proceedings of the VIII International Citrus Congress, 12–17 May 1996, Sun City Resort, South Africa. Vol. 2:1158–1163.
- Fallik, E. Grinberg, S. Gambourg, M. Klein J.D. and Lurie, S., 1996. Prestorage heat treatment reduces pathogenicity of *Penicillium expansum* in apple fruit. *Plant Pathology*. 45:92–97.
- Fallik, E. Grinberg, S. Alkalai, S. Yekutieli, O. Wiseblum, A. Regev, R. Beres H. and Bar-Lev, E. 1999. A unique rapid hot water treatment to improve storage quality of sweet pepper. *Postharvest Biology and Technology*. 15:25–32.

- Fallik, E. Aharoni, Y. Copel, A. Rodov, R. Tuvia-Alkalai, S. Horev, B. Yekutieli, O. Wiseblum A. and Regev, R., 2000. A short hot water rinse reduces postharvest losses of 'Galia' melon. *Plant Pathology*. 49:333–338.
- Fallik, E. Ilic, Z. Tuvia-Alkalai, S. Copel A. and Polevaya, Y., 2002. A short hot water rinsing and brushing reduces chilling injury and enhance resistance against *Botrytis cinerea* in fresh harvested tomato. *Advances in Horticultural Science*. 16:3–6.
- Fallik, E., 2004. Prestorage hot water treatments (immersion, rinsing and brushing). *Postharvest Biology and Technology*. 32:125–134.
- Fleischman, G.J., Bator, C., Merker, R., Keller, S.E., 2001. Hot water immersion to eliminate *Escherichia coli* O157:H7 on the surface of whole apples: thermal effects and efficacy. *Journal of Food Protection*. 64:451-455.
- Garcia, E. and Barret, D.M. 2002. Preservative treatments for fresh-cut fruits and vegetables. In Lamikanra, O. (Ed.). *Fresh-cut fruits and vegetables* (pp. 267-303). CRC Press.
- Gartner, U., Mayer-Miebach, E. and Spiess, W.E.L. 1997. Controlling the microbial load on ready-to-use sliced salads by low-temperature blanching. In Jowitt, R. (Ed.). *Engineering and food at ICEF 7* (pp. J41-J42). Sheffield: Sheffield Academic Press.
- Ilic, Z. Polevaya, Y. Tuvia-Alkalai, S. Copel A. and Fallik, E., 2001A short prestorage hot water rinse and brushing reduces decay development in tomato, while maintaining its quality. *Tropical Agricultural Research and Extension*. 4:1–6.
- Jacobi K.K. and Gowanlock, D., 1995. Ultrastructural studies of 'Kensington' mango (*Mangifera indica* Linn.) heat injuries. *HortScience*. 30:102–103.
- Jacobi, K.K. Wong L.S. and Giles, J.E., 1996. Postharvest quality of zucchini (*Cucurbita pepo* L.) following high humidity hot air disinfestation treatments and cool storage. *Postharvest Biology and Technology*. 7:309–316.
- Jordan, R.A., 1993. The disinfestation heat treatment process. Plant quarantine in Asia and the Pacific. A Report of an Asian Productivity Organization Study Meeting, Taipei, Taiwan, 17–26 March 1992. Asian Productivity Organization, Tokyo, pp. 53–68.
- Kim, D.M., Smith, N.L. and Lee, C.Y. 1993. Apple cultivar variations in response to heat treatment and minimally processing. *Journal of Food Science*. 58:1111-1114, 1124.
- Klein, J.D., 1989. Ethylene biosynthesis in heat treated apples. In: Clijsters, H., de Proft, M., Marcelle, R., van Pouche, M. (Eds.), *Biochemical and Physiological Aspects of Ethylene Production in Lower and Higher Plants*. Kluwer, Dordrecht, The Netherlands, pp. 184–190.

- Klein, J.D. Conway, W.S. Whitaker B.D. and Sams, C.E., 1997. *Botrytis cinerea* decay in apples is inhibited by postharvest heat and calcium treatments. Journal of the American Society for Horticultural Science. 122:91–94.
- Klein J.D. and Lurie, S., 1990. Prestorage heat treatment as a means of improving poststorage quality of apples. Journal of the American Society for Horticultural Science. 115:255–259.
- Lamikanra, O. and Watson, M.A. 2007. Mild heat and calcium treatment effects on fresh-cut cantaloupe melon during storage. Food Chemistry. 102:1383-1388.
- Lazan, H. Ali, Z.M. Liang K.S. and Yee, K.L., 1989. Polygalacturonase activity and variation in ripening of papaya fruit with tissue depth and heat treatment. Physiologia Plantarum. 77:93–98.
- Loaiza-Velarde, J.G., Tomas-Barberan, F.A. and Saltveit, M.E. 1997. Effect of intensity and duration of heat-shock treatments on wound-induced phenolic metabolism in iceberg lettuce. Journal of the American Society of Horticultural Science. 122:873-877.
- Luna-Guzman, I., Cantwell, M. and Barrett, D.M. 1999. Fresh-cut cantaloupe: effects of CaCl_2 dips and heat treatments on firmness and metabolic activity. Postharvest Biology and Technology. 17:201-213.
- Lurie, S. 1997. Postharvest heat treatment of horticultural crops. Horticultural Reviews. 22:91-183.
- Lurie, S. 1998. Postharvest heat treatments. Postharvest Biology and Technology. 14:257-269.
- Lurie, S., 1998. Postharvest heat treatments of horticultural crops. Horticultural Review. 22:91–121.
- Lurie S. and Klein, J.D., 1992. Calcium and heat treatments to improve storability of 'Anna' apple. HortScience. 27:36–39.
- Martin-Diana, A.B., Rico, D., Frias, J.M., Barry-Ryan, C., Mulcahy, J. and Henehan, G.T.M. 2005. Effect of heat-shock on browning related enzymes in minimally processed iceberg lettuce and crude extracts. Bioscience, Biotechnology and Biochemistry. 69:1677-1685.
- Miller, W.R. McDonald, R.E. Hatton T.T. and Ismail, M., 1988. Phytotoxicity to grapefruit exposed to hot water immersion treatment. Proceedings of the Florida State Horticultural Society. 101:192–195.
- Moreno, J., Chiralt, A., Escriche, I. and Serra, J.A. 2000. Effect of blanching/osmotic dehydration combined methods on quality and stability of minimally processed strawberries. Food Research International. 33:609-616.

- Nafussi, B. Ben-Yehoshua, B. Rodov, V. Peretz, J. Ozer B.K. and D'Hallewin, G., 2001. Mode of action of hot-water dip in reducing decay of lemon fruit. *Journal of Agricultural and Food Chemistry.* 49:107–113.
- Nguyen-the, C. and Carlin, F. 1994. The microbiology of minimally processed fresh fruits and vegetables. *Critical Reviews in Food Science and Nutrition.* 34:371–401.
- Paull, R.E. and Chen, N.J., 2000. Heat treatment and fruit ripening. *Postharvest Biology and Technology.* 21: 21–38.
- Pavoncello, D. Lurie, S. Droby S. and Porat, R., 2001. A hot water treatment induces resistance to *Penicillium digitatum* and promotes the accumulation of heat shock and pathogenesis-related proteins in grapefruit flavedo. *Physiologia Plantarum.* 111:17–22.
- Prusky, D. Fuchs, Y. Kobiler, I. Roth, I. Weksler, A. Shalom, Y. Fallik, E. Zaurberman, G. Pesis, E. Akerman, M. Yekutieli, O. Wiseblum, A. Regev R. and Artes, L., 1999. Effect of hot water brushing, prochloraz treatment and waxing on the incidence of black spot decay caused by *Alternaria alternata* in mango fruit. *Postharvest Biology and Technology.* 15:165–174.
- Rawson, A., Patrasb, A., Tiwaric, B.K., Noci, F., Koutchma, T. and Brunton, N., 2011. Effect of thermal and non thermal processing technologies on the bioactive content of exotic fruits and their products: Review of recent advances. *Food Research International.* 44:1875–1887.
- Rosen, C.J. and Kader, A.A. 1989. Postharvest physiology and quality maintenance of sliced pear and strawberry fruits. *Journal of Food Science.* 54:656–659.
- Saltveit, M.E. 2000. Wound-induced changes in phenolic metabolism and tissue browning are altered by heat shock. *Postharvest Biology and Technology.* 21:61–69.
- Sharp, J.L., 1994. Hot water immersion. In: Sharp, J.L., Hallman, G.J. (Eds.), *Quarantine Treatments for Pests of Food Plants*, Westview Press, Boulder, CO, USA, pp. 133–147.
- Shellie, K.C., Mangan, R.L., 1994. Disinfestation: effect of non-chemical treatments on market quality of fruit. In: Champ, B.R. (Ed.), *Postharvest Handling of Tropical Fruits*. ACIAR Proceedings. pp. 304–310.
- Sozzi, G.O. Cascone O. and Fraschina, A.A., 1996. Effect of a high temperature stress on endo- β -mannanase and α - and β -galactosidase activities during tomato fruit ripening. *Postharvest Biology and Technology.* 9:49–63.
- Uddin, M.S. Hawlader, M.N.A. Ding L. and Mujumdar, A.S., 2002. Degradation of ascorbic acid in dried guava during storage. *Journal of Food Engineering.* 51:21–26.

- Woolf, A.B., 1997. Reduction of chilling injury in stored ‘Hass’ avocado fruit by 38°C water treatments. HortScience. 32:1247-1251.
- Woolf A.B. and Laing, W.A., 1996. Avocado fruit skin fluorescence following hot water treatments and pretreatments. Journal of the American Society for Horticultural Science. 121:147–151.
- Yoshida, O. Nakagawa, H. Ogura N. and Sato, T., 1984. Effect of heat treatment on the development of polygalacturonase activity in tomato fruit during ripening. Plant and Cell Physiology. 25:505–509.
- Yu, Y.B. Adams D.O. and Yang, S.F., 1980. Inhibition of ethylene production by 2,4-dinitrophenol and high temperature. Plant Physiology. 66:286–290.