

เอกสารอ้างอิง

- กนกวรรณ ทาสอน. (2545). ผลของกลุ่มการเรียนรู้แบบมีส่วนร่วมต่อภาวะวิตกกังวลในโรควิตกกังวล. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาล อายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- กาญจนา ลิ้มจาริก. (2538). การศึกษาการรับรู้ประสบการณ์ในหอผู้ป่วยหนักของผู้ป่วยผ่าตัดหัวใจแบบเปิด. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- เกษณี อำนจวรรณพันธ์. (2543). ผลของการให้ข้อมูลอย่างมีแบบแผนและการสัมผัสต่อความวิตกกังวลและการปฏิบัติตัวในผู้ป่วยทำการผ่าตัดหูโดยใช้ยาชาเฉพาะที่. กลุ่มงานห้องผ่าตัดและพักฟื้น. เชียงใหม่: โรงพยาบาลมหาราชนครเชียงใหม่.
- ชนิษฐา นาคะ. (2534). ความวิตกกังวลและความต้องการข้อมูลในผู้ป่วยก่อนผ่าตัด. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ขวัญเรือน แพ้งสกุล. (2544). สถานการณ์ที่ก่อให้เกิดภาวะเครียดในผู้ป่วยตามการรับรู้ของผู้ป่วยและพยาบาลในหน่วยวิกฤตศัลยกรรม. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- จกมล ศรีวัฒนา และ พรทิพา สุภราศรี. (2539). ความต้องการของญาติผู้ป่วยในหออภิบาลผู้ป่วยหนัก. วารสารพยาบาลศาสตร์ มหาวิทยาลัยบูรพา, 4(1), 53-56.
- จุฑามาศ ปัญจะวิสุทธิ, สุภาภรณ์ ค้างแพง, สมพร สิริเต็มกุล และวิไลวรรณ เนื่อง ณ สุวรรณ. (2537). ความต้องการของญาติผู้ป่วยในภาวะวิกฤต. กลุ่มงานอายุรกรรม. ขอนแก่น: โรงพยาบาลขอนแก่น.
- ฉวีวรรณ สัตยธรรม. (2541). (บรรณาธิการ). การพยาบาลจิตเวชและสุขภาพจิต. พิมพ์ครั้งที่ 3. สถาบันพระบรมราชชนก กระทรวงสาธารณสุข: [ม.ป.พ.]
- ชลดา จันทร์ขาว. (2541). ความวิตกกังวลและความต้องการข้อมูลในหญิงที่มีการเจ็บครรภ์ก่อนกำหนด. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลมารดาและทารก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

ทศมา โรจนประดิษฐ์. (2541). ผลการสนับสนุนและให้ข้อมูลต่อความวิตกกังวลและความพึงพอใจในการพยาบาลของหญิงเจ็บครรภ์คลอดก่อนกำหนด. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลมารดาและทารกแรกเกิด, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

ธิดิมา วาทยานิช. (2540). ความต้องการของสมาชิกในครอบครัวผู้ป่วยวิกฤตตามการรับรู้ของตนเองและของพยาบาล. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

แบบประเมินระดับความรุนแรงของผู้ป่วย. (2542). โรงพยาบาลจอมทอง จังหวัดเชียงใหม่. กองการพยาบาล กระทรวงสาธารณสุข: พิมพ์ครั้งที่ 1. นนทบุรี.

นาฏยา เอื่องไพโรจน์. (2535). ผลของการให้ข้อมูลอย่างมีแบบแผนต่อความวิตกกังวลของคู่สมรสของผู้ป่วยที่อยู่ในหอผู้ป่วยหนักศัลยกรรม. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิตสาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

นิภาวรรณ สามารถกิจ และ จันทร์พร ยอดยิ่ง. (2541). ความต้องการและการตอบสนองความต้องการที่ได้รับของญาติผู้ป่วยวิกฤตในหอผู้ป่วยศัลยกรรมอุบัติเหตุ. วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา, 6(3). 40-56.

พรทิพย์ โกศลย์วัฒน์. (2541). การศึกษาความต้องการของสมาชิกในครอบครัวผู้ป่วยวิกฤตที่เข้ารับการรักษาในหอผู้ป่วยหนักอุบัติเหตุ โรงพยาบาลศิริราช. วารสารพยาบาลรามาธิบดี, 16(4), 54-56.

พิกุล ดันดิธรรม. (2533). ผลการเตรียมญาติผู้ป่วยที่เข้ารับการรักษานในหอผู้ป่วยหนักโดยการให้ข้อมูลอย่างมีแบบแผนต่อระดับความวิตกกังวล. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

รุจา ภูไพบูลย์. (2534). การพยาบาลครอบครัว: แนวคิดทฤษฎีและการนำไปใช้. ขอนแก่น: โรงพิมพ์มหาวิทยาลัยขอนแก่น.

รัตนา อยู่เปล่า. (2543). ผลของการสนับสนุนด้านข้อมูลและอารมณ์ต่อความวิตกกังวลของสมาชิกในครอบครัวผู้ป่วยบาดเจ็บศีรษะ. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่

- วรัตน์ ไสสุข. (2545). *ความต้องการทางด้านจิตวิญญาณและปฏิบัติเพื่อตอบสนองความต้องการทางด้านจิตวิญญาณของญาติผู้ป่วยวิกฤต*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- สมพันธ์ หิณชิระนันท์. (2541). *บทบาทการพยาบาลในการช่วยเหลือสมาชิกครอบครัวผู้ป่วยภาวะวิกฤต*. วารสารพยาบาล, 47(1). กรุงเทพฯ: คณะพยาบาลศาสตร์ มหาวิทยาลัยมหิดล.
- สถิตินานเวชระเบียนหอผู้ป่วยหนัก. (2547). *โรงพยาบาลจอมทอง จังหวัดเชียงใหม่*. [ม.ป.พ.]
- อารีย์ บุญบรรณรัตน์กุล. (2538). *ความวิตกกังวล ความต้องการและการตอบสนองความต้องการที่ได้รับของญาติผู้ป่วยในหน่วยบำบัดพิเศษ*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- อุไรพร พงศ์พัฒน์วุฒิ. (2532). *ความต้องการของญาติผู้ป่วยภาวะวิกฤต*. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาการพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- อุบลวรรณ กิตติรัตนตระกูล. 2541. *การศึกษาความต้องการในครอบครัวผู้ป่วยภาวะวิกฤตจากการบาดเจ็บที่สมองเฉียบพลัน*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- Acorn, S. (1995). Assisting families of head-injured survivors through a family support programme. *Journal of Advanced Nursing*, 21, 872-877.
- Aimin, G, (1999). Effect of Informational support on anxiety among family members of critically ill patients. A thesis Master of Nursing science in medical and surgical nursing. Chiang Mai University.
- Appleyard, M. E. (2000). Nurse-coached intervention for the families of patients in critical care units. *American association of critical care nurse*, 20(3), 40-51.
- Aquilera, D. C., & Messick, J.M. (1982). *Crisis intervention: Theory and methodology*. Saint louis: The C.V. Mosby Company.
- Arkley, C. (1990). The needs of visitors in intensive care unit. *Nursing* 90, 4(3), 9-12.
- Austin, J. K., Bakas, T., Chadwick, L., Lewis, R. R., & Okonkwo, K. F. (2002). Need, concerns, strategies and advice of stroke caregivers the first 6 month after discharge. *Journal of Neuroscience nursing*, 34(5), 242-251.

- Azoulay, E., Chevret, S., Dhainaut, J. F., Le Gall, J. R., Mokhtri, M., Pochard, F., & Schemmer, B. (2001). Meeting the needs of intensive care unit patient families. *American journal of respiratory and Critical care medicine*, 163(1), 135-139.
- Azoulay, E. (2002). Impact of a family information leaflet on effectiveness of information provided to family members of intensive care unit patients. *American journal of respiratory and Critical care medicine*, 165(4), 438-442.
- Barbara, M., Carolyn, M., Hudak., & Morton. (1998). Critical care nurse; *A holistic approach :The family experience with critical illness*. (p.21-29). Lippincott-Raven.
- Bernstein, L. P. (1990). Family-center care of the critically ill neurological patients. *Advanced in Neurological care*, 2(3),41-49.
- Blair, T. D., & Ramonees, V. A. (1996). The undertreatment of anxiety: overcoming the confusion and stigma. *Journal of Psychosocial and Mental Health service*, 34(6), 9-81.
- Bluhm, J. (1987). Helping families in crisis hold on. *Nursing* 87, 17(10), 44-46.
- Bokinskie, J. C. (1992). Family conferences: A method to diminish transfer anxiety. *Journal of Neuroscience Nursing*, 24(3), 129-133.
- Bridgman, M., & Carr, E. (1998). Providing family care in hospital. *Nursing Times*, 94(1), 44-47.
- Clarks. (1993). Challenger in critical care nurse: Helping patient and family cope. *Critical care nurse. Supplement*,1(1), 23-24.
- Clarke, S. P. (1994). Increasing the quality of family visits to the ICU. *Dimensions of Critical Care Nursing*, 14(4), 200-211.
- Davis & Martin, S. (1994). Perceived needs of families at long-term critical care patients. A brief report. *Heart & Lung*, 23(6), 515-518.
- De Jong, M. J. & Beatty, D. S. (2000). Family perception of support intervention in the Intensive care unit. *Dimentions of critical care nurse*, 19(5). 40-47.
- Dunbar, S. B., & Mclain, R. M. (1993). Family care. In M. R. Kinney, D.R. Packa, & S. B. dunbar(Eds.). *AACN's clinical reference of critical care nursing*, (p411-476). St. Louis: Mosby.
- Elliott, J., & Smith, D. R. (1985). Meeting family needs following sense head injury: A multidisceplinaly approach. *Journal of Neurosurgical nursing*, 17(4), 111-113.

- Engli, M., & Kirsivali-Farmer, K. (1993). Needs of family members of critically ill patients with and without acute brain injury. *Journal of Neuroscience Nursing*, 25(2), 78-95.
- Epperson, M. (1977). Family in sudden crisis: Process and intervention in a critical care center. *Social work in Health care*. P. 256-273.
- Ferrans, C.E., & Medland, J. J. (1998). Effectiveness of a structured communication program for family members of patients in an ICU. *America Journal of Critical care nursing*, 7(1), 24-29.
- Fishel, A. H. (1998). Nursing management of anxiety and practice. *Nursing clinic of North America*, 33(1), 135-151.
- Frazier, S. K. (2002). Assessment of patients anxiety. *Ameica Journal of Critical care nursing*, 11(1), 112-118.
- Freichels, T. A. (1991). Need of family members of patient in the Intensive care unit over time. *Critical care nurse quatory*, 14(3), 16-29.
- Gaglione, K. (1984) Assessing and intervention with families of CCU patients. *Nursing clinic of North America*, 9(1), 427-432.
- Garaghan, S. R., & Caroll, D. L. (2002). Families of critically ill patients and effect of nursing interventions. *Dimensions of Critical care nursing*, 20(2), 64-71.
- Gew-Ens, B. (1994). Informational support for family immediately after CABG surgery. *Critical care nurse*, 14(1), 41-50.
- Giuliano, A. J., Giuliano, K. K. (1992). Cardiovascular response to family visitation and nurse-physician collaboration rounds. *Heart & Lung*, 21(3), 290.
- Giuliano, A. J., Giuliano, K. K., Bloniasz., Quirk, P.A. & Wood, J. (2000). A quality-improvement approach to meeting the needs of critically ill patients and their families: *Dimensions of Critical care nursing*, 19(1). 30-35.
- Graydon, J. E., & Jickling, J. L. (1997). The information needs at Time of hospital discharge of male and female patients who have undergone artery bypass grafting: A pilot study. *Heart & Lung*, 26, 350-357.
- Hanson, P. G. (1994). Stress and adaptation. In V. B. Bolander (Eds.). *Sorensen and Luckmann's basic nursing: A psychophysiologic approach* (pp. 267-298). Philadelphia: W. B. Saunders.

- Henneman, E. A., McKenzie, J. B., & Dewa, C. S. (1992). An evaluation of interventions for meeting the information needs of families of critically ill patients. *American Journal of critical care nursing*, 1(3), 85-93.
- Henneman, E. A., & Cardin, S. (2002). Family- Centered Critical care :A practical approach to making it happen. *Critical care nurse*, 22(6).12-19.
- Hickey, M. (1990). What are the needs of families of critically ill patients, *Heart & Lung*, 1, 401-415.
- Hickey, M. (1993). Psychosocial needs of families: In J.M. Chochosy, C. Breu, S. Cordin, E. B. Rudy, & A. Whittake.(Eds.) *Critical care nursing*. (p. 91-101). Philadelphia: W.B. Saunders.
- Horn, E. V., & Tesh, A. (2000). The effect of critical care hospitalization on family members: Stress and response, *Dimensions of Critical care nursing*, 19(4). 40-49.
- Hopkins, A. G. (1994). The trauma nurse role with families in crisis. *Critical care nursing*. 35-433.
- House, J. S. (1981). *Work stress and social support*. Reading, M. A: Addison-Wesley.
- Hudak, M., Gallo, B.M., & Morton, P. G. (1998). *Criticalcare Nursing* (7th ed.). Philadelphia: Lippincott.
- Johnson, M. J., & Frank, D. I. (1995). Effectiveness of a telephone intervention in reducing anxiety of families of patients in an intensive care unit. *Applied Nursing Research*, 8(1), 42-43.
- Johnson, M. M., & Sexton, D. L. (1990). Distress during mechanical ventilation: Patients, perceptions. *Critical care nursing*, 10(7), 48-57.
- Kathleen M., Galvin., & Bommel, B. J. (1999) *Family communication: Cohesion and change*. (p328-345). Addison-Wesley Longman.
- Kleinpell, R. M., & Power, M. J. (1992). Needs of family member of Intensive care unit. *Applied nursing's Research*, 5(1), 2-8.
- Kneisl, C. R. (1996). Stress, anxiety, and coping. In H. S. Wilson & C. R. Kneisl (Eds.). *Psychiatric nursing* (5 ed.) (pp. 66-84). California: Benjamin/Cummings publishing.
- Krapohl, G. L. (1995). Visiting hours in the adult Intensive care unit: Using research to develop a system that works. *Dimensions of Critical care nursing*, 14(5), 245-258.

- Krozek, C. (1991). Helping stressed families an Intensive care unit. *Nurisng* 89, 21.
- Laubuch, E. W. (2000). How to communicate with seriously ill patients. *Nursing management*, 31,(4). 112-115.
- Leavitt, M. B. (1984). Nursing and family-focused care. *Nursing clinics of North America*, 19.
- Leske, J. S. (1992). Needs of adult family members after critical illness: Prescriptions for intervention. *Critical Care Nursing Clinics of North America*, 4(4), 587-596.
- Leske, J. S. (1998). Acute care and adult family interventions. In B. Vaughan-Cole, M. A. Johnson, J. A. Malone, & B.L. Walker (Eds.). *Family nursing practice* (pp. 163-195). Pheladelphia: W.B. Saunders.
- Leske, J. S. (2002). Protocols for practice; Applying research at the bedside. *Critical care Nurse*, 22(6). 61-64.
- Lindsay, P. (1997). Educational and support needs of patients and their families awaiting cardiac surgery. *Heart & lung*, 26(6), 438-465.
- Lopez-Fagin, L. (1995). Critical care family needs inventory:A cognitive reseach utilization approach. *Critical care nurse*, 15(21), 23-26.
- Lynn-McHale, D. J., et al. (1997). Perioperative ICU tours: Are they helpful?. *America Journal of critical care nursing*, 6, 106-115.
- McGaughey, J., & Harrison, S. (1994). Developing an information booklet to meet the needs of intensive care patients and relatives. *Intensive critical care nurs*, 10(4), 271-277.
- McQuay, S.C. (1995). Support of families who had a loved one suffer a sudden injury, illness,or death. *Critical Care Nursing of North America*, 7(3), 541-547.
- Meisel, M. (1991). Psychosocial implication in careof the critically ill patients and family. In J. T.Dolan(Ed.). *Critical care nursing: Critical management though the nursing process* (pp. 14-30). Pheladelphia: F. A. Davis.
- Molter, N. G. (1979). Needs of relative of critically ill patients: A descriptive study. *Heart & Lung*, 8(2).
- O' Malley, P. (1991). Critical care nurse perception of self needs. *Heart & Lung*, 2(1), 198-201.
- Oyarzun, Z. (1996). Informing the families patients admitted to an intensive care unit. *Enferm Intensiva*, 7(4), 147-151. <http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd>.

- Pittman, D., & Fowler, S. (1997). Acute stress disorder: Application to families of head-injured patients. *Journal of Neuroscience nursing*, 30(4), 253-256.
- Prevost, S. S. (1997). Individual and family response to the critical care experience. In J. C. Hartshorn & M. L. Sole (Eds.) . *Introduction to Critical care Nursing* (2nd ed.). Philadelphia: W. B. Saunders.
- Puntillo, K. A. (1990). Pain experiences of intensive care unit patients. *Heart & Lung*, 19(5), 526-533.
- Reider, J. A. (1994). Anxiety during critical illness of a family member. *Dimention of Critical care nursing*, 13(5), 272-279.
- Ruppert, S. D., & Meisel, M. (1996). Psychosocial implications in the care of the critically ill patient and the family in criticalcare. In S. D. Ruppert, J.G. Kernicki, & J. T. Dolan (Eds.). *Critical care nursing: Critical management through the nursing process* (pp. 39-54). Philadelphia: F. A. Davis.
- Russell, S. (1999). An exploratory study of patients, perceptions, memories and experiences of aan intensive care unit. *Journal of Advanced Nursing*, 29(4), 783-791.
- Skipper, J. K. (1965). Communicate and hospitalized patient. *Social interaction and patient care*. (61-80). Philladelphia: J.B. Lippincott.
- Spielberger, CD. (1972). Anxiety as an emotional state. In C. D. Spielberger (Ed.). *Anxiety: Current trends in theory and research* (pp. 23-49). New York: Academic press.
- Spielberger, CD. (1983). Manual for the State Trait Anxiety Inventory(From Y). California: Consulting Psychologists Press, Inc.
- Southwell, M. T., & Wistow, G. (1995). Sleep in hospital at night: Are patients, needs being met?. *Journal of Advance Nursing*, 21, 1101-1109.
- Stewart, M. J. (1993). *Intergrating social support in nursing*. Newburg Park: SAGE.
- Stewart, M. J., & Tilden, V. P. (1995). The contributions of nursing science to socail support. *Internal Journal of Nursing study*, 32(6), 535-544.
- Stuart, G. W., & Sundeen, S. J. (1983). *Principles and practice of psychiatric nursing* (2nd ed.). St. Louis: C. V. Mosby.
- Titler, M. G., & Walsh, S. M. (1992). Visitting critically ill adults: Strategies for practice. *Critical care nurse clinic of North America*, 4, 623-632.

- Tracy, J., Flower, S., & Magarelli, K. (1999). Hope and anxiety of individual family Members of critically ill adults. *Applied Nursing Research*, 12(3), 121-127.
- Twibell, R. S., (1998). Family coping during critical illness. *Dimentions of critical care nursing*, 17(2). 100-112.
- Vassar, E. K., & Grogan, J. M. (1995). The beginnings. *Critical care nursing clinics of North America*, 7(3), 511-518.
- Washington, G.T. (2001). Family advocates: Caring for families in crisis: *Dimensions of Critical care nursing*, 20(1). 36-40.
- Wilson-Barnet, J. (1992). Anxiety. In J. I. Brooking, S. A. H. Ritter & B. L. Thomas (Eds.), *A Textbook of psychiatric and mental health nursing* (pp.373-383).
- Wolman, B. B. (1994). Defining Anxiety. In B. B. Wolman (Ed.) *Anxiety and related disorders: A handbook* (pp. 3-10). New York: John Willey & Sons.
- Wunderlich, R. J., Perry, A., Lavin, M. A., & Katz, B. (1999). Patirnts, perception of uncertainty And stress during weaning mechanical ventilation. *Dimensions of Critical care Nursing*, 18(1), 2-8.