

LITERATURE CITED

- Ali, M.B., N. Singh, A.M. Shohael, E.J. Hahn, K.Y. Paek. 2006. Phenolics metabolism and lignin synthesis in root suspension cultures of *Panax ginseng* in response to copper stress. **Plant Science** 171: 147-154.
- An, J., M. Zhang and Q. Lu. 2007. Changes in some quality indexes in fresh-cut green asparagus pretreated with aqueous ozone and subsequent modified atmosphere packaging. **J. Food Eng.** 78: 340-344.
- Aquino-Bolaños, E.N., M.I. Cantwell, G. Peiser and E. Mercado-Silva. 2000. Changes in the quality of fresh-cut jicama in relation to storage temperatures and controlled atmospheres. **J. Food Sci.** 65: 1238-1243.
- Aquino-Bolaños, E.N. and E. Mercado-Silva. 2004. Effects of polyphenol oxidase and peroxidase activity, phenolics and lignin content on the browning of cut jicama. **Postharvest Biol. Technol.** 33: 275-283.
- Assis, J.S., R. Maldonado, T. Munoz, M. J. Escribano and C. Merodio. 2001. Effect of high carbon dioxide concentration on PAL activity and phenolic contents in ripening cherimoya fruit. **Postharvest Biol. Technol.** 23: 33-39.
- Atanassova, R., N. Favet, F. Martz, B. Chabbert, M.T. Tollier, B. Monties, B. Fritig, and M. Legrand. 1995. Altered lignin composition in transgenic tobacco expressing *O*-methyltransferase sequences in sense and antisense orientation. **Plant J.** 8(4): 465-477.
- Atantee, S. 1995. **Study on Some Physical and Biochemical Characteristics of Hardened Pericarp of Mangosteen Fruit (*Garcinia mangostana* L.) after Impact.** M.S. Thesis. Kasetsart University, Bangkok. (In Thai)

- Augustin, M.A. and M.N. Azudin. 1986. Storage of mangosteen (*Garcinia mangostana* L.). **ASEAN Food J.** 2: 78-80.
- Autio, W.R. and W.I. Bramlage. 1986. Chilling sensitivity of tomato fruit in relation to ripening and senescence. **J. Amer. Soc. Hort. Sci.** 111: 201-204.
- Baucher, M., B. Chabbert, G. Pilate, J. Van Doorsselaere, M.T. Tollier, M. Petit-Conil, D. Cornu, B. Monties, M. Van Montagu, D. Inze, L. Jouanin, and W. Boerjan. 1996. Red xylem and higher lignin extractability by down-regulating a cinnamyl alcohol dehydrogenase in poplar. **Plant Physiol.** 112: 1479-1490.
- Baucher, M., M.A. Bernard-Vailhe, B. Chabbert, J.M. Besle, C. Opsomer, M. Van Montagu and J. Botterman. 1999. Down-regulation of cinnamyl alcohol dehydrogenase in transgenic alfalfa (*Medicago sativa* L.) and the effect on lignin composition and digestibility. **Plant Mol. Biol.** 39 (3): 437-447.
- Becker-André, M. and K. Hahlbrock. 1989. Absolute mRNA quantification using the polymerase chain reaction (PCR). A novel approach by a PCR aided transcript titration assay (PATTY). **Nucleic Acids Res.** 17: 9437-9446.
- Benkeblia, N. 2000. Phenylalanine ammonia lyase, peroxidase, pyruvic acid and total phenolics variations in onion bulbs during long term storage. **Lebensmittelwiss.U. Technol.** 33: 112-116.
- Boonsiri, K., S. Ketsa and W.G. van Doorn. 2007. Seed browning of hot peppers during low temperature storage. **Postharvest Biol. Technol.** 45: 358-365.
- Boudet, A.M. 2000. Lignins and lignification. **Plant Physiol. Biochem.** 32 (1/2): 81-96.

- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. **Anal. Biochem.** 72: 248-254.
- Bruce, R.J. and C.A. West. 1989. Elicitation of lignin biosynthesis and isoperoxidase activity by pectin fragment in suspension culture of castor bean. **Plant Physiol.** 91: 889-897.
- Bunsiri, A. 2003. **Characterization of Lignin and Enzymes Involved in the Increased Firmness of Mangosteen Fruits Pericarp after Impact.** Ph.D. Dissertation. Kasetsart University, Bangkok.
- Bunsiri, A., S. Ketsa and R.E. Paull. 2003. Phenolic metabolisms and lignin synthesis in damaged pericarp of mangosteen fruit after impact. **Postharvest Biol. Technol.** 29: 61-71.
- Burdon, J., N. Lallu, C. Yearsley, D. Burmeister and D. Billing. 2007. The kinetics of acetaldehyde and ethanol accumulation in 'Hass' avocado fruit during induction and recovery from low oxygen and high carbon dioxide conditions. **Postharvest Biol. Technol.** 43: 207-214.
- Bustin, S.A. 2000. Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. **J. Mol. Endocrinol.** 25: 169–193.
- Butler, W., L. Cook, M.E. Vayda. 1990. Hypoxic stress inhibits multiple aspects of the potato tuber wound response. **Plant Physiol.** 93: 264–270
- Cai, C., C.J. Xu, L.L. Shan, X. Li, C.H. Zhou, W.S. Zhang, I. Ferguson and K.S. Chen. 2006a. Low temperature conditioning reduces postharvest chilling injury in loquat fruit. **Postharvest Biol. Technol.** 41: 252-259.

- Cai, C., C.J. Xu, X. Li, I. Ferguson and K.S. Chen. 2006b. Accumulation of lignin in relation to change in activities of lignification enzymes in loquat fruit flesh after harvest. **Postharvest Biol. Technol.** 40: 163-169.
- Cai, C., K.S. Chen, W.P. Xu, W.S. Zhang, X. Li and I. Ferguson. 2006c. Effect of 1-MCP on postharvest quality of loquat fruit. **Postharvest Biol. Technol.** 40: 155-162.
- Camm, E.C. and G.H.N. Towers. 1973. Phenylalanine ammonia lyase. **Phytochem.** 12: 961-973.
- Campbell, M.M. and R.R. Sederoff. 1996. Variation in lignin content and composition : mechanisms of control and implications for genetic improvement of plants. **Plant Physiol.** 110: 3-13.
- Cantwell, M., G. Peiser and E. Mercado-Silva. 2002. Induction of chilling injury in jicama (*Pachyrhizus erosus*) roots: changes in texture, color and phenolics. **Postharvest Biol. Technol.** 25: 311-320
- Chang, W.W.P., L. Huang, M. Shen, C. Webster, A.L. Burlingame and J.K.M. Roberts. 2000. Patterns of protein synthesis and tolerance of anoxia in root tips of maize seedlings acclimated to a low oxygen environment, and identification of proteins by mass spectrometry. **Plant Physiol.** 122: 295–317.
- Chen, N.M. and R.E. Paull. 1986. Development and prevention of chilling injury in papaya fruit. **J. Amer. Soc. Hort. Sci.** 111: 639-643.
- Chen, M. and J.W. McClure. 2000. Altered lignin composition in phenylalanine ammonia-lyase-inhibited radish seedlings: implications for seed-derived sinapoyl esters as lignin precursors. **Phytochem.** 53: 365-370.

- Chen, J.Y., P.. Wen, W.F. Kong, Q.H. Pan, J.C. Zhan, J.M. Li, S.B. Wan and W.D. Huang. 2006. Effect of salicylic acid on phenylpropanoids and phenylalanine ammonia-lyase in harvested grape berries. **Postharvest Biol. Technol.** 40: 64-72.
- Choehom, R. 1997. **Effect of waxing and plant growth regulators on quality and storage life of mangosteen (*Garcinia mangostana L.*) fruit during cold storage.** Graduate Special Problem, Department of Horticulture, Kasetsart University, Bangkok. (In Thai)
- Choehom, R., S. Ketsa and W.G. van Doorn. 2003. Chilling injury in mangosteen fruit. **J. Hort. Sci. Biotech.** 78(4): 559-562.
- Choehom, R., S. Ketsa and W.G. van Doorn. 2004. Senescent spotting of banana peel is inhibited by modified atmosphere packaging. **Postharvest Biol. Technol.** 31: 167-175.
- Crisosto, C.H., F.G. Mitchell and Z. Ju. 1999. Susceptibility to chilling injury of peach, nectarine and plum cultivars grown in California. **HortSci.** 34: 1116-1118.
- Dale, J.W. and M. von Schantz. 2003. **From Genes to Genomes Concepts and Applications of DNA Technology.** John Wiley & Sons, Ltd., West Sussex.
- Davies, D.D., E.N. Ugochukwu, K.D. Patil and G.H.N. Towers. 1973. Aromatic alcohol dehydrogenase from potato tubers. **Phytochem.** 12: 531-536.
- Ding, C.K., K. Chachin, Y. Hamauzu, Y. Ueda and Y Imahori. 1998. Effects of storage temperatures on physiology and quality of loquat fruit. **Postharvest Biol. Technol.** 14: 309-315.

- Ding, C.K., K. Chachin, Y. Ueda, Y. Imahori and C.Y. Wang. 2001. Metabolism of phenolic compounds during loquat fruit development. **J. Agric. Food Chem.** 49: 2883-2888.
- Dong, H., L. Cheng, J. Tan, K. Zheng and Y. Jiang. 2004. Effects of chitosan coating on quality and shelf life of peeled litchi fruit. **J. Food Eng.** 64: 355-358.
- El-hilali, F., A. Ait-Oubahou, A. Remah and O. Akhayat. 2003. Chilling injury and peroxidase activity changes in ‘Fortune’ mandarin fruit during low temperature storage. **Bulg. J. Plant Physiol.** 29(1-2): 44-54.
- El-Mir, M., D. Gerasopoulos, I. Metzidakis and A.K. Kanellis. 2001. Hypoxic accumulation prevents avocado mesocarp injury caused by subsequent exposure to extreme low oxygen atmospheres. **Postharvest Biol. Technol.** 23: 215-226.
- Estrada, B., M.A. Bernal, J.D. Federico Pomar and F. Merino. 2000. Fruit development in *Capsicum annuum*: changes in capsaicin, lignin, free phenolics, and peroxidase patterns. **J. Agric. Food Chem.** 48: 6234-6239.
- Fan, X., L. Argenta and J.P. Mattheis. 2002. Interactive effects of 1-MCP and temperature on Elberta peach quality. **HortSci.** 37(1): 134-138.
- Fernandez-Trujillo, J.P., A. Cano and F. Artes. 1998. Physiological changes in peaches related to chilling injury and ripening. **Postharvest Biol. Technol.** 13: 109-119.
- Forney, C.F. and W.J. Lipton. 1990. Influence of controlled atmospheres and packaging on chilling sensitivity, pp. 257-267. In C. Y. Wang (ed.). **Chilling Injury of Horticultural Crops**. CRC Press, Inc., Boca Raton, Florida.

Freeman, W.M., S.J. Walker and K.E. Vrana. 1999. Quantitative RT-PCR: pitfalls and potential. **BioTechniques** 26: 112-125.

Fukuoka, N. and T. Enomoto. 2002. Enzyme activity changes in relation to internal browning of *Raphanus* root sown early and late. **J. Hort. Sci. Biotech.** 77(4): 456-460.

Függerer, J., A. Gisel, V. Iglesias, A. Klöti, B. Kost, O.M. Scheid, G. Neuhaus, G. Neuhaus-Url, M. Schrott, R. Shillito, G. Spangenberg and Z.Y. Wang. 1995. Standard molecular techniques for the analysis of transgenic plants, pp. 215-263. In I. Potrykus and G. Spangenberg (eds.). **Gene Transfer to Plants**. Springer-Verlag, Berlin.

Gachon, C., A. Mingam and B. Charrier. 2004. Real-time PCR: what relevance to plant studies? **J. Exp. Bot.** 55(402): 1445-1454.

Goffner, D., I. Joffroy, J. Grima-Pettenati, C. Halpin, M.E. Hnight, W. Schuch and A.M. Boudet. 1992. Purification and characterization of isoforms of cinnamyl alcohol dehydrogenase from *Eucalyptus* xylem. **Planta** 188: 48-53.

Gonzalez-Aguilar, G.A., L. Gayosso, R. Oruz, J. Fortiz, R. Baez and C.Y. Wang. 2000. Polyamines induced by hot water treatments reduce chilling injury and decay in pepper fruit. **Postharvest Biol. Technol.** 18: 19-26.

Hahlbrock, K. and D. Scheel. 1989. Physiology and molecular biology of phenylpropanoid metabolism. **Annu. Rev. Plant Physiol. Plant Mol.Biol.** 40: 347-367.

Halpin, C., M.E. Knight, G.A. Foxon, M.M. Campbell, A.M. Boudet, J.J. Boon, B. Chabbert, M.T. Tollier and W. Schuch. 1994. Manipulation of lignin quality by down regulation of cinnamyl alcohol dehydrogenase. **Plant J.** 6: 339-350.

Hershkovitz, V., S.I. Saguy and E. Pesis. 2005. Postharvest application of 1-MCP to improve the quality of various avocado cultivars. **Postharvest Biol. Technol.** 37: 252-264.

Houck, L.G., J.F. Jenner and J. Bianchi. 1990. Holding lemon fruit at 5°C or 15°C before cold treatment reduces chilling injury. **HortSci.** 25: 1174.

Humphreys, J.M., M.R. Hemm, and C. Chapple. 1999. New routes for lignin biosynthesis defined by biochemical characterization of recombinant ferulate 5-hydroxylase, a multifunctional cytochrome P450-dependent monooxygenase. **Proc. Natl. Acad. Sci. USA** 96: 10045-10050.

Ignacimuthu, S. 1997. **Plant Biotechnology**. Science Publishers, Inc. Enfield, New Hampshire.

Iiyama, K., T.B.T. Lan and B.A. Stone. 1994. Covalent cross-links in the cell wall. **Plant Physiol.** 104: 315-320.

Imahori, Y., Y. Suzuki, K. Uemura, I. Kishioka, H. Fujiwara, Y. Ueda, and K. Chachin. 2004. Physiological and quality responses of Chinese chive leaves to low oxygen atmosphere. **Postharvest Biol. Technol.** 31: 295-303.

Imberty, A., R. Goldberg and A.M. Catesson. 1985. Isolation and characterization of Populus isoperoxidases involved in the last step of lignin formation. **Planta** 164: 221–226.

Jackman, R.L., R.Y. Yada, A. Marangoni, K.L. Parkin and D.W. Stanley. 1988. Chilling injury, a review of quality aspects. **J. Food Qual.** 11: 253-278.

Ju, Z. and W.J. Bramlage. 2000. Cuticular phenolics and scald development in 'Delicious' apples. **J. Amer. Soc. Hort. Sci.** 125(4): 498-504.

Kader, A.A. 1986. Biochemical and physiological basis for effects of controlled and modified atmospheres on fruit and vegetables. **Food Technol.** 40: 99–104.

Kader, A.A. 2002. **Postharvest Technology of Horticultural Crops.** 3rd edition. Agriculture and Natural Resources, University of California, California.

Kader, A.A. 2007. Mangosteen.

<http://postharvest.ucdavis.edu/produce/producefacts/Fruit/mangosteen.shtml>. May 12, 2007.

Ke, D. and M.E. Saltveit. 1989a. Carbon dioxide-induced brown stain development as related to phenolic metabolism in iceberg lettuce. **J. Amer. Soc. Hort. Sci.** 114(5): 789-794.

Ke, D. and M.E. Saltveit. 1989b. Wound-induced ethylene production, phenolic metabolism and susceptibility to russet spotting in iceberg lettuce. **Physiol. Plant.** 76: 412-418.

Ke, D., L. Rodriguez-Sinobas and A.A. Kader. 1991. Physiological responses and quality attributes of peaches kept in low oxygen atmospheres. **Scientia Hortic.** 47: 295-303.

Keller, B., N. Saner, and C.J. Lam. 1988. Glycine-rich proteins in bean: gene structure and association of the proteins in bean: gene structure and association of the protein with the vascular system. **EMBO J.** 7: 3625-3634.

Ketsa, S. and M. Koolpluksee. 1993. Some physical and biochemical characteristics of damaged pericarp of mangosteen fruit after impact. **Postharvest Biol. Technol.** 2: 209-215.

- Ketsa, S. and S. Atantree. 1998. Phenolics, lignin, peroxidase activity and increased firmness of damaged pericarp of mangosteen fruit after impact. **Postharvest Biol. Technol.** 14: 117-124.
- Ketsa S. and S. Chidtragool. 2005. Changes of phenolic content and activities of phenylalanine ammonia lyase and polyphenol oxidase in relation to discoloration of mango fruit during low temperature storage. **Acta Hortic.** 687: 343-346.
- Klok, E.J., I.W. Wilson, D. Wilson, S.C. Chapman, R.M. Ewing, S.C. Somerville, W.J. Peacock, R. Dolferus and E.S. Dennis. 2002. Expression profile analysis of the low-oxygen response in *Arabidopsis* root cultures. **Plant Cell** 14: 2481–2494.
- Kondo, S. 2006. The roles of jasmonates in fruit color development and chilling injury. **Acta Hortic.** 727: 45-56.
- Kondo, S., P. Posuya and S. Kanlayanarat. 2001. Changes in physical characteristics and polyamines during maturation and storage of rambutans. **Scientia Hortic.** 91(1-2): 101-109.
- Kondo, S., W. Ponrod, S. Kanlayanarat and N. Hirai. 2003. Relationship between ABA and chilling injury in mangosteen fruit treated with spermine. **Plant Growth Reg.** 39: 119-124.
- Kondo, T., T. Hiroi, K. Mizuno and T. Kato. 1990. Characterization of lignin-carbohydrate complexes of Italian ryegrass and alfalfa. **Can. J. Plant Sci.** 70: 193-201.
- Kosiyachinda, S. 1986. Harvesting studies in mangosteen, rambutan, durian. Section II. **House Agricultural Magazine** 10(8): 37-41. (In Thai)

Kosiyachinda, S. Unpublished data. **Handbook of mangosteen harvesting index.**
Department of Agriculture, Horticultural Research Institute, 8 p.

Kosiyachinda, S. and R.E. Young. 1976. Chilling injury sensitivity of avocado fruit at different stages of the respiratory climacteric. **J. Amer. Soc. Hort. Sci.** 101(6): 665-667.

Laber, B., H.H. Kiltz and N. Amrhein. 1986. Inhibition of phenylalanine ammonia lyase *in vitro* and *in vivo* by (1-amino-2-phenylethyl) phosphoric acid, the phosphonic analogue of phenylalanine. **Z. Naturforsch Teil. C.** 41: 49-55.
Cited by N. G. Lewis and E. Yamamoto. 1990. Lignin : occurrence, biogenesis and biodegradation. **Annu. Rev. Plant Physiol. Plant Mol. Biol.** 41: 455-496.

Lam, T.B.T., K. Iiyama, and B.A. Stone. 1994. An approach to the estimation of ferulic acid bridges in unfractionated cell walls of wheat internodes. **Phytochem.** 37: 327-333.

Lapierre, C., B. Pollet, M. Petit-Conil, G. Toval, J. Romero, G. Pilate, J.C. Leple, W. Boerian, V. Ferret, V. De Nadai, and L. Jouanin. 1999. Structural alternations of lignins in transgenic Poplars with depressed cinnamyl alcohol dehydrogenase or caffeic acid *O*-methyltransferase activity have an opposite impact on the efficiency of industrial kraft pulping. **Plant Physiol.** 119: 153-163.

Lawoko, M. 2005. **Lignin polysaccharide networks in softwood and chemical pulps: characterization, structure and reactivity.** Doctoral Dissertation, KTH Fiber- och polymerteknologi, Stockholm.

Lee, D., K. Meyer, C. Chapple, and C.J. Douglas. 1997. Antisense suppression of 4-coumarate:coenzyme A ligase activity in *Arabidopsis* leads to altered lignin subunit composition. **Plant Cell** 9: 1985-1998.

- Lee, S.H., J.H. Choi, W.S. Kim, T.H. Han, Y.S. Park and H. Gemma. 2006. Effect of soil water stress on the development of stone cells in pear (*Pyrus pyrifolia* cv. 'Niitaka') flesh. **Scientia Hortic.** 110: 247-253.
- Lewis, N.G. and E. Yamamoto. 1990. Lignin: occurrence, biogenesis and biodegradation. **Annu. Rev. Plant Physiol. Plant Mol. Biol.** 41: 455-496.
- Lima, V.L.A.G., E.A. Mélo, M.I.S. Maciel, F.G. Prazeres, R.S. Musser, D.E.S. Lima. 2005. Total phenolic and carotenoid contents in acerola genotypes harvested at three ripening stages. **Food Chem.** 90: 565-568.
- Lopez-Gomez, R. and M.A. Gomez-Lim. 1992. A method for extracting intact RNA from fruits rich in polysaccharides using ripe mango mesocarp. **HortSci.** 27(5): 440-442.
- Luderitz, T. and H. Grisebach. 1981. Enzymic synthesis of lignin precursors composition of cinnamoyl-CoA reductase and cinnamyl alcohol: NADP⁺ dehydrogenase from spruce (*Picea abies* L.) and soybean (*Glycine max* L.). **Eur. J. Biochem.** 119: 115-124.
- Luengwilai, K., K. Sukjamsai and A.A. Kader. 2007. Responses of 'Clemenules Clementine' and 'W. Murcott' mandarins to low oxygen atmospheres. **Postharvest Biol. Technol.** 44: 48-54.
- Luo, Z., X. Xu, Z. Cai and B. Yan. 2007. Effects of ethylene and 1-methylcyclopropene (1-MCP) on lignification of postharvest bamboo shoot. **Food Chem.** 105: 521-527.
- Lurie, S. and J.D. Klein. 1991. Acquisition of low-temperature tolerance in tomatoes by exposure to high-temperature stress. **J. Amer. Soc. Hort. Sci.** 116: 1007-1012.

Macheix, J.J., A. Fleuriet and J. Billot. 1990. **Fruit Phenolics.** CRC Press, Inc., Boca Raton, Florida.

MacKay, J.J., D.M. O'Malley, T. Presnell, F.L. Booker, M.M. Campbell, R.W. Whetten, and R.R. Sederoff. 1997. Inheritance, gene expression, and lignin characterization in a mutant pine deficient in cinnamyl alcohol dehydrogenase. **Proc. Natl. Acad. Sci. USA** 94: 8255-8260.

Maher, E.A., N.J. Bate, W. Ni, Y. Elkind, R.A. Dixon, and C.J. Lamb. 1994. Increased disease susceptibility of transgenic tobacco plants with suppressed levels of preformed phenylpropanoid products. **Proc. Natl. Acad. Sci. USA** 91: 7802-7806.

Maldonado, R., A.D. Molina-Garcia, M.T. Sanchez-Ballesta, M.I. Escribano and C. Merrodo. 2002. High CO₂ atmosphere modulating the phenolic response associated with cell adhesion and hardening of *Annona cherimola* fruit stored at chilling temperature. **J. Agric. Food Chem.** 50: 7564-7569.

Martin, F.W. 1980. Durian and mangosteen, pp. 407-414. *In* S. Nagy and P. E. Shawx (eds.). **Tropical and Subtropical Fruits: Composition, Properties and Uses.** The AVI Publishing, Westport, CT.

Martínez-Téllez, M.A. and M.T. Lafuente. 1993. Chilling-induced changes in phenylalanine ammonia-lyase, peroxidase, and polyphenol oxidase activities in citrus flavedo tissue. **Acta Hortic.** 343: 257-263.

Martínez-Téllez, M.A. and M.T. Lafuente. 1997. Effect of high temperature conditioning on ethylene, phenylalanine ammonia-lyase, and peroxidase and polyphenol oxidase activities in flavedo of chilled 'Fortune' mandarin fruit. **J. Plant Physiol.** 150(6): 674-678.

Maule, A.J. and J.P. Ride. 1976. Ammonia-lyase and *O*-methyl transferase activities related to lignification in wheat leaves infected with *Botrytis*. **Phytochem.** 15: 1661-1664.

Meyermans, H., K. Morreel, C. Lapierre, B. Pollet, A. De Bruyn, R. Busson, P. Herdewijn, B. Devreese, J. Van Beeumen, J.M. Marita, J. Ralph, C. Chen, B. Burggraeve, M. Van Montagu, E. Messens, and W. Boerjan. 2000. Modifications in lignin and accumulation of phenolic glucosides in poplar xylem upon down-regulation of caffeoyl-coenzyme A *O*-methyltransferase, an enzyme involved in lignin biosynthesis. **J. Biol. Chem.** 275(47): 36899-36909.

Miller, W.R., D. Chen, L.A. Risso, T.T. Hatton and R.T. Hinsch. 1990. Conditioning of Florida grapefruit to reduce peel stress during low-temperature storage. **HortSci.** 25: 209-211.

Mitchell, F.G. and A.A. Kader. 1989. Factors affecting deterioration rate, pp. 65-178. In J. H. LaRue and R.S. Johnson (eds.). **Peaches, Plums and Nectarines Growing and Handling for Fresh Market**. Publ. 3331, University of California, Division of Agriculture and Natural Resources, Oakland.

Mitchell, H.J., J.L. Hall and M.S. Barber. 1994. Elicitor-induced cinnamyl alcohol dehydrogenase activity in lignifying wheat (*Triticum aestivum* L.) leaves. **Plant Physiol.** 104: 551-556.

Moerschbacher, B.M., U.M. Noll, B.F. Flott and H.J. Reisener. 1988. Lignin biosynthetic enzymes in stem rust infected, resistant and susceptible near isogenic wheat lines. **Physiol. Mol. Plant Pathol.** 33: 33-46.

Mohammed, M. and J.K. Brecht. 2002. Reduction of chilling injury in 'Tommy Atkins' mangoes during ripening. **Scientia Hortic.** 95: 297-308.

- Morita, Y., H. Yamashita, B. Mikami, H. Iwamoto, S. Aibara, M. Terada and J. Minami. 1988. Purification, crystallization, and characterization of peroxidase from *Coprinus cinereus*. **J. Biochem.** 103: 693-699.
- Morris, L.L. 1982. Chilling injury of horticultural crops: an overview. **HortSci.** 17: 161-162.
- Morrison, T.A., J.R. Kessler, R.D. Hatfield and D.R. Buxton. 1994. Activity of two lignin biosynthesis enzymes during development of a maize internode. **J. Sci. Food Agric.** 65: 133-139.
- Müsel, G., T. Schindler, R. Bergfeld, K. Ruel, G. Jacquet, C. Lapierre, V. Speth and P. Schopfer. 1997. Structure and distribution of lignin in primary and secondary cell walls of maize coleoptiles analyzed by chemical and immunological probes. **Planta** 201: 146-159.
- Nakasone, H.Y. and R.E. Paull. 1998. **Tropical Fruits**. CAB International, Wallingford.
- Nakamura, Y., H. Fushiki and T. Higuchi. 1974. Metabolic differences between gymnosperms and angiosperms in the formation of syringyl lignin. **Phytochem.** 13: 1777-1784
- Nguyen, T.B.T., S. Ketsa and W.G. van Doorn. 2003. Relationship between browning and the activities of polyphenol oxidase and phenylalanine ammonia lyase in banana peel during low temperature storage. **Postharvest Biol. Technol.** 30: 187-193.
- Nguyen, T.B.T., S. Ketsa and W.G. van Doorn. 2004. Effect of modified atmosphere packaging on chilling-induced peel browning in banana. **Postharvest Biol. Technol.** 31: 313-317.

Osman, M. B. and A.R. Milan. 2006. **Mangosteen *Garcinia mangostana* L.**
Southampton Centre for Underutilised Crops, UK.

Patterson, B.D. and M.S. Reid. 1990. Genetics and environmental influences on the expression of chilling injury, pp. 87-112. In C. Y. Wang (ed.). **Chilling Injury of Horticultural Crops.** CRC Press, Inc., Boca Raton, Florida.

Paull, R.E. 1990. Chilling injury of crop of tropical and subtropical origin, pp. 17-36. In C. Y. Wang (ed.). **Chilling injury of Horticultural Crops.** CRC Press Inc., Boca Raton, Florida.

Paull, R.E. and S. Ketsa. 2004. **Mangosteen.**
<http://usna.usda.gov/hb66/092mangosteen.pdf>. 9 March, 2004.

Paull, R.E. and K.G. Rohrbach. 1985. Symptom development of chilling injury in pineapple fruit. **J. Amer. Soc. Hort. Sci.** 110: 100-105.

Pearl, I.A. 1967. The Chemistry of Lignin, Marcel Dekker, New York, p. 290.
Cited by I.M. Morrison. 1974. Structural investigations on the lignin-carbohydrate complexes of *Lolium perenne*. **Biochem. J.** 139: 197-204.

Peng, L.T. and Y.M. Jiang. 2003. Effects of chitosan coating on shelf life and quality of fresh-cut Chinese water chestnut. **Lebensm.-Wiss. U.-Technol.** 36: 359-364.

Pérez-Tello, G.O., B.A. Silva-Espinoza, I. Vargas-Arispuro, B.O. Briceño-Torres and M.A. Martinez-Tellez. 2001. Effect of temperature on enzymatic and physiological factors related to chilling injury in carambola fruit (*Averrhoa carambola* L.). **Biochemical and Biophysical Research Communications** 287: 846-851.

- Pesis, E., D. Aharoni, Z. Aharon, R. Ben-Arie, A. Nehemia and Y. Fuchs. 2000. Modified atmosphere and modified humidity packaging alleviates chilling injury symptoms in mango fruit. **Postharvest Biol. Technol.** 19: 93-101.
- Pesis, E., M. Ackerman, R. Ben-Arie, O. Feygenberg, X. Feng, A. Apelbaum, R. Goren and D. Pruskey. 2002. Ethylene involvement in chilling injury symptoms of avocado during cold storage. **Postharvest Biol. Technol.** 24: 171-181.
- Piquemal, J., C. Lapierre, K. Myton, A. O'Connell, W. Schuch, J. Grima-Pettenati, and A.M. Boudet. 1998. Down-regulation of cinnamoyl-coA reductase induces significant changes of lignin profiles in transgenic tobacco plants. **Plant J.** 13(1): 71-83.
- Popenoe, W. 1974. **Manual of Tropical and Subtropical Fruits.** Hafner Press, New York.
- Quiroga, M., C. Guerrero, M.A. Botella, A. Barcelo, I. Amaya, M.I. Medina, F.J. Alonso, S.M. de Forchetti, H. Tigier and V. Valpuesta. 2000. A tomato peroxidase involved in the synthesis of lignin and suberin. **Plant Physiol.** 122: 1119-1127
- Raison, J.K. and J.M. Lyons. 1986. Chilling injury: a plea of uniform terminology. **Plant Cell Environ.** 9: 685-686.
- Ralph, J., J.H. Grabber, and R.D. Hatfield. 1995. Lignin-ferulate crosslinks in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins. **Carbohydrate Research** 275: 167-178.
- Richardson, D.G. and M. Meheriuk, 1982. **Controlled atmosphere for food products.** Timber Press, Oregon.

- Ride, J.P. 1983. Cell walls and other structural barriers in defence, pp. 215-236.
In J. A. Callow (ed.). Biochemical Plant Pathology. Wiley, New York.
- Ryan, D. and K. Robards. 1998. Phenolic compounds in olives. **Analyst** 123: 31R-44R.
- Ryan, D., M. Antolovich, P. Prenzler, K. Robards and S. Lavee. 2002. Biotransformations of phenolic compounds in *Olea europaea* L. **Scientia Hortic.** 92: 147-176.
- Salisbury, F.B. and C.W. Ross. 1985. **Plant Physiology.** The third edition. Wadsworth, Inc. California. 540 p.
- Sala, J.M., M.T. Sanchez-Ballesta, F. Alférez, M. Mulas, L. Zacarias, M.T. Lafuente. 2005. A comparative study of the postharvest performance of an ABA-deficient mutant of oranges: II. Antioxidant enzymatic system and phenylalanine ammonia-lyase in non-chilling and chilling peel disorders of citrus fruit. **Postharvest Biol. Technol.** 37: 232-240.
- Saltveit, M.E. 2000. Wound induced changes in phenolic metabolism and tissue browning are altered by heat shock. **Postharvest Biol. Technol.** 21: 61-69.
- Saltveit, M.E. 2004. Effect of 1-methylcyclopropene on phenylpropanoid metabolism, the accumulation of phenolic compounds, and browning of whole and fresh-cut 'iceberg' lettuce. **Postharvest Biol. Technol.** 34: 75-80.
- Salvador, A., L. Arnal, A. Monterde and J.M. Martinez-Javega. 2005. Influence of ripening stage at harvest on chilling injury symptoms of persimmon cv. Rojo Brillante stored at different temperatures. **Food Sci. Technol. Int.** 11(5): 359-365.

Sambrook, J., E.F. Fritsch and T. Maniatis. 1989. **Molecular Cloning: A Laboratory Manual.** 2nd edition. Cold Spring Harbor Laboratory Press, New York.

Sambrook, J. and D.W. Russell. 2001. **Molecular Cloning: A Laboratory Manual.** 3rd edition. Cold Spring Harbor Laboratory Press, New York.

Sanchez-Ballesta, M.T., M.T. Lafuente, L. Zacarias and A. Granell. 2000a. Phenylalanine ammonia-lyase in the response of citrus fruits to cold temperature. **Physiol. Plant.** 108: 382-389.

Sanchez-Ballesta, M.T., L. Zacarias, A. Granell and M.T. Lafuente. 2000b. Accumulation of Pal transcript and Pal activity as affected by heat-conditioning and low-temperature storage and its relation to chilling sensitivity in mandarin fruits. **J. Agric. Food Chem.** 48: 2726-2731.

Schirra, M., G. D'nallewin, P. Cabras, A. Angioni, S. Ben-Yehoshua and S. Lurie. 2000. Chilling injury and residue uptake in cold-stored 'Star Ruby' grapefruit following thiabendazole and imazalil dip treatments at 20 and 50°C. **Postharvest Biol. Technol.** 20: 91-98.

Schuster, B. and J. Retey. 1995. The mechanism of action of phenylalanine ammonia-lyase: the role of prosthetic dehydroalanine. **Proc. Natl. Acad. Sci. USA** 92: 8433-8437.

Sdoodee, S. and S. Limpun-Udom. 2002. Effect of excess water on the incidence of translucent flesh disorder in mangosteen (*Garcinia mangostana* L.). **Acta Hortic.** 575: 813-820.

Selvarajah, S., A.D. Bauchot and P. John. 2001. Internal browning in cold-stored pineapples is suppressed by a postharvest application of 1-methylcyclopropene. **Postharvest Biol. Technol.** 23: 167-170.

- Shellie, K.C. 2002. Ultra-low oxygen refrigerated storage of 'rio red' grapefruit: fungistatic activity and fruit quality. **Postharvest Biol. Technol.** 25: 73-85.
- Shen, Q., F. Kong and Q. Wang. 2006. Effect of modified atmosphere packaging on the browning and lignification of bamboo shoots. **J. Food Eng.** 77: 348-354.
- Shewfelt, R.L. 1993. Stress physiology: a cellular approach to quality, pp. 257-276. In R. L. Shewfelt and S. E. Prussia (eds.). **Postharvest Handling : A Systems Approach.** Academic Press, Inc., New York.
- Shukor, A. R. Abd, M. Mazali and D. Omar. 2000. Post storage respiratory suppression and changes in chemical compositions of mango fruit after storage in low oxygen atmosphere. **Acta Hortic.** 509: 467-470.
- Sibout, R., A. Eudes, B. Pollet, T. Goujon, I. Mila, F. Granier, A. Seguin, C. Lapierre, and L. Jouanin. 2003. Expression pattern of two paralogs encoding cinnamyl alcohol dehydrogenases in Arabidopsis. Isolation and characterization of the corresponding mutants. **Plant Physiol.** 132: 848-860.
- Singleton, V.L. and J.A. Rossi. 1965. Colorimetry of total phenolic with phosphomolybdic phosphosytungstic acid reagents. **Amer. J. Enol. Vitic.** 16: 144-147.
- Siriphanich, J. 2002. Postharvest physiology of tropical fruits. **Acta Hortic.** 575: 623-633.
- Sitbon, F., S. Hennion, C.H.A. Little and B. Sundberg. 1999. Enhanced ethylene production and peroxidase activity in IAA-over producing transgenic tobacco plants is associated with increased lignin content and altered lignin composition. **Plant Science** 141: 165-173.

Srivastava, H.C., K.K. Singh, and P.B. Mathur. 1962. Refrigerated storage of mangosteen (*Garcinia mangostana*). **Food Sci. (Mysore)** 11: 226.

Stasolla, C., J. Scott, U. Egertsdotter, J. Kadla, D. O'Malley, R. Sederoff and L. van Zyl. 2003. Analysis of lignin produced by cinnamyl alcohol dehydrogenase-deficient *Pinus taeda* cultured cells. **Plant Physiol. Biochem.** 41: 439-445.

Takahama, U. and T. Oniki. 1994. Effects of ascorbate on the oxidation of derivatives of hydroxycinnamic acid and the mechanism of oxidation of sinapic acid by cell wall-bound peroxidases. **Plant and Cell Physiol.** 35: 593-600.

Techavuthiporn, C., W. Niyomlao and S. Kanlayanarat. 2006. Low oxygen storage of litchi cv 'Hong Huay'. **Acta Hortic.** 712: 623-628.

Thai Customs Department. 2007. **Import/export statistics.**
<http://www.customs.go.th/Statistic/SubStat.jsp>. 18 April, 2007

Tian, S.P., B.Q. Li and Y. Xu. 2005. Effects of O₂ and CO₂ concentrations on physiology and quality of litchi fruit in storage. **Food Chem.** 91: 659–663

Toivonen, P.M.A. 1997. Non-ethylene, non-respiratory volatiles in harvested fruits and vegetables: their occurrence, biological activity and control. **Postharvest Biol. Technol.** 12: 109–125.

Tongdee, S.C. and A. Suwanagul. 1989. Postharvest mechanical damage in mangosteen. **ASEAN Food J.** 4(4): 151-155.

Uthairatanakij, A. 1995. **A study on Some Physical and Biochemical Characteristics of Hardened Pericarp of Mangosteen Fruits after Low Temperature Storage.** M.S. Thesis. Kasetsart University, Bangkok.
 (In Thai)

Uthairatanakij, A. and S. Ketsa. 1996. Physico-chemical changes of pericarp of mangosteen fruit after low temperature storage, pp. 411-422. In S. Vijaysegaran, M. Pauziah, M. S. Mohamad and S. Ahmad Tarmizi (eds.). **Proceedings of International Conference on Tropical Fruits.** Volume I. Malaysian Agricultural Research and Development Institute (MARDI), Serdang, Selangor.

Van Doorselaere, J., M. Baucher, E. Chognat, B. Chabbert, M.T. Tollier, M. Petit-Conil, J.C. Leple, G. Pilate, D. Cornu, B. Monties, M. Van Montagu, D. Inze, W. Boerjan and L. Jouanin. 1995. A novel lignin in poplar trees with a reduced caffeic acid/5-hydroxyferulic acid *O*-methyltransferase activity. **Plant J.** 8(6): 855-864.

Vance, C.P., T.K. Kirk and R.T. Sherwood. 1980. Lignification as a mechanism of disease resistance. **Ann. Rev. Phytopathol.** 18: 259-288.

Von Mollendorff, L.T. 1987. Woolliness in peach and nectarines: a review 1. Maturity and external factors. **HortSci.** 5: 1-3.

Wang, C.Y. 1989. Chilling injury of fruits and vegetables. **Food Rev. Int.** 5: 209-236.

Wang, C.Y. 1990. **Chilling Injury of Horticultural Crops.** CRC Press, Inc., Boca Raton, Florida.

Wang, C.Y. 1993. Approaches to reduce chilling injury of fruits and vegetable. **Hort. Rev.** 15: 63-95.

Wang, C.Y. and J.G. Buta. 1994. Methyl jasmonate reduces chilling injury in *Cucurbita pepo* through its regulation of abscisic acid and polyamine levels. **Environ. Exp. Bot.** 3: 427-432.

- Wang, Z. and D.R. Dilley. 2000. Initial low oxygen stress controls superficial scald of apples. **Postharvest Biol. Technol.** 18: 201–213.
- Whetten, R.W. and R.R. Sederoff. 1995. Lignin Biosynthesis. **Plant Cell** 7: 1001-1013.
- Whetten, R.W., J.J. MacKay and R.R. Sederoff. 1998. Recent advances in understanding lignin biosynthesis. **Ann. Rev. Plant Physiol. Plant Mol. Biol.** 49: 585-609.
- Wills, R.B.H., W.B. McGlasson, D. Graham, T.H. Lee and E.G. Hall. 1989. **Postharvest: An Introduction to the Physiology and Handling of Fruit and Vegetables.** 3rd edition. BSP Professional Books, London.
- Wills, R.B.H., W.B. McGlasson, D. Graham, and D. Joyce. 1998. **Postharvest: An Introduction to the Physiology and Handling of Fruit, Vegetables and Ornamentals.** 4th edition. Hyde Park Press, Adelaide.
- Zanella, A. 2003. Control of apple superficial scald and ripening - a comparison between 1-methylcyclopropene and diphenylamine postharvest treatments, initial low oxygen stress and ultra low oxygen storage. **Postharvest Biol. Technol.** 27: 69-78.
- Zhang, D., P.C. Quantick and J.M. Grigor. 2000. Changes in phenolic compounds in Litchi (*Litchi chinensis* Sonn.) fruit during postharvest storage. **Postharvest Biol. Technol.** 19: 165-172.
- Zheng, Y., C.Y. Wang, S.Y. Wang, and W. Zheng. 2003. Effect of high-oxygen atmospheres on blueberry phenolics, anthocyanins, and antioxidant capacity. **J. Agric. Food Chem.** 51: 7162-7169.

- Zhong, R., W.H. Morrison, J. Negrel, and Z.H. Ye. 1998. Dual methylation pathways in lignin biosynthesis. **Plant Cell** 10: 2033-2045.
- Zhou, Y., J.M. Dahler, S. Jr. Underhill and R.B.H. Wills. 2003. Enzymes associated with blackheart development in pineapple fruit. **Food Chem.** 80: 565-572.
- Zin-Huang, L. and G. Mang-Jue. 1997. Changes of enzyme activity during pollen germination in maize, and possible evidence of lignin synthesis. **Aust. J. Plant Physiol.** 24 (3): 329-335.