

เอกสารอ้างอิง

Agricultural statistic of Thailand. 2003. Cassava: Area, production, yield, farm price and farm value [Online]. Available: <http://oae.go.th/statistic/yearbook/2002-03/indexe.html> [2004, July 6].

Foster, K.D., Bronlund, J. E. and Pasterson, A.H.J., 2006, "Glass transition related cohesion of amorphous sugar powders", **Journal of food engineering**, Vol. 77, pp. 997-1006.

Jones, C.R., 1940, "The production of mechanically damaged starch in milling as a governing factor in the diastatic activity of flour", **Cereal chemistry**, Vol. 17, No. 2, pp. 74-90.

Kerr, W.L., Ward, C.D.W., McWatters, K.H. and Resurreccion, A.V.A., 2000, "Effect of milling and particle size on functionality and physicochemical properties of cowpea flour", **Cereal chemistry**, vol 77, No 2, pp. 213-219.

Levine, H. and Slade, L., 1992, "Glass transition in foods", In **Physical Chemistry of Foods**, Henry, G.S. and Richard, W.H. (Eds.), Marcel Dekker, New York, pp. 83-22.

Limtrakul, S., Rotjanavijit, W. and Vatanatham, T., 2007, "Lagrangian modeling and simulation of effect of vibration on cohesive particle movement in a fluidized bed", **Chemical engineering science**, Vol. 62, pp. 232-245.

Papadaki, S.E. and Bahu, R.E., 1992, "The sticky issues of drying", **Drying Technology**, Vol. 10, No. 4, pp. 817-837.

Paterson, A.H., Zuo, J.Y., Bronlund, J.E. and Chatterjee, R., 2007, "Stickiness curves of high fat dairy powders using the particle gun", **International dairy journal**, Vol. 17, pp. 998-1005.

Perdomo, J., Cova, A., Sandoval, A.J., García, L., Laredo, E. and Müller, A.J., 2009, “Glass transition temperatures and water sorption isotherms of cassava starch”, **Carbohydrate Polymers**, Vol. 76, pp. 305-313.

Phattaravichien, S., **Improvement of the Tapioca Starch Drying Process**, Master of Engineering Thesis, Chemical Engineering Program, Faculty of Engineering, King Mongkut's University of Technology Thonburi, pp. 1-133.

Sriroth, K. and Piyachomkwan, K., 2000, **Starch Technology**, 2nd ed., Kasetsart University Press, Bangkok, p. 292.

Thai Tapioca Development Institute, 2005, **Statistics** [Online], Available:<http://www.tapiocathai.org>.

Verdurmen, R. E. M., Houwelingen, G., Gusing, M., Verschueren, M. and Straatsma, J., 2006, “Agglomeration in Spray Drying Installations (The EDECAD Project): Stickiness Measurement and Simulation Results”, **Drying Technology**, Vol. 24, pp. 721-726.

Wanlapatit, S. 1998. **Studies on Improvement of Plant Efficiency and Quality Control in Cassava Starch Manufacturing by Controlling of Sulphur Dioxide Treatment**. Master of Science Thesis, Bio Technology Program. Faculty of Science. Kasetsart University. 183 p.



