

## ACKNOWLEDGEMENTS

I wish to express my deepest and sincere gratitude to Dr. Marisa Arunchaiya, my advisor for her valuable advise, guidance and enthusiasm, throughout the course of my graduate study.

I am deeply grateful to Assist. Prof. Atchana Wongchaisuwat, Dr. Pinsuda Viravathana, Prof. Dr. Busaba Yongsmith and Assist. Prof. Peeranuch Jompuk my thesis supervisory committee, for their valuable comments and encouragement to complete this thesis.

I would like to thank the Department of Chemistry, Faculty of Science, Kasetsart University for providing laboratory. Postgraduate Education and Research Program in Chemistry (PERCH) for scholarship and financial support in the research is acknowledged.

I would also like to thank the Laboratory of National Metal and Materials Technology Center (MTEC) for the facility to use Keithley 4200 semiconductor characterization system. My special thanks to Dr. Rungnapa Tongpool for her help and suggestion.

I am very grateful to my friends, Voranuch Somsongkul, Surassawatee Jamikorn, and Sureeporn Aemaot for their help, inspiration, juxtaposition and the pleasant working environment.

Finally, my deep appreciation to SORACHOTI FAMILY for their support, infinite love and care throughout my life. This thesis would not have been possible without their support.

Kwannapat Sorachoti

April 2006