

## LIST OF FIGURES

Figure		Page
1	A typical state diagram for solution. AB: freezing curve, BC: solubility curve, B: eutectic point, DEF: glass transition line, E: glass transition temperature at maximal freeze concentration, GE: glass transition by slow or equilibrium cooling, $T_{gs}$ : glass transition temperature of solid, $T_{gw}$ : glass transition temperature of water, $T'_m$ : end point of freezing curve, $T'_g$ : glass transition for maximal freeze concentration temperature, $X'_s$ : solids mass fraction at maximal freeze concentration	9
2	Schematic Diagram of Differential Scanning Calorimetry (DSC)	10
3	Graph shows the change of heat flow varied by the temperature.	11
4	Determination of second-order and glass transition temperatures, $T_g$ , and change in heat capacity, $\Delta C_p$ , that occurs over the glass transition temperature range from DSC thermograms. The endothermal step change in heat flow during heating of glassy materials occurs due to $\Delta C_p$ at the second-order transition temperature.	12
5	Critical water activity and water content ranges for various changes and Microbial growth occurring in food materials. The sorption isotherms of Lactose hydrolyzed skin milk and amylopectin are shown as examples of Extreme values for water activities and water contents	14
6	Brunauer's five types of adsorption isotherms.	17
7	Generalized moisture sorption isotherm for the low-moisture segment of a food ( 20°C).	18