

LIST OF FIGURES (continued)

Figure		Page
8	a) Top: Effect of glass transition on stability and rates of mechanical and deteriorative changes. (b) Bottom: Effect of water plasticization and depression of the glass transition temperature (T_g) to below ambient temperature on rates of mechanical and deteriorative changes. The critical water activity may in some case be located with the (a_w) range for the growth of various microorganisms.	25
9	Glass transition temperature, T_g as a function of water activity and sorption isotherm at 24° C for nonfat milk solids. The critical a_w and the corresponding water content depress the T_g to storage temperature.	30
10	Process flowchart for banana powder production.	36
11	Determination of sorption isotherm using desiccators placed in temperature-controlled cabinet.	38
12	Flow process of banana flake product.	41
13	Adsorption isotherm for banana powder water content (solids line) were Calculated using the GAB equation (Eq.3).	46
14	Glass transition of banana powder as function of water activity at 35°C. (●: experimental data; solid line: Linear equation).	49
15	Glass transition of banana powder as function of water content at 35°C.(●:experimental data; solid line : Gordon and Taylor model).	49
16	Water content isotherms and glass transition temperature as function of water activity. The water content (solids line) was calculated with GAB model (Eq.3). The T_g values (dashed line) were calculated using the Linear model (Eq.5).	51