

LIST OF FIGURES (Continued)

Figure		Page
17	Adsorption isotherm of banana flake with different maltodextrin Content (a) 0 % (b) 0.9 % (c) 1.8 % and (d) 2.7% at 35°C.	55
18	Glass transition temperature of banana flake with different Maltodextrin (a) 0 % (b) 0.9 % (c) 1.8 % and (d) 2.7% as function of water activity at 35°C (●: experimental data; solid line: Linear equation).	56
19	Glass transition temperature of banana flake with different Maltodextrin (a) 0 % (b) 0.9 % (c) 1.8 % and (d) 2.7% as function of water content at 35°C (●: experimental data; solid line: Gordon and Taylor equation).	57
20	Adsorption isotherms at 35°C (solids line) calculated by GAB equation (Eq.3) and glass transition temperature as function of water activity calculated by the Linear equation (Eq.5) of banana flakes with different maltodextrin content (a) 0 % (b) 0.9 % (c) 1.8 % and (d) 2.7% (dashed line).	60
21	Effect of storage temperature on water activity of banana flake.	65
22	Effect of storage temperature on L* values (lightness) of banana flake.	67
23	Effect of storage temperature on a* values of banana flake.	67
24	Effect of storage temperature on b* values of banana flake.	68
25	Effect of storage temperature on reducing sugar content of banana flake.	68
26	The effect of storage temperature on brown color attribute of banana flake	71
27	The effect of storage temperature on crispness attribute of banana flake.	71