TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
LIST OF TABLES	ii
LIST OF FIGURES	iii
LIST OF ABBREVIATIONS	v
INTRODUCTION	1
OBJECTIVES	3
LITERATURE REVIEW	4
MATERIALS AND METHODS	25
RESULTS AND DISCUSSION	41
CONCLUSION	72
LITERATURE CITED	74
APPENDIX	83

LIST OF TABLES

Table		Page
1	Comparison of features of Indian neem and Thai neem	9
	(Azadirachta spp.)	
2	Comparison of the most common used marker systems	16
3	Seed sources for the international provenance trial of neem (<i>Azadirachta</i> spp.) established at Kanchanaburi in 1997	26
4	Primer sequences, repeat motif, complexity, type, melting temperature (T_m) and expected product size of 26 SSR loci developed in neem	45
5	Eight microsatellite markers selected for determination of genetic variation in neem populations	48
6	Number of alleles per locus and effective number of alleles in Indian neem and Thai neem	50
7	Number of alleles per locus and mean of alleles per population in Indian neem and Thai neem	51
8	Allele frequency of Indian neem and Thai neem	54
9	Observed heterozygosity (<i>Ho</i>) and expected heterozygosity (<i>He</i>) in Indian neem and Thai neem	60
10	The <i>p</i> -value from Hardy-Weinberg equilibrium in Indian neem	62
11	The <i>p</i> -value from Hardy-Weinberg equilibrium in Thai neem	63
12	Genetic distance between Indian neem	65
13	Genetic distance between Thai neem	66
14	E-coefficient all loci of Indian neem and Thai neem	68

LIST OF FIGURES

Figure		Page
1	Areas where neem trees are found around the world (★)	5
2	Distribution of neem in Thailand	7
3	The difference of tree ideotype between Thai neem and Indian neem	10
4	The differences in bark characteristic between Thai neem and Indian neem	10
5	The difference of leaflet shapes between Thai neem and Indian neem	11
6	Parts of neem tree and their potential usage	14
7	Schematic representation of the genetic basis of phenotypic differences of two Simple Sequence Repeat alleles (SSRs) by their length	17
8	Model of the mutation process at microsatellite loci	20
9	Area where the neem seeds were collected for international provenance trials	27
10	Location of the international provenance trial of neem established at Kanchanaburi in August 1997 (■)	28
11	Flow chart for development microsatellite markers in neem	29
12	The RsaI restriction site in the DNA sequence	30
13	Sequences of 21-mer and 25-mer adapters	31
14	Different steps of the hybridization process	32
15	pGEM-T Easy Vector circle map	32

LIST OF FIGURES (Continued)

16	Genomic DNA of neem	41
17	Photo showing the PCR products after digestion and ligation of neeem genomic DNA	41
18	PCR products after enrichment of microsatellite	42
19	Picture of colony PCR	42
20	Example of a sequence containing microsatellite repeat motif in neem	44
21	Primer screening of 24 populations of neem	47
22	Dendogram of 24 neem populations constructed by Unweighted Pair Group Methods	67

LIST OF ABBREVIATIONS

AFLP Amplified Fragment Length Polymorphisms

DNA Deoxyribonucleic Acid

PCR Polymerase Chain Reaction

RAPD Random Amplified Polymorphic DNAs

RFLP Restriction Fragment Length Polymorphism

SAMPL Selectively Amplified Microsatellite Polymorphic Loci

SNPs Single Nucleotide Polymorphisms

SSM Slip-Strand Mispairing

SSR Simple Sequence Repeat

STMS Sequence Tagged Microsatellite Site

STS Sequence Tagged Sites

TFPGA Tools for Population Genetic Analyses

UCO Unequal Crossing-Over

UPGMA Unweighted Pair Group Methods Analysis