

## ACKNOWLEDGEMENTS

I am indebted to many people who have helped during the course of my study. I wish to express my sincere thanks to my major thesis advisor, Associate Professor Dr. Leka Manoch for her kindness, endless assistance, encouragement, support, understanding and care during this study.

I would like to thank Associate Professor Niphon Visarathanonth, Assistant Professor Dr. Chiradej Chamswarnng, the Department of Plant Pathology, Kasetsart University, Associate Professor Dr. Savitree Rangsipaht, representative from Graduate School, and Professor Dr. Roy Watling from The Royal Botanic Garden, Edinburgh, Scotland for their valuable suggestions and comments to improve this thesis. I would like to extend my sincere thanks to Dr. George P. Sharples from Biomolecular Sciences, Liverpool John Moores University (LJMU), Liverpool, UK for his advice on the study on ornamentation of ascospores using scanning electron microscope.

I wish to thank Professor Dr. Anake Kijjoa, the Instituto de Ciencias Biomedicas de Abel Salazar (ICBAS), Universidade do Porto, Portugal for his kind suggestion and guidance on the isolation, purification and structure elucidation of the fungal secondary metabolites. I am also indebted to Professor Dr. Artur M.S. Silva, Department of Chemistry, University of Aveiro, Portugal for providing the NMR spectra.

I am very grateful to Prof. Jack D. Rogers, Department of Plant Pathology, Washington State University, Pullman, Washington, USA; Prof. David L. Hawksworth, Facultad de Farmacia, Universidad Complutense de Madrid, Madrid, Spain and Dr. J. Michael Bonman, USDA Agricultural Research Service, Small

Grains and Potato Germplasm Research Unit, Aberdeen, Idaho for their valuable comments, suggestions and reviewing the manuscripts.

My sincere appreciation goes to Associate Professor Narong Singburaudom for his advice on the preparation of fungal crude extracts as well as for his valuable comments and kind support during the course of this study. I also wish to thank my dear friends, colleagues and all technicians at the Department of Plant Pathology, Faculty of Agriculture, Kasetsart University, Bangkok; LJMU and ICBAS for their help and the pleasant environment they have provided.

I wish to acknowledge the financial support from the Thailand Research Fund through the Royal Golden Jubilee Ph. D. Program.

Finally, I would like to express my deep gratitude to my parents, Mr. Pisan Jeamjitt and Mrs. Pong Jeamjitt for their love, patience, encouragement and continuing support throughout the period of this study.

Onuma Jeamjitt  
January 2007