## LITERATURE CITED

- American Association of Cereal Chemists. 2000. **Approved Methods of the AACC.** 10th ed. St. Paul. MN.
- Bao, J. and C.J. Bergman. 2004. The functionality of rice starch, pp. 258-292. *In*A.Eliasson, ed. Starch in food: Structure, functional and application. CRC Press, Cambridge.
- Bhattacharya, M., S.Y. Zee and H. Corke. 1999. Physicochemical properties related to quality of rice noodles. **Cereal Chem.** 76: 861-867.
- Biliaderis, C.G., C.M. Page, T.J. Maurice and B.O. Juliano. 1986. Thermal characterization of rice starches: a polymeric approach to phase transitions of granular starch. **J. Agric. Food Chem.** 34: 6-14.
- Champagne, E.T. 1996. Rice starch: composition and characteristics. **Cereal Foods World** 41: 833-838.
- Chen, J.J., S. Lu and C.Y. Lii. 1999. Effects of milling on the physicochemical characteristics of waxy rice in Taiwan. **Cereal Chem.** 76: 796-799.
- \_\_\_\_\_\_, and \_\_\_\_\_\_. 2003. Physicochemical and morphological analyses on damaged rice starches. **J. Food Drug Anal.** 11:283-289.
- Chen, S.Y. and B.S. Luh. 1980. Chemical, physical and cooking properties of rice vermicelli. pp.65-66. *In* **Proc. Rice Tech. Working Group 18th.** Texas A&M University, College Station, Texas.

- Chen, Z., L. Sagis, A. Legger, J.P.H. Linssen, H.A. Schols and A.G.J. Voragen. 2002. Evaluation of starch noodles made from three typical Chinese sweet-potato starches. **J. Food Sci.** 67: 3342-3347.
- Chiang, P.Y. and A.I. Yeh. 2002. Effect of soaking on wet-milling of rice. **J. Cereal Sci.** 35:85-94.
- Department of Agriculture. 2002. **Rice quality: Investigation of adulterated rice** in Thai Hom Mali rice. Ministry of Agriculture and Cooperatives, Bangkok.
- Eliasson, A-C. 2004. **Starch in Food: Structure, function and applications**. CRC Press, New York.
- Fan, J. and B.P. Marks. 1998. Retrogradation kinetics of rice flours and influenced by cultivar. **Cereal Chem.** 75: 153-155.
- Fitzgerald, M.A., M. Martin, R.M. Ward, W.D. Park and H.J. Shead. 2003. Viscosity of rice flour: a rheological and biological study. **J. Agric. Food Chem.** 51: 2295-2299.
- Gallapanayutt, O. 2004. **Improvement of Ready to Eat Rice Noodle in Pouch by Pasteurization.** M.S. Thesis, Kasetsart University, Bangkok, Thailand.
- Hamaker, B.R. 1994. The influence of rice protein on rice quality, pp. 177-194. *In*W.E. Marshall and J.I. Wadsworth, eds. Rice Science and Technology.Mercel Dekker, Inc., New York.
- and V.K. Griffin. 1990. Changing the viscoelastic properties of cooked rice through protein disruption. **Cereal Chem.** 67: 261-264.
- Han, X-Z. and \_\_\_\_\_\_. 2001. Amylopectin fine structure and rice starch paste breakdown. **J. Cereal Sci.** 34: 279-284.

Hizukuri, S. 1985. Relationship between the distribution of the chain length of amylopectin and crystalline structure of starch granules. <b>Carbohydr. Res.</b> 141: 295-306.
1986. Polymodal distribution of the chain lengths of amylopectin and its significance. <b>Carbohydr. Res.</b> 147: 342-347.
Jacobs, H. and J.A. Delcour. 1998. Hydrothermal modification of granular starch with retention of the granular structure: a review. <b>J. Agric. Food Chem.</b> 48: 2895-2905.
Jane, J.F. and J.F. Chen. 1992. Effect of amylose molecular size and amylopectin branch chain length on paste properties of starch. <b>Cereal Chem.</b> 69: 60-65.
Jones, C.R. 1940. The production of mechanically damaged starch in milling as a governing factor in the diastatic activity of flour. <b>Cereal Chem.</b> 18: 133-16
Juliano, B.O. 1985. <b>Rice: Chemistry and Technology</b> . The American Association of Cereal Chemists, INC., Minnesota.
and C.M. Perez. 1990. Crystallinity of raw rice granules as indexed by corrosion with hydrochloric acid and amylase. <b>Starch/Stärke</b> . 42: 49-52.
,, A.B. Blakeney, D.T. Castillo, N. Kongseree, P. Laignelet, E.T. Lapiz, V.V.S. Murty, C.M. Paule and B.D. Webb. 1981. International cooperative testing of the amylose content of milled rice. <b>Starch/Stärke</b> 33: 157-165.
Lai, H.M. 2001. Effects of rice properties and emulsifiers on the quality of rice

pasta. **J. Sci. Food Agri.** 82: 203-216.

- Lai, V. M-F., S. Lu and C-Y. Lii. 2000. Molecular characteristics influencing retrogradation kinetics of rice amylopectin. **Cereal Chem.** 77: 272-278.
- Li, C-F. and B.S. Luh. 1980. Rice snack foods, pp. 690-711. *In* B.S. Luh, ed. **Rice: Production and Utilization**. AVI Publishing Co., Inc., Westport,

  Connecticut.
- Lii, C-Y., Y-Y. Shao and K-H. Tseng. 1995. Gelation mechanism and rheological properties of rice starch. **Cereal Chem.** 72: 393-400.
- \_\_\_\_\_\_, M-L. Tsai and \_\_\_\_\_\_. 1996. Effect of amylose content on the rheological property of rice starch. **Cereal Chem.** 73: 415-420.
- Lumdubwong, N. and P.A. Seib. 2000. Rice starch isolation by alkaline protease digestion of wet-milled rice flour. **J. Cereal Sci.** 31: 63-74.
- Lu, S. and C-Y. Lii. 1989. The influences of various milling processed on the physicochemical properties of rice flours and the rice flake preparation. **Food Sci. (Taiwan)** 16: 22-35.
- Marshall, W.E. and J.I.Wadsworth. 1992. **Rice Science and Technology**. Marcel Dekker, Inc., New York.
- Martin, M. and M.A. Fitzgerald. 2002. Protein in rice grains influence cooking properties. **J. Cereal Sci.** 36: 285-294.
- Meilgaard, M., G.V. Civille and B.T. Carr. 1999. **Sensory Evaluation Techniques**. CRC Press, Washington, D.C.

- Mestres, C., P. Colonna and A. Buleon. 1988. Characteristics of starch networks within rice flour noodles and mungbean starch vermicelli. **J. Food Sci.** 53: 1809-1812.
- Meuser, F., R.W. Klingger and E.A. Niedeck. 1978. Characterization of mechanically modified starch. **Starch/Stärke.** 30: 376-384.
- Miklus, M.B. 1999. **Indentification of novel starch and protein structures related to corn masa texture.** Ph.D. Thesis, Purdue University, USA.
- Ministry of Commerce. 2006. **Statistics of Important Exports of Thailand. Ministry of Commerce**, Nonthaburi, Thailand. Available source:

  <a href="http://www.moc.go.th">http://www.moc.go.th</a>., June 14, 2006.
- Mizukami, H., Y. Takada and S. Hizukuri. 1999. The structure of hot-water-soluble components in the starch granules of new Japanese rice cultivars.

  Carbohydr. Polym. 38: 329-335.
- Morrison, W.R. and B. Laignelet. 1986. An improved colorimetric procedure for determining apparent and total amylose in cereal and other starches. **J. Cereal Sci.** 1: 9-20.
- \_\_\_\_\_\_, R.F.Tester and M.J. Gidley. 1994. Properties of damaged starch granules. II. Crystallinity, molecular order and gelatinization of ball-milled starches. **J. Cereal Sci.** 19: 209-217.
- \_\_\_\_\_ and \_\_\_\_\_. 1994. Properties of damaged starch granules. IV. Composition of ball-milled wheat starches and of fractions obtained on hydration. **J.**Cereal Sci. 20: 69-77.

Mujoo, R. and S.Z. Ali. 1999. Molecular degradation of rice starch during processing to flakes. J. Sci. Food Agri. 79: 941-949. Naivikul, O. 2004. Rice: Science and Technology. Kasetsart University Press, Bangkok. Nishita, K.D. and M.M. Bean. 1982. Grinding methods: Their impact on rice flour properties. Cereal Chem. 59: 46-49. Noosuk, P., S.E. Hill, P. Pradipasena and J.R. Mitchell. 2003. Structure-viscosity relationships for Thai rice starches. Starch/Stärke. 55: 337-344. \_, \_\_\_\_\_, I.A. Farhat, \_\_\_\_\_ and \_\_\_\_\_. 2005. Relationship between viscoelasticity properties and starch structure in rice from Thailand. **Starch/Stärke** 57: 587-598. Ong, M.N. and J.M.V. Blanshard. 1995a. Texture determination on cooked, parboiled rice. I: Rice starch amylose and the fine structure of amylopectin. J. Cereal Sci. 21: 251-260. \_ and \_\_\_\_\_. 1995b. Texture determination on cooked, parboiled rice. II: Physicochemical properties and leaching behavior of rice. **J. Cereal Sci.** 21: 261-269. Patindol, J., A. Flowers, M-I. Kuo, Y-J. Wang and D. Gealy. 2006. Comparison of physicochemical properties and starch structure of red rice and cultivated rice. **J. Agri. Food Chem.** 54: 2712-2718. \_\_\_, B.C. Gonzalez, \_\_\_\_\_ and A.M. McClung. 2007. Starch fine structure and physicochemical properties of specialty rice for canning. **J. Cereal Sci.** 45: 209-218.

	and vith different			ce cultivars
S	and tarches from 2777-2784.		•	

- Perez, C.M., C.P. Villareal, B.O. Juliano and C.G. Biliaderis. 1993. Amylopectin-staling of cooked nonwaxy milled rice and starch gels. **Cereal Chem.** 70: 567-571.
- Pulkki, L.H. 1938. Particle size in relation to flour characteristics and starch cells. **Cereal Chem.** 15: 749-765.
- Qi, X., R.F. Taster, C.E. Snape and R. Ansell. 2003. Molecular basis of the gelatinization and swelling characteristics of waxy rice starches grown in the same location during the same season. **J. Cereal Sci.** 37: 363-376.
- Ramesh, M., J.R. Mitchell, K. Jumel and S.E. Harding. 1999. Amylose content of rice starch. **Starch/Stärke** 51: 311-313.
- Ruamchit, S. 1979. Studied on the effect of rice physical and chemical properties to the characteristics of rice noodles. M.S. thesis, Kasetsart University.
- Sanchez, P.C. 1975. Varietal influence on the qualities of Philippines rice. **Food Tech.** 25: 51-52.
- Sandstedt, R.M. and H. Scheuring. 1960. A photographic study of mechnically damaged wheat starch. **Food Tech.** 14: 257-265.

- Schoch, T.J. 1964. **Method in Carbohydrate Chemistry**. Academic Press Inc., New York.
- Singh, V., H. Okadome, H. Toyoshima, S. Isobe and K. Ohtsubo. 2000. Thermal and physicochemical properties of rice grain, flour and starch. **J. Agri. Food**Chem. 48: 2639-2647.
- Sodhi, N.S. and N. Singh. 2003. Morphological, thermal and rheological properties of starches separated from rice cultivars grown in India. **Food Chem.** 80: 99-108.
- Stable Micro Systems. 1995. **Operating Manual of Texture Analyzer (TA.XT2)**. Stable Micro Systems, UK
- Tsai, M-L. and C-Y. Lii. 2000. Effect of hot-water-soluble components on the rheological properties of rice starch. **Starch/Stärke**. 52: 44-53.
- Tako, M. and S. Hizukuri. 2000. Retrogradation mechanism of rice starch. **Cereal Chem.** 77: 473-477.
- Tester, R.F.and W.R. Morrison. 1990. Swelling and gelatinization of cereal starches. II. Waxy rice starches. **Cereal Chem.** 67: 558-563.
- \_\_\_\_\_ and \_\_\_\_\_. 1994. Properties of damaged starch granules. V. Composition and swelling of fractions of wheat starch in water at various temperatures. J. Cereal Sci. 20: 175-181.
- Tulapongsarug, M. 1995. Effects of rice varieties, storage life and soil texture to rice-noodle quality. M.S. thesis, Kasetsart University.

- Tungtrakul, P. 1997. **Quality and phycochemical properties of rice related to rice noodles.** The National Food Research Institute Report, Bangkok, Thailand.
- Vandeputte, G.E., R. Vermeylen, J. Geeroms and J.A. Delcour. 2003a. Rice starch. I. Structure aspects provide insight into crystallinity characteristics and gelatinization behavior of granular starch. **J. Cereal Sci.** 38: 43-52.
- provide insight in amylopectin retrogradation properties and gel texture. **J. Cereal Sci.** 38: 61-68.
- Varavinit, S., S. Shobsngob, W. Varanyanond, P. Chinachoti and O. Naivikul. 2003. Effect of amylose content on gelatinization, retrogradation and pasting properties of flours from different cultivars of Thai rice. **Starch/Stärke** 55: 410-415.
- Vatanasuchat, N. 2004. **Modification of cassava starch with lactic acid hydrolysis** and UV irradiation to enhance baking expansion. Ph.D. Thesis, Kasetsart University, Bangkok, Thailand.
- Wang, Y-J., L. Wang, D. Shephard, F. Wang and J. Patindol. 2002. Properties and structures of flours and starches from whole, broken, and yellowed rice kernels in a model study. **Cereal Chem.** 79: 383-386.
- Whistler, R.L. and J.N. BeMiller. 1999. **Carbohydrate Chemistry for Food Scientists**. The American Association of Cereal Chemists, INC., Minnesota.

- Yoo, S.-H. and J. Jane. 2002. Molecular weights and gyration radii of amylopectins determined by high-performance size-exclusion chromatography equipped with multi-angle laser-light scattering and refractive index detectors.

  Carbohydr. Polym. 49: 307-314.
- Zhong, F., W. Yokoyama, Q. Wang and C.F. Shoemaker. 2006. Rice starch, amylopectin, and amylose: molecular weight and solubility in dimethyl sulfoxide-based solvents. **J. Agric. Food Chem.** 54: 2320-2326.
- Zhou, Z., K. Robards, S. Helliwell and C. Blanchard. 2002. Composition and functional properties of rice. **Int. J. Food Sci. and Tech.** 37: 849-868.