

เอกสารและสิ่งอ้างอิง

ดวงพร กันธิโชติ. 2537. **อนุกรมวิธานของแบคทีเรียและปฏิบัติการ**. สำนักพิมพ์โอเดียนสโตร์, กรุงเทพฯ

นงลักษณ์ สุวรรณพินิจ และ ปรีชา สุวรรณพินิจ. 2544. **จุลชีววิทยาทั่วไป**. สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพฯ

Allen, R.N., L. Lebbe, J. Heyrman, P.D. Vos, C.J. Buchanan and N.A. Logan. 2005.

Brevibacillus levickii sp. nov. and *Aneurinibacillus terranovenssis* sp. nov., two novel thermoacidiphile isolated from geothermal soils of northern Victoria Land, Antarctica. **Int J Syst Evol Microbiol.** 55: 1039-1050.

Anthony, C. 1982. **The biochemistry of methylotrophs**. Academic Press, London.

Arfman, N., E.M. Watling, W. Clement, R.J. van Oosterwijk, G.E. de Vries and W. Harder.

1989. Methanol metabolism in thermotolerant methylotrophic *Bacillus* strains involving a novel catabolic NAD-dependent methanol dehydrogenase as a key enzyme. **Arch. Microbiol.** 152: 280-288.

Arfman, N., K.J. de Vries, H.R. Moezelaar, M.M. Attwood, G.K. Robinson, M. van Geel and L.

Dijkhuizen. 1992. Environmental regulation of alcohol metabolism in thermotolerant methylotrophic *Bacillus* strains. **Arch. Microbiol.** 157: 272-278.

—— and L. Dijkhuizen. 1990. Thermotolerant methylotroph *Bacillus*. **Methods Enzymol.** 188: 223-226.

Attwood, M.M. and J.R. Quayle, 1984. Formaldehyde as a central intermediary metabolite of methylotrophic metabolism, pp. 315-323. In R.L. Crawford and R.S. Hanson, eds.

Microbial growth on C₁ compounds. ASM, Washington D.C.

- Barber, R.D., M.A. Rott and T.J. Donohue. 1996. Characterization of a glutathione-dependent formaldehyde dehydrogenase from *Rhodobacter sphaeroides*. **J. Bacteriol.** 178: 1386-1393
- and T.J. Donohue. 1998. Function of a glutathione-dependent formaldehyde dehydrogenase in *Rhodobacter sphaeroides* formaldehyde oxidation and assimilation. **Biochemistry** 37: 530-537.
- Bourque, D., Y. Pomerleau and D. Groleau. 1995. High-cell-density production of poly- β -hydroxybutyrate (PHB) from methanol by *Methylobacterium extorquens*: production of high-molecular-mass PHB. **Appl. Microbiol. Biotechnol.** 44: 367-376.
- Bradford, M.M. 1976. A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. **Anal. Biochem.** 12: 248-254.
- Brandis, K. n.d. Metabolic acidosis due to drugs and toxins. Available Source: http://www.anaesthesiamcq.com/AcidBaseBook/ab8_6a.php, December 1, 2006.
- Bratina, B. and S.H. Richard. 1992. Methylotrophy. **Encyclopedia of Microbiology** 3: 121-127.
- Chistoserdova, L., J.A. Vorholt, R.K. Thauer and M.E. Lidstrom. 1998. C_1 transfer enzymes and coenzymes linking methylotrophic bacteria and methanogenic archaea. **Science** 281: 99-102.
- Chistoserdova, L.V., L. Gomelsky, J.A. Vorholt, M. Gomelsky, Y.D. Tsygankov and M.E. Lidstrom. 2000. Analysis of two formaldehyde oxidation pathways in *Methylobacillus flagellatus* KT, a ribulose monophosphate cycle methylotroph. **Microbiology** 146: 233-238.

- Chongcharoen, R., T.J. Smith, K.P. Flint and H. Dalton. 2005. Adaptation and acclimatization to formaldehyde in methylotrophs capable of high-concentration formaldehyde detoxification. **Microbiology** 151: 2615-2622.
- Claus, D. and R.C.W. Berkeley. 1986. Genus *Bacillus* Cohn 1872, pp 1105-1139. In P.H.A. Sneath, N.S. Mair, M.E. Sharpe and J.G. Holt, eds. **Bergey's manual of systematic bacteriology, vol. 2**. The Williams & Wilkins Co., Baltimore.
- Corpe, W. A., and D. V. Basile. 1982. Methanol-utilizing bacteria associated with green plants. **Dev. Ind. Microbiol.** 23: 483-493.
- de Marco, P., C.C. Pacheco, A.R. Figueiredo and P.M. Ferreira 2004. Novel pollutant-resistant methylotrophic bacteria for use in bioremediation. **FEMS Microbiol. Lett.** 234: 75-80.
- Dijkhuizen, L., N. Arfman, M.M. Attwood, A.G. Brooke, W. Harder and E.M. Watling. 1988. Isolation and initial characterization of thermotolerant methylotrophic *Bacillus* strains. **FEMS Microbiol. Lett.** 52: 209-214.
- Dijkhuizen, L., P.R. Levering and K. De Vries. 1992. The physiology and biochemistry of aerobic methanol-utilizing Gram-negative and Gram-positive bacteria, vol 5. Plenum Publishing Co., New York, N.Y.
- Ermler, U., C.H. Hagemeyer, A. Roth, U. Demmer, W. Grabarse, E. Warkentin and J.A. Vorholt. 2002. Structure of methylene-H₄MPT dehydrogenase from *Methylobacterium extorquens* AM1. **Structure (in press)**.
- Goenrich, M., S. Bartoschek, C.H. Hagemeyer, C. Griesinger and J.A. Vorholt. 2002. A glutathione-dependent formaldehyde activating enzyme (Gfa) from *Paracoccus denitrificans* detected and purified via 2D proton exchange NMR spectroscopy. **J. Biol. Chem.** 277: 3069-3072.

Hagemeier, C.H., L. Chistoserdova, M.E. Lidstrom, R.K Thauer and J.A Vorholt. 2000.

Characterization of a second methylene tetrahydromethanopterin dehydrogenase from *Methylobacterium extorquens* AM1. **Eur. J. Biochem.** 267: 3762-3769.

Harms, N., J. Ras, W.N.M. Reijnders, R.J.M. van Spanning and A.H.Stouthamer. 1996. S-formylglutathione hydrolase of *Paracoccus denitrificans* is homologous to human esterase D: a universal pathway for formaldehyde detoxification. **J. Bacteriol.** 178: 6296-6299.

Hektor, H.J., H. Kloosterman and L. Dijkhuizen. 2000. Nicotinoprotein method dehydrogenase enzymes in Gram-positive methylotrophic bacteria. **J. Mol. Catal. B: Enzym.** 8: 103-109.

Heyrman, J.,M. Rodr  y'guez-D  'az,J. Devos,A. Felske,N.A. Logan and P. de Vos. 2005. *Bacillus arenosi* sp. nov., *Bacillus arvi* sp. nov. and *Bacillus humi* sp. nov., isolated from soil. **International Journal of Systematic and Evolutionary Microbiology** 55: 111–117.

Holt, J.G. 1994. **Bergey's manual of determination bacteriology** 9th edition

Ivanova, E. G., N.V. Doronina, A.O. Shepeliakovskaia, A.G. Laman, F.A. Brovko and Y.A. Trotsenko. 2000. Facultative and obligate aerobic methylobacteria synthesize cytokinins. **Mikrobiologiya** 69: 764-769.

——— , ——— and Y.A. Trotsenko. 2001. Aerobic methylobacteria are capable of synthesizing auxins. **Microbiology** 70: 392-397.

Kato, N. and N. Miyamoto. 1988. 3-hexulose phosphate synthase from a new facultative methylotroph, *Mycobacterium gastri* MB19. **Agric. Biol. Chem.** 52(10): 2659-2661.

- Lee, G.H., W. Hur, C.E. Bremmon and M.C. Flickinger. 1996. Lysine production from methanol at 50°C using *Bacillus methanolicus*: Modeling volume control, lysine concentration and productivity using a three-phase continuous simulation. **Biotechnol. Bioeng.** 49(6): 639-653.
- Lidstrom, M.E. 2001. The aerobic methylotrophic bacteria. In M. Dworkin, ed. **The prokaryotes**. In press [online]. Springer-Verlag, New York, N.Y..
- and L. Chistoserdova. 2002. Plants in the pink: cytokinin production by *Methylobacterium*. **J. Bacteriol.** 184: 1818.
- Logan, N., G. Forsyth, L. Lebbe, J. Goris, M. Heyndrickx, A. Balcaen, A. Verhelst and A. Falsen. 2002. Polyphasic identification of *Bacillus* and *Brevibacillus* strains from clinic, dairy and industrial specimens and proposal of *Brevibacillus invocatus* sp. nov. **Int J Syst Evol Microbiol.** 52: 953-966.
- Maden, B.E.H. 2000. Tetrahydrofolate and tetrahydromethanopterin compared: functionally distinct carriers in C₁ metabolism. **Biochem. J** 350: 609-629.
- Marison, I.W. and M.M. Attwood. 1982. A possible alternative mechanism of the oxidation of formaldehyde to formate. **J. Gen. Microbiol.** 128: 1441-1446.
- Marx, C.J., J.A. Miller, L. Chistoserdova and M.E. Lidstrom. 2004. Multiple Formaldehyde Oxidation/Detoxification Pathways in *Burkholderia fungorum* LB400. **J. Bacteriol.** 186: 2173-2178.
- Marx, C.J., L. Chistoserdova and M.E. Lidstrom. 2003. Formaldehyde-detoxifying role of the tetrahydromethanopterin-linked pathway in *Methylobacterium extorquens* AM1. **J. Bacteriol.** 186: 7160-7168.

- Marx, C.J., M. Laukel and J.A. Vorholt. 2003. Purification of the formate-tetrahydrofolate ligase from *Methylobacterium extorquens* AM1 and demonstration of its requirement for methylotrophic Growth. **J. Bacteriol.**: 7169-7175.
- Mitsui, R., M. Omori, H. Kitazawa and M. Tanaka. 2005. Formaldehyde-limited cultivation of newly isolated methylotrophic bacterium, *Methylobacterium* sp. MF1: enzymatic analysis related to C₁ metabolism. **Journal of Bioscience and Bioengineering** 99: 18-22.
- Mitsui, R., Y. Kusano, H. Yurimoto, Y. Sakai, N. Kato and M. Tanaka. 2003. Formaldehyde fixation contributes to detoxification for growth of a non-methylotroph, *Burkholderia cepacia* TM1, on vanillic acid. **Appl. Environ. Microbiol.** 69: 6128-6132.
- Mitsui, R., Y. Sakai, H. Yasueda and N. Kato. 2000. A Novel operon encoding formaldehyde fixation: the ribulose monophosphate pathway in the gram-positive facultative methylotrophic bacterium *Mycobacterium gastri* MB19. **J. Bacteriol.**: 944-948.
- Murrell, J.C. and I.R. McDonald. 2000. Methylotrophy. **Encyclopedia of Microbiology** 3: 245-255.
- Nash, T. 1953. The colorimetric estimation of formaldehyde by means of the Hantzsch reaction. **Biochem. J.** 55: 416-421.
- Orita, I., H. Yurimoto, R. Hirai, Y. Kwarabayasi, Y. Sakai and N. Kato. 2005. The archaeon *Pyrococcus horikoshii* possesses a bifunctional enzyme for formaldehyde fixation via the ribulose monophosphate pathway. **J. Bacteriol.**: 3636-3642.
- Orita, I., T. Sato, H. Yurimoto, N. Kato, H. Atomi, T. Imanaka and Y. Sakai. 2006. The ribulose monophosphate pathway substitutes for the archaeon *Thermococcus kodakaraensis*. **J. Bacteriol.**: 4698-4704.

- Pettersson, B., F. Lembke, P. Hammer, E. Stackebrandt and F.G. Priest. 1996. *Bacillus sporothermodurans*, a new species producing highly heat-resistant endospores. **Int. J. Syst. Bacteriol.** 759-764.
- Pomper, B.K., J.A. Vorholt, L. Chistoserdova, M.E. Lidstrom and R.K. Thauer. 1999. A methenyl tetrahydromethanopterin cyclohydrolase and a methenyl tetrahydrofolate cyclohydrolase in *Methylobacterium extorquens* AM1. **Eur. J. Biochem.** 261: 475-480.
- Quayle, J.R. 1982. 3-hexulose-6-phosphate synthase from *Methylobacterium (Methylococcus) capsulatus*. **Methods Enzymol.** 90: 314-319.
- and T. Ferenci. 1978. Evolutionary aspects of autotrophy. **Microbiol. Rev.** 42: 251-273.
- Ras, J., P.W. van Ophem, W.N.M. Reijnders, R.J.M. van Spanning, J.A. Duine, A.H. Stouthamer and N. Harms. 1995. Isolation, sequencing, and mutagenesis of the gene encoding NAD- and glutathione-dependent formaldehyde dehydrogenase (GD-FALDH) from *Paracoccus denitrificans*, in which GD-FALDH is essential for methylotrophic growth. **J. Bacteriol.** 177: 247-251.
- Roane, K.L. Josephson and I.L. Pepper. 2001. Dual-bioaugmentation strategy to enhance remediation of cocontaminated soil. **Applied Environmental Microbiology** 67: 3208–3215.
- Sakai, Y., R. Mitsui, Y. Katayama, H. Yanase and N. Kato. 1999. Organization of the genes involved in the ribulose monophosphate pathway in an obligate methylotrophic bacterium, *Methylobacterium aminofaciens* 77a. **FEMS Microbiol. Lett.** 176: 125-130.

- Shida, O., H. Takagi, K. Kadowaki and K. Komagata. 1996. Proposal for two new genera, *Brevibacillus* gen. nov. and *Aneurinibacillus* gen. nov. **Int J Syst Bacteriol.** 46: 939-946.
- Spies, H.S. and D.J. Steenkamp. 1994. Thiols of intracellular pathogens. Identification of ovothiol A in *Leishmania donovani* and structural analysis of a novel thiol from *Mycobacterium bovis*. **Eur J Biochem** 224: 203-213.
- Tanaka, A., Y. Ohya, S. Shimizu, and S. Fukui. 1974. Production of vitamin B12 by methanol-assimilating bacteria. **J. Ferment. Technol.** 52: 921-924.
- Thaue, R.K. 1998. Biochemistry of methanogenesis: a tribute to Marjory Stephenson. **Microbiology** 144: 2377-2406.
- Thomas, P. 2005. Isolation of an ethanol-tolerant endospore-forming Gram-negative *Brevibacterium* sp. as a covert contaminant in grape tissue cultures. **J. Appl. Microbiol.** ISSN 1364-5072: 764-774.
- van Beelen, P., A.P.M. Stassen, J.W.G. Bosch, G.D. Vogels, W. Guijt and C.A.G. Haasnoot. 1984. Elucidation of the structure of methanopterin, a coenzyme from *Methanobacterium thermoautotrophicum*, using two-dimensional nuclear-magnetic-resonance techniques. **Eur. J. Biochem.** 138: 563-571.
- Vorholt, J.A. 2002. Cofactor-dependent pathway of formaldehyde oxidation in methylotrophic bacteria. **Arch. Microbiol.** 178: 239-249.
- Vorholt, J.A., L. Chistoserdova, M.E. Lidstrom and R.K. Thauer. 1998. The NADP-dependent methylene tetrahydromethanopterin dehydrogenase in *Methylobacterium extorquens* AM1. **J. Bacteriol.** 180: 5351-5356.

- Vorholt, J.A., C.J. Marx, M.E. Lidstrom and R.K. Thauer. 2000. Novel formaldehyde-activating enzyme in *Methylobacterium extorquens* AM1 required for growth on methanol. **J. Bacteriol.** 182: 6645-6650.
- Weissermalm, K. and H.-J. Arpe. 1993. **Industrial Organic Chemistry**. 2nd ed. VHC Publishers, New York. Pp. 27-34.
- Wood, A.P., D.P. Kelly, I.R. McDonald, S.L. Jordan, T.D. Morgan, S. Khan, J.C. Murrell and E. Borodina. 1998. A novel pink-pigmented facultative methylotroph, *Methylobacterium thiocyanatum* sp. nov., capable of growth on thiocyanate or cyanate as sole nitrogen sources. **Arch Microbiol.** 169: 148–158.
- Yasueda, H., Y. Kawahara and S. Sugimoto. 1999. *Bacillus subtilis* *yckG* and *yckF* encode two key enzymes of the ribulose monophosphate pathway used by methylotrophs and *yckH* is required for their expression. **J. Bacteriol.** 181: 7154-7160.
- Yurimoto, H., R. Hirai, H. Yasueda, R. Mitsui, Y. Sakai and N. Kato. 2002. The ribulose monophosphate pathway operon encoding formaldehyde fixation in a thermotolerant methylotroph, *Bacillus brevis* S1. **FEMS Microbiol. Lett.** 214: 189-193.
- Zabetakis, I. 1997. Enhancement of flavour biosynthesis from strawberry (*Fragaria ananassa*) callus cultures by *Methylobacterium* species. **Plant Cell Tissue Organ Cult.** 50: 179-183.
- Zahn, J.A., D.J. Bergmann, J.M. Boyd, R.C. Kunz and A.A. DiSpirito. 2001. Membrane-associated quinoprotein formaldehyde dehydrogenase from *Methylococcus capsulatus* Bath. **J. Bacteriol.** 183: 6832-6840.