

## LITERATURE CITED

- Aliniaze, M.T. 1971a. The effect of carbon dioxide gas alone or in combinations on the mortality of *Tribolium castaneum* (Herbst) and *T. confusum* du Val (Coleoptera: Tenebrionidae). **J. stored Prod. Res.** 7: 243-252.
- \_\_\_\_\_. 1971b. The effect of carbon dioxide gas alone or in combinations on the mortality of *Tribolium castaneum* (Herbst) and *T. confusum* du Val (Coleoptera: Tenebrionidae). **J. stored Prod. Res.** 7: 243-252. Cited M.T. Aliniaze and D.L. Lindgren. 1970. Egg hatch of *Tribolium confusum* and *T. castaneum* (Coleoptera: Tenebrionidae) in different carbon dioxide and nitrogen atmospheres. **Ann. ent. Soc. Am.** 63: 1010-1012.
- Annis, P.C. and R. Morton. 1997. The acute mortality effect of carbon dioxide on various life stages of *Sitophilus oryzae*. **J. stored Prod. Res.** 33: 115-124.
- Bond, E.J. and H.A.U. Monro. 1967. The role of oxygen in the toxicity of fumigants to insects. **J. stored Prod. Res.** 3: 295-310.
- Brooks, M.A. 1957. Growth-retarding effect of carbon-dioxide anaesthesia on the german cockroach. **J. Insect Physiol.** 1: 76-84.
- Childs, D.P. and J.E. Overby. 1983. Mortality of the cigarette beetle in high-carbon dioxide atmospheres. **J. Econ. Entomol.** 76: 544-546.
- Davidson, T. 2001. Ganoderma. Gale Encyclopedia of Alternative Medicine. Available Source: [http://www.findarticles.com/p/articles/mi\\_g2603/is\\_0000/ai\\_2603000056](http://www.findarticles.com/p/articles/mi_g2603/is_0000/ai_2603000056), March 29, 2005.
- Dawson, C. 1995. The effect of carbon dioxide induced anaesthesia on fecundity of *Callosobruchus maculatus* (Coleoptera: Bruchidae). **J. stored Prod. Res.** 31: 49-54.

- Donahaye, E.J. 2000. Current status of non-residual control methods against stored product pests. **Crop Protection**. 19: 571-576. Cited M. Calderon and S. Navarro. 1980. Synergistic effect of CO<sub>2</sub> and O<sub>2</sub> mixtures on two stored grain insect pests, pp. 39-53. In J. Shejbal, ed. **An International Symposium**. May 12-15, 1980. Castelgandolfo, Italy. Elsevier, Amsterdam.
- \_\_\_\_\_, S. Navarro, M. Rindner and A. Azrieli. 1996. The combined influence of temperature and modified atmospheres on *Tribolium castaneum* (Herbst) (Coleoptera: Tenebrionidae). **J. stored Prod. Res.** 32: 225-232.
- \_\_\_\_\_, D. Zalach and M. Rindner. 1992. Comparison of the sensitivity of the developmental stages of three strains of the red flour beetle (Coleoptera: Tenebrionidae) to modified atmospheres. **J. Econ. Entomol.** 85: 1450-1452.
- El-Mekawwy, S., M.R. Meselhy, N. Nakamura, Y. Tezuka, M. Hattori, N. Kakiuchi, K. Shimotohno, T. Kawahata and T. Otake. 1998. Anti-HIV-1 and anti-HIV-1-protease substances from *Ganoderma lucidum*. **Phytochemistry**. 49: 1651-1657.
- Gao, J.J., B.S. Min and F. Zuo. 2004a. Quantitative determination of bitter principles in specimens of *Ganoderma lucidum* using high-performance liquid chromatography and its application to the evaluation of ganoderma products. **Chemical and Pharmaceutical Bulletin**. 52: 688-695.
- Gao, Y.H., E. Chan and S.F. Zhou. 2004b. Immunomodulating activities of *Ganoderma*, a mushroom with medicinal properties. **Food Reviews International**. 20: 123-161.
- Gunasekaran, N. and S. Rajendran. 2005. Toxicity of carbon dioxide to drugstore beetle *Stegobium paniceum* and cigarette beetle *Lasioderma serricorne*. **J. stored Prod. Res.** 41: 283-294.

- Harein, P.K. and A.F. Press. 1968. Mortality of stored-peanut insects exposed to mixtures of atmospheric gases at various temperatures. **J. stored Prod. Res.** 4: 77-82.
- James, M. 2002. Reishi mushroom extract and immune support. **Dynamic Chiropractic**. Available Source: <http://www.chiroweb.com/archives/20/05/09.htm/>, March 29, 2005.
- Jay, E.G., R.T. Arbogast and G.C. Pearman. 1971. Relative humidity: its importance in the control of stored-product insects with modified atmospheric gas concentrations. **J. stored Prod. Res.** 6: 325-329.
- \_\_\_\_\_ and W. Cuff. 1981. Weight loss and mortality of three life stages of *Tribolium castaneum* (Herbst) when exposed to four modified atmospheres. **J. stored Prod. Res.** 17: 117-124.
- Jiang, J.H., V. Slivova, T. Valachovicova, K. Harvey and D. Sliva. 2004. *Ganoderma lucidum* inhibits proliferation and induces apoptosis in human prostate cancer cells PC-3. **International Journal of Oncology.** 24: 1093-1099.
- Jinachai, S. 2002. **Relevant biology of *Cis chinensis* Lawrence (Coleoptera: Ciidae) reared on dried Ling-Zhi mushroom *Ganoderma lucidum* (Fr.) Karsten and effect of modified atmospheres on its mortality.** M.S. thesis, Kasetsart University.
- \_\_\_\_\_, B. Vajarasathira, P. Visarathanonth, N. Poovarodom and S. Jamornmarn. 2002. Effect of modified atmospheres on mortality of *Cis chinensis* Lawrence reared on dried Ling-Zhi mushroom *Ganoderma lucidum* (Fr.) Karsten, pp. 343-353. **In Proceeding of the International Conference on Innovation in Food Processing Technology and Engineering.** AIT, Bangkok, Thailand.

- Jones, K. 2000. Medicinal mushrooms. **Healthy and Natural Journal**. 3: 90-92.
- Jong, S.C. and J.M. Birmingham. 1992. Medicinal benefits of the mushroom *Ganoderma*. **Adv. Appl. Microbiol.** 37: 101-134.
- Krishnamurthy, T.S., E.C. Spratt and C.H. Bell. 1986. The toxicity of carbon dioxide to adult beetles in low oxygen atmospheres. **J. stored Prod. Res.** 22: 145-151.
- Leelaja, B.C., Y. Rajashekar, P.V. Reddy, K. Begum and S. Rajendran. 2006. Enhanced fumigant toxicity of allyl acetate to stored-product beetles in the presence of carbon dioxide. **J. stored Prod. Res.** In press, corrected proof. Available source: [www.sciencedirect.com](http://www.sciencedirect.com), January 10, 2006.
- Leong, E.C.W. and S.H. Ho. 1995. Effects of carbon dioxide on the mortality of *Liposcelis bostrychophila* Bad. and *Liposcelis entomophila* (End.)(Psocoptera: Liposcelidae). **J. stored Prod. Res.** 31: 185-190. Cited C.H. Bell. 1984. Effects of oxygen on toxicity of carbon dioxide to storage insects, pp. 67-74. In B.E. Ripp, H.J. Banks, E.J. Bond, D.J. Calverley, E.G. Jay and S. Navarro, eds. **Controlled Atmosphere and Fumigation in Grain Storages**. Developments in Agricultural Engineering No.5. Elsevier, Amsterdam.
- Leschen, R.A.B. 1991. Fiber formation and pupal cocoon spinning in *Platydemus* (Coleoptera: Tenebrionidae; Diaperinae). **Journal of the Kansas Entomological Society**. 64: 273-238.
- Lindgren, D.L. and L.E. Vincent. 1970. Effect of atmospheric gases alone or combination on the mortality of granary and rice weevils. **J. Econ. Entomol.** 63: 1926-1929.

- Liu, G.Q. and K.C. Zhang. 2005. Mechanisms of the anticancer action of *Ganoderma lucidum* (Leyss.ex Fr.) Karst: a new understanding. **Journal of Integrative Plant Biology**. 47: 129-135.
- Lum, P.T.M. 1974. Effect of carbon dioxide anesthesia at eclosion upon mating efficiency of male *Plodia interpunctella* (Lepidoptera: Pyralidae). **J. stored Prod. Res.** 10: 69-71.
- Mau, J.L., H.C. Lin and C.C. Chen. 2001. Non-volatile components of several medicinal mushrooms. **Food Research International**. 34: 521-526.
- Mbata, G.N. and C. Reichmuth. 1996. The comparative effectiveness of different modified atmospheres for the disinfestation of bambarra groundnuts, *Vigna subterranea* (L.) Verde, infested by *Callosobruchus subinnotatus* (Pic.) (Coleoptera: Bruchidae). **J. stored Prod. Res.** 32: 45-51.
- \_\_\_\_\_, \_\_\_\_\_ and T. Ofuya. 1996. A comparative study on the toxicity of carbon dioxide to the developmental stages of *Callosobruchus maculatus* (Fab.) and *Callosobruchus subinnotatus* (Pic.). **Postharvest Biology and Technology**. 7: 271-276.
- \_\_\_\_\_, S.K. Hetz, C. Reichmuth and C. Adler. 2000a. Tolerance of pupae and pharate adults of *Callosobruchus subinnotatus* Pic (Coleoptera: Bruchidae) to modified atmospheres: a function of metabolic rate. **J. Insect Physiol.** 46: 145-151.

- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 2000b. Tolerance of pupae and pharate adults of *Callosobruchus subinnotatus* Pic (Coleoptera: Bruchidae) to modified atmospheres: a function of metabolic rate. **J. Insect Physiol.** 46: 145-151.  
Cited A. Friedlander. 1983. Biochemical reflection on a non-chemical control method: the effect of controlled atmosphere on the biochemical processes in stored product insects, pp. 471-486. **In Proceedings, 3rd International Working Conference on Stored Product Entomology.** Kansas State University, Manhattan.
- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 2000c. Tolerance of pupae and pharate adults of *Callosobruchus subinnotatus* Pic (Coleoptera: Bruchidae) to modified atmospheres: a function of metabolic rate. **J. Insect Physiol.** 46: 145-151.  
Cited C. Adler. 1983. Carbon dioxide-more rapidly impairing the glycolytic energy production than nitrogen, pp. 7-10. **In Proceedings of the 6th International Working Conference Stored Products Protection, Vol. 1.**
- Min, B., H.K. Lee, K.H. Bae, N. Nakamura, and M. Hattori. 2002. Antitumor activity of cultured mycelia of *Ganoderma lucidum*. **Natural Product Sciences.** 8: 52-54.
- Navarro, S., S. Finkelman, G. Sabio, A. Isikber, R. Dias, M. Rindner and A. Azrieli. 2002. Quarantine treatment of storage insect pests under vacuum or CO<sub>2</sub> in transportable systems, pp. 130-134. **In Proceeding of International Conference on Alternatives to Methyl Bromide.** Sevilla, Spain, European Commission, Brussels, Belgium.
- Ofuya, I.T. and C. Reichmuth. 1994. Effect of level of seed infestation on mortality of larvae and pupae of *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae) in some controlled atmospheres. **J. stored Prod. Res.** 30: 75-78.

- \_\_\_\_\_ and \_\_\_\_\_. 2002a. Effect of relative humidity on the susceptibility of *Callasobruchus maculatus* (Fabricius) (Coleoptera: Bruchidae) to two modified atmospheres. **J. stored Prod. Res.** 38: 139-146.
- \_\_\_\_\_ and \_\_\_\_\_. 2002b. Effect of relative humidity on the susceptibility of *Callasobruchus maculatus* (Fabricius)(Coleoptera: Bruchidae) to two modified atmospheres. **J. stored Prod. Res.** 38: 139-146. Cited E. Donahaye. 1990c. The potential for stored-product insects to develop resistance to modified atmospheres, pp. 989-997. **In Proceedings of the Fifth International Working Conference on Stored Products Protection, 1990.** Bordeaux, France.
- Perron, J.M., L. Huot, G.W. Corriveau and S.S. Chawla. 1972. Effect of carbon dioxide anaesthesia on *Drosophila melanogaster*. **J. Insect Physiol.** 18: 1869-1874.
- Rameshbabu, M., D.S. Jayas and N.D.G. White. 1991. Mortality of *Cryptolestes ferrugineus* (Stephens) adults and eggs in elevated carbon dioxide and depleted oxygen atmospheres. **J. stored Prod. Res.** 27: 163-170.
- Raymond, M. 1985. Pr'sentation d'un programme d'analyse-log-probit pour microordinateur. Cah. **ORSTOM, Sir-Ent.Med.et Parasitol.** 22:117-121.
- Soderstrom, E.L., D.G. Brandl and B. Mackey. 1992. High temperature combined with carbon dioxide enriched or reduced oxygen atmospheres for control of *Tribolium castaneum* (Herbst) (Coleoptera: Tenebrionidae). **J. stored Prod. Res.** 28: 235-238.
- Storey, C.L. 1975. Mortality of *Sitophilus oryzae* (L.) and *S. granarius* (L.) in atmospheres produced by an exothermic inert atmosphere generator. **J. stored Prod. Res.** 11: 217-221.

- Visarathanonth, P., S. Hiranpradit, C. Sukprakran, B. Chankaewmanee, P. Nilpinit and R. Kiengkarnpanit. 2000. Insect pest of stored Ling-Zhi mushroom in Thailand, pp. 107-115. *In 12th Insect and Pest Conference*. Department of Agriculture. March 28-31, 2000. Chonburi, Thailand.
- White L.D., R.B. Hutt and J.A. Onsager. 1970. Effect of CO<sub>2</sub>, chilling, and staining on codling moths to be used for sterile releases. **J. Econ. Entomol.** 63: 1775-1777.
- Wong, K.L., H.H. Chao, P. Chan, L.P. Chang and C.F. Liu. 2004. Antioxidant activity of *Ganoderma lucidum* in acute ethanol-induced heart toxicity. **Phytotherapy Research**. 18: 1024-1026.
- Ying, H.S., C.F. Liu, Y.K. Huang, J.Y. Yang, I.L. Wu, C.H. Lin and S.C. Lin. 2001. Evaluation of the hepatic and renal-protective effects of *Ganoderma lucidum* in mice. **American Journal of Chinese Medicine**. 29: 501-507.
- Zar, J.H. 1999. **Biostatistical Analysis**. 4th ed., Prentice Hall, Inc., London.
- Zhou, S., R.S. Criddle and E.J. Mitcham. 2000a. Metabolic response of *Platynota stultana* pupae to controlled atmospheres and its relation to insect mortality response. **J. Insect Physiol.** 46: 1375-1385.
- \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 2000b. Metabolic response of *Platynota stultana* pupae to controlled atmospheres and its relation to insect mortality response. **J. Insect Physiol.** 46: 1375-1385. Cited L.J. Edwards. 1968. Carbon dioxide anaesthesia and succinic dehydrogenase in the corn earworm, *Heliothis zea*. **J. Insect Physiol.** 14: 1045-1048.

- \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 2000c. Metabolic response of *Platynota stultana* pupae to controlled atmospheres and its relation to insect mortality response. **J. Insect Physiol.** 46: 1375-1385. Cited T.J. Lea and C.C. Ashley. 1978. Increase in free  $\text{Ca}^{2+}$  in muscle after exposure to  $\text{CO}_2$ . **Nature.** 275: 236-238.
- \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_. 2000d. Metabolic response of *Platynota stultana* pupae to controlled atmospheres and its relation to insect mortality response. **J. Insect Physiol.** 46: 1375-1385. Cited P.W. Hochachka. 1986. Defense strategies against hypoxia and hypothermia. **Science.** 231: 234-241.
- \_\_\_\_\_ and Y.H. Gao. 2002. The immunomodulating effects of *Ganoderma lucidum* (Curt. Fr.) P. Karst. (Ling Zhi, reishi mushroom) (Aphyllophoromycetidae). **International Journal of Medicinal Mushroom.** 4: 1-11.