

บรรณานุกรม

- [1] Y. V. Kolen'ko, V. D. Maximov, A. V. Grashev, P. E. Meskin, N. N. Oleynikov and B. R. Churagulov, Hydrothermal synthesis of nanocrystalline and mesoporous titania from aqueous complex titanyl oxalate acid solutions, *J. Phys. Chem.*, **388** (2004) 411-415.
- [2] A. Zaban, S.T. Aruna, S. Tirouh, B. A. Gregg and Y. Mastai, The effect the preparation condition of TiO₂ colloids on their surface structure, *J. Phys. Chem.*, **104** (2000) 4130-4133.
- [3] C. N. R. Rao and M. Nath, Inorganic nanotubes, *Dalton Trans.*, **1** (2003) 1-24.
- [4] G. R. Patzke, F. Krumeich and R. Nesper, Oxidic nanotubes and nanorods - anisotropic modules for a future nanotechnology, *Angew. Chem. Int. Ed.*, **41** (2002) 2446-2461.
- [5] M. Huang, S. Mao, H. Feick, H. Yan, Y. Wu, H. Kind, E. Weber, R. Russo and P. Yang, Room-temperature ultraviolet nanowire nanolasers, *Science*, **292** (2001) 1897-1899.
- [6] Z. W. Pan, Z. R. Dai and Z. L. Wang, Nanobelts of semiconducting oxides, *Science*, **1** (2001) 1947-1949.
- [7] L. Miao, S. Tanemura, S. Toh, K. Kaneko and M. Tanemura, Heating-sol-gel template process for the growth of TiO₂ nanorods with rutile and anatase structure, *Appl. Surf. Sci.*, **238** (2004) 175-179.
- [8] C. Xu, Y. Zhan, K. Hong and G. Wang, Growth and mechanism of titania nanowires, *Solid State Commun.*, **126** (2003) 545-549.
- [9] B. Cheng, J. M. Russell, W. Shi, L. Zhang and E. T. Samulski, Large-scale, solution-phase growth of single-crystalline SnO₂ nanorods, *J. Am. Chem. Soc.*, **126** (2004) 5972-5973.
- [10] S. Pavasupree, Y. Suzuki, A. Kitiyanan, S. Pivsa-Art and S. Yoshikawa, Synthesis and characterization of vanadium oxides nanorods, *J. Solid State Chem.*, **178** (2005) 2152-2158.
- [11] M. Grätzel, Photoelectrochemical cells, *Nature*, **414** (2001) 338-344.
- [12] A. Fujishima, T. N. Rao and D. A. Tryk, Titanium dioxide photocatalysis, *J. Photochem. Photobiol. C:Photochem. Rev.*, **1** (2000) 1-21.
- [13] S. Ngamsinlapasathian, T. Sreethawong, Y. Suzuki and S. Yoshikawa, Single- and double-layered mesoporous TiO₂/P25 TiO₂ electrode for dye-sensitized solar cell, *Sol. Energy Mater. Sol. Cells*, **86** (2005) 269-282.

- [14] S. Pavasupree, Y. Suzuki, S. Pivsa-Art and S. Yoshikawa, Preparation and characterization of mesoporous MO_2 (M=Ti, Ce, Zr, and Hf) nanopowders by a modified sol-gel method, *Ceram. Int.*, **31** (2005) 959-963.
- [15] S. Pavasupree, Y. Suzuki, S. Pivsa-Art and S. Yoshikawa, Preparation and characterization of mesoporous TiO_2 - CeO_2 nanopowders respond to visible wavelength, *J. Solid State Chem.*, **178** (2005) 128-134.
- [16] T. Sreethawong, Y. Suzuki and S. Yoshikawa, Synthesis, characterization, and photocatalytic activity for hydrogen evolution of nanocrystalline mesoporous titania prepared by surfactant-assisted templating sol-gel process, *J. Solid State Chem.*, **178** (2005) 329-338.
- [17] T. Kasuga, M. Hiramatsu, A. Hoson, T. Sekino and K. Niihara, Formation of titanium oxide nanotube, *Langmuir*, **14** (1998) 3160-3163.
- [18] T. Kasuga, M. Hiramatsu, A. Hoson, T. Sekino and K. Niihara, Titania nanotubes prepared by chemical processing, *Adv. Mater.*, **11** (1999) 1307-1311.
- [19] A. R. Armstrong and G. Armstrong, J. Canales and P. G. Bruce, TiO_2 -B nanowires, *Angew. Chem. Int. Ed.*, **43** (2004) 2286-2288.
- [20] Y. Suzuki and S. Yoshikawa, Synthesis and thermal analyses of TiO_2 -derived nanotubes prepared by the hydrothermal method, *J. Mater. Res.*, **19** (2004) 982-985.
- [21] Y. Suzuki, S. Pavasupree, S. Yoshikawa and R. Kawahata, Natural rutile-derived titanate nanofibers prepared by direct hydrothermal processing, *J. Mater. Res.*, **20** (2005) 1063-1070.
- [22] Y. Suzuki, S. Pavasupree, S. Yoshikawa and R. Kawahata, Direct synthesis of an anatase- TiO_2 nanofiber/nanoparticle composite powder from natural rutile, *Phys. Stat. sol. (a)*, **204** (2007) 1757-1761.
- [23] R. Yoshida, Y. Suzuki and S. Yoshikawa, Effects of synthetic conditions and heat treatment on the structure of partially ion-exchanged titanate nanotubes, *Mater. Chem. Phys.*, **91** (2005) 409-416.
- [24] R. Yoshida, Y. Suzuki and S. Yoshikawa, Synthesis of $\text{TiO}_2(\text{B})$ nanowires and TiO_2 anatase nanowires by hydrothermal and post-heat treatments, *J. Solid State Chem.*, **178** (2005) 2179-2185.

- [25] S. Pavasupree, Y. Suzuki, S. Yoshikawa and R. Kawahata, Synthesis of titanate, TiO_2 (B), and anatase TiO_2 nanofibers from natural rutile sand, *J. Solid State Chem.*, **178** (2005) 3110-3116.
- [26] Y. X. Zhang, G. H. Li, Y. X. Jin, Y. Zhang, J. Zhang and L. D. Zhang, Hydrothermal synthesis and photoluminescence of TiO_2 nanowires, *Chem. Phys. Lett.*, **365** (2002) 300-304.
- [27] Z. Y. Yuan and B. L. Su, Titanium oxide nanotubes, nanofibers and nanowires, *Colloids and Surf. A*, **241** (2004) 173-183.
- [28] H. Y. Zhu, Y. Lan, X. P. Gao, S. P. Ringer, Z. F. Zheng, D. Y. Song and J. C. Zhao, Phase transition between nanostructures of titanate and titanium dioxides via simple wet-chemical reactions, *J. Am. Chem. Soc.*, **127** (2005) 6730-6736.
- [29] Q. Chen, G. H. Du, S. Zhang and L. M. Peng, The structure of trititanate nanotubes, *Acta Crystallogr. B*, **58** (2002) 587-593.
- [30] Y. Suzuki, S. Pavasupree, S. Yoshikawa and R. Kawahata, Conventional processes to prepare fine TiO_2 powders, *Phys. Stat. sol.*, Institute of Advanced Energy, University of Kyoto. 2007.
- [31] S. Pavasupree, S. Ngamsinlapasathian, Y. Suzuki and S. Yoshikawa, Synthesis and dye-Sensitized solar cell performance of nanorods/nanoparticles TiO_2 from high surface area nanosheet TiO_2 , *J. Nanosci. Nanotech.*, **6**, (2006) 3685-3692.
- [32] J. Jitputti, S. Pavasupree, S. Yoshikawa and Y. Susumu, Synthesis and photocatalytic activity for water-splitting reaction of nanocrystalline mesoporous titania prepared by hydrothermal method, *Solid State. Chem.*, **180** (2007) 1743-1749.
- [33] J. Jitputti, S. Pavasupree, S. Yoshikawa and Y. Susumu, Synthesis of TiO_2 nanotubes and photocatalytic activity for H_2 evolution, *Phys. Chem.*, **47** (2008) 751-756.
- [34] J. Jitputti, T. Rattanaavoravipa, S. Chuangchote, S. Pavasupree, S. Yoshikawa and Y. Susumu, Low temperature hydrothermal synthesis of monodispersed flower-like titanate Nanosheets, *Catal. Commun.*, **10** (2009) 378-382.
- [35] <http://www.mete.metu.edu.tr/.../faculty/ctas.Orig/lab/dybatio3.htm>
- [36] <http://www.mesaplustwente.nl/.../nano.doc/nano-1.jpg>
- [37] <http://www.nanotect.or.th>

- [38] ศูนย์เทคโนโลยีแห่งชาติ สำนักงานวิทยาศาสตร์และเทคโนโลยีแห่งชาติ “เอกสารประกอบการเรียนรู้หลักสูตรวัสดุนาโน”
- [39] Y. Suzuki, S. Pavasupree, S. Yoshikawa and R. Kawahata, Natural rutile-derived titanate nanofibers prepared by direct hydrothermal processing, *J. Mater. Res.*, **20** (2005) 1063-1070.
- [40] ยอดหทัย เทพธรานนท์, และประมวล ตั้งบริบูรณ์รัตน์. “นาโนเทคโนโลยีซูเปอร์จิว.” กรุงเทพฯ. 2545.
- [41] http://www.noknoi.com/magazine/pics/pic_no_1475_1_16489.jpg
- [42] <http://www.ims.vanderbilt.edu/.../image002.jpg>
- [43] <http://www.stherb-nano-breast-serum.com>.
- [44] <http://www.en.wikipedia.org/wiki/Nanofiberm>
- [45] P. Guay, B. L. Stansfield and A. Rochefort, On the Control of Carbon Nanostructures for Hydrogen Storage Applications, *Carbon*, **42** (2004), 2187-2193.
- [46] <http://www.nanoarchitecture.net/images/580.jpg>
- [47] E. Wu, K. C. Chen and J. D. Mackenzie, in : Better Ceramics Through Chemistry, Materials Research Society Symp. Proc., Vol. 32, ed. C.J. Brinker, D.E. Clark and D.R. Ulrich (North-Holland, Amsterdam, 1984) p. 169.
- [48] www.rmutphysics.com/charud/oldnews/67/index67.htm
- [49] สิริชัย กิบาลจอมมี. ‘การกำจัดสีของน้ำเสียสีข้อมด้วยกระบวนการโฟโตแคตาลิติกโดยใช้ตัวเร่งปฏิกิริยาไททาเนียมไดออกไซด์.’ คณะวิศวกรรมศาสตร์ สาขาวิศวกรรมสิ่งแวดล้อม มหาวิทยาลัยเชียงใหม่. 2543. หน้า 15.
- [50] CERAM Reserch Ltd. “Titanium Dioxide-Titania (TiO₂).” [Online]
- [51] สุกัญญา สารทูลขัตต์, วรณิภา หงส์โต และวราภรณ์ นันทพันธ์. “การศึกษาผลของปริมาณและขนาดอนุภาคที่มีผลของไททาเนียมไดออกไซด์ต่อการบดบั้งแสงของปฏิกิริยาที่ผลิตจากโพลีเมทิลกริเลต.” ปรินญานิพนธ์ภาควิชาวิศวกรรมวัสดุและโลหการ คณะวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีราชมงคลธัญบุรี. 2549.
- [52] ตะวัน สุขน้อย. “การสังเคราะห์และการศึกษาความสามารถในการเป็นตัวเร่งปฏิกิริยาของซีโอไลต์ที่มีไททาเนียมเป็นองค์ประกอบ.” รายงานการวิจัยฉบับสมบูรณ์, กรุงเทพฯ : สำนักงานกองทุนสนับสนุนการวิจัย, 2543, หน้า 2.
- [53] <http://www.indiamart.com/.../gifs/titaniumdioxide.jpg>

- [54] O. Carp, C. L. Huisman and A. Roller, Photoinduced reactivity of titanium dioxide, *Prog. Solid State Chem.*, **32** (2004) 33-177.
- [55] <http://www.vnci.nl/.../default.asp?pagina=8&year=200>
- [56] <http://www.mindaf.org>
- [57] <http://www.tiwest.com.au>
- [58] <http://www.kmml.com>
- [59] Y. Ding and X. L. Wang, Structure analysis of nanowires and nanobelts by transmission electron microscopy, *J. Phys. Chem. B.*, **108** (2004) 12280–12291.
- [60] Y. Xia, P. Yang, Y. Sun, Y. Wu, Mayers, B. Gates, Y. Yin, F. Kim and H. Yan, One-dimensional nanostructures : synthesis, characterization, and application, *Adv. Mater.*, **15** (2003) 353-389.
- [61] J. H. Yoon, S. R. Jang, R. Vittal, J. Lee and K. J. Kim, TiO₂ nanorods as additive to TiO₂ film for improvement in the performance of dye-sensitized solar cells, *J. Photochem. Photobio. A: Chem.*, **180** (2006) 184-188.
- [62] J.-J. Wu, and C. -C. Yu, Aligned TiO₂ nanorods and nanowalls, *J. Phys. Chem. B*, **108** (2004) 3377-3379.
- [63] X. P. Gao, Y. Lan, H. Y. Zhu, J. W. Liu, Y. P. Ge, F. Wu and D. Y. Song, Electrochemical performance of anatase nanotubes converted from protonated titanate hydrate nanotubes, *Electrochem. Solid State Lett.*, **8** (2005) A26-A29.
- [64] H.-J. Muhr, F. Krumeich, U. P. SchÖnholzer, F. Bieri, M. Niederberger, L. J. Gauckler And R. Nesper, Vanadium oxide nanotubes - A new flexible vanadate nanophase, *Adv. Mater.*, **12** (2000) 231-234.
- [65] B. Cheng, J.M. Russell, W. Shi, L. Zhang and E.T. Samulski, Large-scale, solution-phase growth of single-crystalline SnO₂ nanorods, *J. Am. Chem. Soc.*, **126** (2004) 5972-5973.
- [66] C. Tang, Y. Bando and T. Sato, Oxide-assisted catalytic growth of MgO nanowires with uniform diameter distribution, *J. Phys. Chem. B*, **106** (2002) 7449-7452.
- [67] X. Jiang, Y. Wang, T. Herricks and Y. Xia, Ethylene glycol-mediated synthesis of metal oxide nanowires, *J. Mater. Chem.*, **14** (2004) 695-703.
- [68] K. Lee, W. Seok Seo and J. T. Park, Synthesis and optical properties of colloidal tungsten oxide nanorods, *J. Am. Chem. Soc.*, **125** (2003) 3408-3409.

- [69] C. Shao, H. Guan, Y. Liu, J. Gong, N. Yu and X. Yang, A novel method for making ZrO_2 nano fibres via an electrospinning technique, *J. Crys. Growth*, **267** (2004) 380 –384.
- [70] A. Vantomme, Z. Y. Yuan, G. Du and B. L. Su, Surfactant-assisted large-scale preparation of crystalline CeO_2 nanorods, *Langmuir*, **21** (2005) 1132-1135.
- [71] P. Gao and Z. L. Wang, Self-assembled nanowire-nanoribbon junction arrays of ZnO , *J. Phys. Chem. B*, **106** (2002) 12653-12658
- [72] J. L. Rehspringer, P. Poix and J. C. Bernier, Synthesis of glass “precursor” $\text{BaO}, \text{TiO}_2 \cdot n\text{H}_2\text{O}$ by gel processing, *J. Non. Cryst. Solids*, **82** (1986) 286-292.
- [73] F. Chaput and J. P. Builot, Alkoxide-hydroxide route to synthesize BaTiO_3 -based powders, *J. Am. Ceram. Soc.*, **73** (1990) 942-948.
- [74] A. Mosset, I. Gauteir-Lunean, J. Galy, P. Strehlow and H. Schmidt, Sol-gel processed BaTiO_3 : Structural evolution from the gel to the crystalline powder, *J. Non. Cryst. Solids*, **100** (1988) 339-344.
- [75] J. P. Grammayico and J. M. Porto Lopez, Reaction sequences in the systems $\text{Ti}(\text{O}^i\text{Pr})_4$ $\text{Ba}(\text{CH}_3\text{COO})_2$ and $\text{TiO}_2 + \text{Ba}(\text{CH}_3\text{COO})_2$, *J. Mat. Sci, Material in Electronics*, **3** (1992) 82-86.
- [76] S. Phanichpant, T. Tunkasin, P. Yhavornyutikarn, G. Rujijanakul and P. Youme, Preparation of barium titanate powders by sol-gel method, Proceedings of the International Conference on Materials Technology : Recent Developments and Future Potential, 1997, pp. 242-248.
- [77] C. C. Tsai and H. Teng, Regulation of the physical characteristics of titania nanotube aggregates synthesized from hydrothermal treatment, *Chem. Mater.*, **16** (2004) 4352-4358.
- [78] http://www.kiehls.com/img/products/524_L.jpg
- [79] <http://www.rubylane.com/shops/modestparisienne/ilist/,id=0.html>
- [80] <http://www.worldsbestoil.ca/amsoil/EaAM-Motorcycle-Air-Filters.php>