

REFERENCES

- Adahi S., T. Fukushima and S. Hiraga. 2008. Dynamic events of sister chromes in the cell cycle of *Escherichia coli*. *Genes Cells*, 13: 181-197.
- Alam M. and L. Zurek. 2004. Association of *Escherichia coli* O157:H7 with houseflies on a cattle farm. *Applied and Environmental Microbiology*, 70 (12): 7578-80.
- Altekuse S.E., M.L. Cohen and D.L. Swedlow. 1997. Emerging foodborne diseases. *Emerging Infectious Diseases*, 3(3): 285-295.
- An H.R., G. Maianelis and L. White. 2006. Development and calibration of real-time PCR for quantification of airborne microorganisms in air samples. *Atmospheric Environment*, 40(40): 7924-7939.
- Andrews W.H. and T. Hammack. 2007. Salmonella. [Online]. Available: <http://www.fda.gov/Food/ScienceResearch/LaboratoryMethods/BacteriologicalAnalyticalManualBAM/UCM070149#authors>, 17/6/2010.
- Anon. 2010. Cultivation of vegetables. [Online]. Available: <http://www.Rabankerd.com>, 19/6/2010.
- Anon. 2011a. *Escherichia coli*. [Online]. Available: <http://www.Wikipedia>, the free encyclopedia.mht, 1/12/2011.
- Anon. 2011b. 3M™ Petrifilm™ Plate Certificates, Recognitions and Validations. [Online]. Available: http://www.3m.com/intl/kr/microbiology/p_enter/regu, 15/2/2011.
- Arthur T.M., D.M. Brichta-Harhay, J.M. Bosilevac, N. Kalchayanand, S.D. Shackelford, T.L. Wheeler and M. Koohmarie. 2010. Supper shedding of *Escherichia coli* O157:H7 by cattle and the impact on beef carcass contamination. *Meat Science*, 86: 32-37.
- Bach H-J., J. Tomanova, M. Schlöter and J.C. Munch. 2002b. Enumeration of total bacteria and bacteria with genes for proteolytic activity in pure cultures and in environmental samples by quantitative PCR mediated amplification. *Journal of Microbiological Methods*, 49: 235-245.

- Bach S.J., T.A. McAllister, D.M. Veira, V.P.J. Gannon, and R.A. Holley. 2002a. Transmission and control of *Escherichia coli* O157:H7. *Canadian Journal of Animal Science*, 82: 475-490.
- Barr J.G., G.M. Hogg, E.T. Smyth and A.M. Emmerson. 1989. Comparison of identification of Enterobacteriaceae by API 20E and sensititre autoidentification system. *Journal of Clinical Pathology*, 42(6): 649-652.
- BEC News. 2007. Ministry of Health announces warning epidemics in summer. [Online]. Available: <http://www.thaitv3com/becnews/backissue/NEWS3/socia1107034.html>, 8/5/2007 (in Thai).
- Bhagwat A.A. 2003. Simultaneous detection of *Escherichia coli* O157:H7. *Listeria monocytogenes* and *Salmonella* strains by real-time PCR. *International Journal of Food Microbiology*, 84: 217-224.
- Blivet D., G. Salvat, F. Humbert and P. Colin. 1998. Development of a new culture medium for the rapid detection of *Salmonella* by indirect conductance measurements. *Journal of Applied Microbiology*, 84: 399-403.
- Blodgett R. 2006. Most Probable Number from serial dilutions. [Online]. Available: <http://www.fda.gov/Food/ScienceResearch/LaboratoryMethods/BacteriologicalAnalyticalManualBAM/ucm109656.htm>, 17/3/2010.
- Brehm-Stecher B.F. and E.A. Johnson. 2004. Single-cell microbiology: tools, technologies, and applications. *Microbiology and Molecular Biology*, 68 (3): 538-559.
- Brigmon R. L., S.G. Zam, G. Bitton and S.R. Farrah. 1992. Detection of *Salmonella enteritidis* in environmental samples by monoclonal antibody-based ELISA. *Journal of Immunological Methods*, 31: 135-142.
- Brown J.B. and L.G. Leff. 1996. Comparison of fatty acid methyl ester analysis with the use of API 20E and NFT strips for identification of aquatic bacteria. *Applied and Environmental Microbiology*, 62(6): 2183-2185.
- Bullock R.D. and D. Frodsham. 1989. Rapid impedance detection of *Salmonellas* in confectionery using modified LICNR broth. *Journal of Applied Bacteriology*, 66(5): 385-391.

- Burnett S.L. and L.R. Beuchat. 2001. Food-borne pathogens human pathogens associated with raw produce and unpasteurized juices, and difficulties in decontamination. *Industrial Microbiology and Biotechnology*, 27: 104-110.
- Cambell R., R.L. Folk and R. Tripepi. 1997. Wood ash as an amendment in municipal sludge and yard waste composting processes. *Compost Science Utilization*, 5(1): 62-67.
- Campbell M.S. and A.C. Wright. 2003. Real-time PCR analysis of *Vibrio vulnificus* from oysters. *Applied Environmental Microbiology*, 69(12): 7137-7144.
- Catarama T.M.G., K.A. O'Hanlon, D.A. McDowell, I.S. Blair and G. Duffy. 2006. Comparison of a real-time polymerase chain reaction assay with a culture method for the detection of *Salmonella* in retail meat samples. *Food Safety*, 26: 1-15.
- Cebrian G., N. Sagarzazu, R. Pagan, S. Condón, and P. Manas. 2008. Resistance of *Escherichia coli* grown at different temperatures to different temperatures to various environmental stresses. *Journal of Applied Microbiology*, 105: 271-278.
- Chalmers R.M., H. Aird and F.J. Bolton. 2000. Waterborne *Escherichia coli* O157. *Society for Applied Microbiology Symposium Series*, 29: 124S-132S.
- Chandler D.S. and J.A. Craven. 1980. Relationship of soil moisture to survival of *Escherichia coli* and *Salmonella typhimurium* in soils. *Australian Journal of Agricultural Research*, 31(3): 457-555.
- Chapman P.A. and C.A. Siddons. 1996. A comparison of immunomagnetic separation and direct culture for the isolation of verocytotoxin-producing *Escherichia coli* O157 from cases of bloody diarrhea, non-bloody diarrhea and asymptomatic contacts. *Journal of Medical Microbiology*, 44: 267-271.
- Chen C., D.A. Ridzon, A.J. Broomer, Z. Zhou, D.H. Lee, J.T. Nguyen, M. Barbisn, N.L. Xu, V.R. Mahuvakar, M.R. Anderden, K.Q. Lao, K.J. Livak and K.J. Guegler. 2005. Real-time PCR quantification of microRNA by stem-loop RT-PCR. *Nucleic Acids Research*, 33(20): e179-e188.

- Cho K.H., D. Han, Y. Park, S.W. Lee, S.M. Cha, J-H. Kang and J.H. Kim. 2010. Evaluation of the relationship between two different methods for enumeration fecal indicator bacteria: Colony-forming unit and most probable number. *Journal of Environmental Sciences*, 22(6): 846-850.
- Cieslak P.R., T.J. Barrett, P.M. Griffin, K.E. Gensheimer, G. Beckett, J. Buffington , M.G. Smith. 1993. *Escherichia coli* O157:H7 infection from a manured garden. *Lancet*, 342(8867): 367.
- Clark M.A. and E.L. Barret. 1987. The *phs* gene and hydrogen sulfide production by *Salmonella typhimurium*. *Journal of Bacteriology*, 169 (6): 2391-2397.
- Cloak O.M., G. Duffy, J.J. Sheridan, D.A. McDoweel, and I.S. Blair. 1999. Development of a surface of adhesion immunofluorescent technique for the repaid detection of *Salmonella* spp. from meat and poultry. *Journal of Applied Microbiology*, 86: 583-590.
- Cole D.J., V.R. Hill, F.J Humenik, Sobsey M.D. 1999. Health, safety and environmental concerns of farm animal waste. *Occupational Medicine*, 14: 423-448,
- Contreras-Ramos S.M., D. Alvarez-Bernal, N. Trujillo-Tapia and L. Dendooven. 2004. Composting of tannery effluent with cow manure and wheat straw. *Bioresource Technology*, 94: 223-228.
- Corless C.E., M. Guiver, R. Borrow, V. Edwards-Jones, E.V. Kaczmarek and A.J. Fox. 2000. Contamination and sensitivity issue with a real-time universal 16s rRNA PCR. *Clinical Microbiology*, 38: 1747-1752.
- Cubbon M.D., J.E. Coia, M.F. Hanson and F.M. Thomson-Carter. 1996. A comparison of immunomagnetic separation, direct culture and polymerase chain reaction for the detection of verocytotoxin-producing *Escherichia coli* O157 in human faeces. *Journal of Medical Microbiology*, 44(3): 219-222.
- Darnton N.C., L. Turner, S. Rojevsky and H.C. Berg. 2007. On torque and tumbling in swimming *Escherichia coli*. *Journal of Bacteriology*, 189(5):1756-64.

- Demceyer D.J. and H.K. Henderick. 1967. The effects of C₁₈ unsaturated fatty acids on methane production in vitro by mixed rumen bacteria. *Biochimica et Biophysica Acta*, 137: 484-497.
- Department of Agriculture. 2005. Manual of organic fertilizer analysis. Quick print offset: Bangkok. 45p. (in Thai)
- Department of Agriculture. 2008. The research is excellent: Solve a problem the vegetable which detained. [Online]. Available: <http://www.doa.go.th/th/Show>, 5/10/2010 (in Thai).
- Department of Foreign Trade. 2007. Department of Foreign Trade assign export measure of Thailand need certificate. [Online]. Available: <http://www.dft.moc.go.th/>, 11/7/2010 (in Thai).
- Department of Mental Health. 2010. Hot air's worried-many diseases a beset. [Online]. Available: www.dwh.go.th/sty_libnews/news/view.asp?id=13236, 16/8/2010 (in Thai).
- Diez G.F., A. Mukherjee, D. Speh, and E. Dyck. 2004. Perharvest evaluation of Coliforms, *Escherichia coli*, *Salmonella* spp. and *Escherichia coli* O157:H7 in organic and conventional produce grown by Minnesota farmers. *Food Protection*, 67(5): 894-900.
- Dogen H.B., I. Cakir, E. Baspinar and A.K. Halkman. 2002. Comparison of LST+MUG broth technique and conventional method for the enumeration of *E. coli* in foods. *Letters in Applied Microbiology*, 34: 274-278.
- Easter C.M. and D.M. Gibson. 1985. Rapid and automated detection of *Salmonella* by electrical measurements. *Journal of Hygiene Cambridge*, 94: 245-262.
- Eklind Y. and H. Kirchmann. 2002. Composting and storage of organic household waste with different litter amendments. II: nitrogen turnover and losses. *Bioresource Technology*, 74 (2): 125-133.
- Ekperigin H.E. and K.V. Najaraja. 1998. *Veterinary Clinics of North America, America*. p 17-29.
- Erickson M.C., J. Liao, G. Boyhan, C. Smith, L. Ma, X. Jiang, and M.P. Doyle. 2010. Fate of manure-borne pathogen surrogates in static composting piles of chicken litter and peanut hulls. *Bioresource Technology*, 101: 1014- 1020.

- Erickson M.C., J. Liao, L. Ma, X. Jiang, and M.P. Doyle. 2009b. Pathogen inactivation in cow manure compost. *Compost Science and Utilization*, 17(4): 229-236.
- Erickson M.C., J. Liao, X. Jiang, and M.P. Doyle. 2009a. Inactivation of *Salmonella* spp. in cow manure composts formulated to different initial C:N ratios. *Bioresource Technology*, 100: 5898-5903.
- Familydoctor. 2007. *E. coli* infection. [Online]. Available: <http://familydoctor.org.online/tamdocen/home/common/digestive/disorder/242.html>, 15/6/2007.
- FDA U.S. 2001. Bacterial pathogen growth and inactivation. FDA U.S. [Online]. Available: [ComplianceRegulatoryInformation ?GuidanceDuc..., 11/6/2010](http://www.fda.gov/oc/ComplianceRegulatoryInformation/ComplianceRegulatoryInformation%20GuidanceDocuments/2001/01-116/2010).
- Federal R. 2003. Rules and regulations. *Federal Register*, 68(239): 69312-69318.
- Feng P., S.D. Weagant and M.A. Grant. 2002. Enumeration of *Escherichia coli* and the coliform bacteria. [Online]. Available: <http://www.fda.gov/food/scienceresearch/LaboratoryMethods/BacteriologicalAnalyticalManualBAM/ucm064948.htm#authors>, 17/6/2010.
- Fortin N.Y., A. Mulchandani and W. Chen. 2001. Use of real-time polymerase chain reaction and molecular beacons for the detection *Escherichia coli* O157:H7. *Analytical Biochemistry*, 289: 281-288.
- Fotadar U., P. Zaveloff and L. Terracio. 2005. Growth of *Escherichia coli* at elevated temperatures. *Journal of Basic Microbiology*, 45 (5): 403-4.
- Franz E., A.D. Diepeningen, O.J.D. Vos and A.H.C.V. Bruggen. 2005. Effects of cattle feeding regimen and soil management type on the fates of *Escherichia coli* O157:H7 and *Salmonella enteric* Serova Typhimurium in manure, manure-amended soil, and lettuce. *Applied and Environmental Microbiology*, 71(10): 6164-6174.
- Fykson J. 2010. Manure for vegetables: wider application to planting interval will reduce risk. [Online]. Available: [www//framandranchgiude.com](http://www.framandranchgiude.com), 30/9/ 2010.
- Gast R.K. 1993. Research note: Evaluation of direct planting for detecting *Salmonella enteritidis* in pools of egg contents. *Poultry Science*, 72: 1661-1614.

- Gatto-Menking D.L., H. Yu, J.G. Bruno, M.T. Goode, M. Miller, and A.W. Zulich. 1995. Sensitive detection of biotoxoids and bacterial spores using an immunomagnetic electrochemiluminescence sensor. *Biosens Bioelectron*, 10: 501-507.
- Gaudet I.D., L. Z. Florence and R.N. Coleman. 1996. Evaluation of Test Media for Routine Monitoring of *E. coli* in nonpotable Waters. *Applied and Environmental Microbiology*, 62 (11): 4032-4035.
- Gaur A.C. 1987. Recycling of organic wastes by improved techniques of composting and other methods. *Resources and Conservation*, 13: 157-174.
- Gehlbach S.H., J.N. MacCormack, B.M. Drake and W.V. Thompson. 1973. Spread of disease by fecal-oral route in day nurseries. *Health Service Reports*, 88 (4): 320-322.
- Genç Y., D. Gokmen, E. Tuccar and B. Yagmurlu. 2005. Estimation of sensitivity and specificity for clustered data. *Turk Journal Medical Science*, 35: 21-24.
- Gomez-Ullate S., J.R. Bayon, D. Castro and S.J. Coupe. 2008. "Efficiency of MPN method to indicate hydrocarbon biodegradation processes within permeable pavements". 11th International conference on Urban Drainage, Edinburgh, Scotland, no date. 1-7.
- Gotaas H.R. 1956. Composting – sanitary disposal and reclamation of organic wastes. World Health Organization Monograph Series Number 31. Geneva, p 20.
- Grattepanche F., C. Lacroix, P. Audet and G. Lapointe. 2005. Quantification by real-time PCR of *Lactococcus lactis* subsp. *cremoris* in milk fermented by mixed culture. *Applied and Environmental Microbiology*, 66: 414-421.
- Green S.J., F.C. Michel, J. Michel, Y. Hadar, and D. Minz. 2004. Similarity of bacterial communities in sawdust- and straw-amended cow manure composts. *FEMS Microbiology Letters*, 233: 115-123.
- Gronewold A.D. and R.L. Wolpert. 2008. Modeling the relationship between most probable number (MPN) and colony-forming unit (CFU) estimates of fecal coliform concentration. *Water Research*, 42: 3327-3334.
- Gynn M.K., C. Bopp, W. Dewitt, P. Dapney, M. Mokhtar and F.J. Angulo. 1998. Emergence of multidrug resistant *Salmonella typhimurium* DT104 infections in the United States. *New England Journal of Medicine*, 338: 1333-1338.

- Hancock D.D., D.H. Rice, L.A. Thomas, D.A. Dargatz and T.E. Besser. 1997. Epidemiology of *Escherichia coli* O157:H7 in feedlot cattle. *Journal of food Production*, 60: 462-465.
- Hanko E. 2000. "Coliart: What is it all about?". 63rd Annual Water Industry Engineers and Operators Conference, Brauer College - Warrnambool, Australia, 110-115.
- Haque A.K.M.A. and J.M. Vandepopuliere. 1994. Compost cage layer manure with poultry litter. *Applied Poultry Research*, 3: 268-273.
- Haug R.T. 1993. Kinetics of heat inactivation. In: *The practical handbook of compost engineering*, London, Lewis Publishers. pp 161-203.
- Heaton J.C. and K. Jones. 2008. Microbial contamination of fruit and vegetables and the behaviour of enteropathogens in the phyllosphere: a review. *Journal of Applied Microbiology*, 104 (3): 613-26.
- Heidelberg J.F., M. Shahamat, M. Levin, I. Rahman, G. Stelma, C. Grim and R.R. Colwell. 1997. Effect of aerosolization on culturability and viability of gram-negative bacteria. *Applied and Environmental Microbiology*, 63(9): 3585-3588.
- Hein I, A. Lehner, P. Rieck, K. Klein, E. Brandl and M. Wagner. 2001. Comparison of different approaches to quantify *Staphylococcus aureus* cells by real-time quantitative PCR and application of this technique for examination of cheese. *Applied and Environmental Microbiology*, 67: 3122-3126.
- Heuvelink A.E., C.V. Heerwaarden, J.T. Zwartkruis-Nahuis, R.V. Oosterom, K. Edink, Y.T.V. Duynhoven and E.D. Boer. 2002. *Escherichia coli* O157 infection associated with a petting zoo. *Epidemiology and Infection*, 129 (2): 295-302.
- Himathongkham S. and H. Riemann. 1999. Destruction of *Salmonella typhimurium*, *Escherichia coli* O1579:H7 and *Listeria monocytogenese* in chicken manure by drying and/or gassing with ammonia. *FEMS Microbiology Letters*, 171: 179-182.
- Holmes B., M. Costas, M. Ganner, S.L.W. On and M. Stevens. 1994. Evaluation of biology system for identification of some gram-negative bacteria of clinical importanc. *Journal of Clinical Microbiology*, 32(8): 1970-1975.

- Horman A. and M.L. Hanninen. 2006. Evaluation of the lactose Tergitol-7, m-Endo LES, Coliler 18, Readcult Coliforms 100, Water-Check-100, 3M Petrifilm EC and DryCult Coliform test methods for detection of total coliform and *Escherichia coli* in water samples. *Water Research*, 40: 3249-3256.
- Huijsdens X.W., R.K. Linskens, M. Mak, S.M. Meuwissen, C.M.J.E. Vandenbroucke-Grauls and P.H.M. Savelkoul. 2002. Quantification of bacteria adherent to gastrointestinal mucosa by real-time PCR. *Clinical Microbiology*, 40(12): 4423-4427.
- Ibekwe A.M. and C.M. Grieve. 2003. Detection and quantification of *Escherichia coli* O157H:7 in environmental samples by real-time PCR. *Journal of Applied Microbiology*, 94: 421-431.
- Ibekwe A.M., M.W. Pamela, C.M. Grieve, V.K. Sharma and S.R. Lyons. 2002. Multiplex fluorogenic real-time PCR for detection and quantification of *Escherichia coli* O157H:7 in dairy wastewater Wetlands. *Applied and Environmental Microbiology*, 68(10): 4853-4862.
- Imperatrice A.C. and I. Nachamkin. 1993. Evaluation of the Vitek EPS enteric pathogen screen card for detecting *Salmonella*, *Shigella*, and *Yersinia* spp. *Journal of Clinical Microbiology*, 31(2): 433-435.
- Ingham C.S., J.A. Losinski, M.P. Andrews, J.E. Breuer, J.R. Breuer, T.M. Wood and T.H. Wright. 2004. *Escherichia coli* contamination of vegetables grown in soils fertilized with noncomposted bovine manure: garden-scale studies. *Applied and Environmental Microbiology*, 70(11): 6420-6427.
- Integrated. 2010. Oxygen requirement for bacteria growth. Integrated Publish. [Online]. Available: <http://www/tpub.com/content/armymedical/MD0181/MD01810013.htm>, 10/6/2010.
- Islam M, M.P. Doyle, S.C. Phatak, P. Millner and X. Jiang. 2005. Survival of *Escherichia coli* O157:H7 in soil and on carrots and onions grown in field treated with contaminated manure composts or irrigation water. *Food Microbiology*, 22: 63-70.

- Islam M., J. Morgan, M.P. Doyle and X. Jiang. 2004c. Fate of *Escherichia coli* O157:H7 in manure compost-amended soil and on carrots and onions grown in an environmentally controlled growth chamber. *Food Protection*, 67(3): 574-578.
- Islam M., J. Morgan, M.P. Doyle, S. C. Phatak, P. Millner and X. Jiang. 2004b. Fate of *Salmonella enterica* Serova Typhimurium on carrots and radishes grown in fields treated with contaminated manure composts or irrigation water. *Applied and Environmental Microbiology*, 70(4): 2497-2502.
- Islam M., J. Morgan, M.P. Doyle, S. C. Phatak, P. Millner and X. Jiang. 2004a. Persistence of *Salmonella enterica* Serova Typhimurium on lettuce and parsley and in soils on which they were grown in fields treated with contaminated manure composts or irrigation water. *Foodborne Pathogens and Disease*, 1(1): 27-35.
- Itoh S., M. Kariya, K. Nagano, S. Yokoyama, T. Fukao, Y. Yamazaki and H. Mori. 2002. New rapid enzyme-linked immunosorbent assay to detect antibodies against bacterial surface antigens using filtration plates. *Biology and Pharmacy Bulletin*, 25(8): 986-990.
- Johnson J.Y.M., J.E. Thomas, T.A. Grahan, I. Townshend, J. Byrne L.B. Selinger and V.P.J. Gannon. 2003. Prevalence of *Escherichia coli* O1157:H7 and *Salmonella* spp. in surface waters of southern Alberta and its relation to manure sources. *Canadian Journal of Microbiology*, 49: 326-335.
- Jonngao S. 2005. Human love vegetable. Villagers technology. [Online]. Available: [http://72.14.235.104/search?q=cache:RH6N9JnepMIJ:my.2poon.com/my/reply_show.p...,15/5/2007](http://72.14.235.104/search?q=cache:RH6N9JnepMIJ:my.2poon.com/my/reply_show.p...) (in Thai).
- Jundendoung C. 2010. Making of compost. [Online]. Available: <http://www.vcharkarn.com.vaaticle/38803>, 11/6/2553 (in Thai).
- Katenil N. 2000. Situation of exported vegetables and fresh cut vegetables in Thailand during early 8 month, 2000. [Online]. Available: http://www.nfi.or.th/publication/food_insight/veget1.pdf, 15/6/2007 (in Thai).
- Kirk J.H. 2011. Pathogens in manure. [Online]. Available: <http://www.stopthehogs.com>, 28/6/2011.

- Klerks M., M. Zijlstra, C. Bruggen and A. H. C. Van. 2004. Comparison of real-time PCR methods for detection of *Salmonella enterica* and *Escherichia coli* O157:H7, and introduction of a general internal amplification control. *Journal of Microbiological Methods*, 59(3): 337-349.
- Kudva I.T., K. Blanch and C.J. Hovde. 1998. Analysis of *Escherichia coli* O157:H7 survival in ovine or bovine manure and manure slurry. *Applied and Environmental Microbiology*, 64(9): 3166-3174.
- Laegreid W.W., R.O. Elder and J.E. Keen. 1999. Prevalence of *Escherichia coli* O157:H7 in range beef calves at weaning. *Epidemiology and Infection*, 123: 291-298.
- Larney F., L.J. Yanke, J.J. Miller and T.A. McAllister. 2003. Fate of coliform bacteria in composted beef cattle feedlot manure. *Environmental Quality*, 32: 1508-1515.
- Lemmon G. and S. Gardner. 2008. Predicting the sensitivity and specificity of published real-time PCR assays. *Annals of Clinical Microbiology and Antimicrobials*, 7: 18-28.
- Lepper W.A., A.N.M. Schultz and M.S. Curiale. 2002. Evaluation of VIDAS[®]Immuno-Concentration *Salmonella* assay plus selective plate count method (hektoen enteric, bismuth sulfite, *Salmonella* identification) for detection of *Salmonella* in selected foods: collaborative study. *AOAC International*, 85(3): 576-592.
- Letellier A. 1999. Distribution of *Salmonella* in swine herds in Quebec. *Veterinary Microbiology*, 67: 229-306.
- Liming S.H. and A.A. Bhagwat. 2004. Application of a molecular beacon-real-time PCR technology to detect *Salmonella* species contaminating fruits and vegetables. *Food Microbiology*, 95: 177-187.
- Lin C.K. and H.Y. Tsen. 1995. Development and evaluation of two novel oligonucleotide probes based on 16S rRNA sequence for the identification of *Salmonella* in foods. *Journal of Applied Bacteriology*, 78(5): 507-520.

- Lofstrom C., R. Knutsson, C.E. Axelsson and P. Radstrom. 2004. Rapid and specific detection of *Salmonella* spp. in animal feed samples by PCR after culture enrichment. *Applied and Environmental Microbiology*, 70(1): 69-75.
- Luk J.M.C. and A.A. Lindberg. 1991. Rapid and sensitive detection of *Salmonella* (0:6,7) by immunomagnetic monoclonal antibody-based assays. *Journal of Immunological Methods*, 137:1-8.
- Made D., R. Petersen, K. Trumper, R. Stark and L. Grohmann. 2004. In-house validation of a real-time PCR of *Salmonella* spp. in food products. *Europe Food Research Technology*, 219: 171-177.
- Malorny B., E. Paccassoni, P. Fach, C. Bunge, A. Martin and R. Helmuth. 2004. Diagnostic real-time PCR for detection of *Salmonella* in food. *Applied and Environmental Microbiology*, 70(12): 7046-7052.
- Manager online. 2005. A psychiatrist points hot air should not drink alcohol. [Online]. Available: http://www.dmh.go.th/sty_libnews/view.asp?d=1618,8/5/2007 (in Thai).
- Manager weekly. 2007. Thailand exported 10 products tent to top in a half-year. [Online]. Available: <http://www.manager.co.th/mgrWeekly/ViewNews.aspx?NewsID=9480000126398,8/6/2007> (in Thai).
- Matner R.R., L.T. Fox, E.D. Mciver and M.S. Curiale. 1990. Efficacy of Petrifilm™ *E. coli* Count Plates for *E. coli* and coliform enumeration. *Food Protection*, 53(2): 145-150.
- Mauchline W.S. and C.W. Keevil. 1991. Development of the BIOLOG substrate utilization system for identification of *Legionella* spp. *Applied and Environmental Microbiology*, 57(11): 3345-3349.
- Mckillip J.L. and M. Drake. 2000. Molecular beacon polymerase chain reaction detection of *Escherichia coli* O157:H7 in milk. *Journal of Food Protection*, 63: 855-856.
- Meckes M.C. and J.A. MacDonald. 2003. Evaluation of a DNA probe test kit for detection of *Salmonellae* in biosolids. *Journal of Applied Microbiology*, 94:3 382-387.

- Meunchang S., S. Panichsakpatana and R.W. Weaver. 2005. Co-composting of filter cake and bagasse; by-products from a sugar mill. *Bioresource Technology*, 96: 437-442.
- Michel J.R., F.C. and C.A. Reddy. 1998. Effect of oxygenation level on yard trimmings composting rate, odor production, and compost quality in bench-scale reactors. *Compost Science and Utilization*, 6(4): 6-14.
- Mochamer S. 2010. Building and maintaining a compost pile. [Online]. Available <http://counties.cce.cornell.edu/yates/MG5.30.01.htm>, 28/12/2010.
- Morillo J.M., L. Lau, M. Sanz, D. Herrera and A. Silva. 2003. Quantitative real-time PCR based on single copy gene sequence for detection of *Actinobacillus actinomycetemcomitans* and *Porphyromonas gingivalis*. *Journal of Periodontal, Research* 38: 518-524.
- Mote C.R. and C.L. Griffis. 1980. Variations in the composting process for different organic carbon sources. *Agricultural Wastes*, 2: 215-223.
- Mugg P. and A. Hill. 1981. Comparison of the Microbact-12E and 24E systems and the API-20E system for the identification of Enterobacteriaceae. *Journal of Hygiene Cambridge*, 87: 287-297.
- Mukherjee A., D. Speh, E. Dyck and F. Diez-Gonzalez. 2004. Preharvest evaluation of coliforms, *Escherichia coli*, *Salmonella*, and *Escherichia coli* O157:H7 in organic and conventional produce grown by Minnesota farmers. *Food Protection*, 67(5): 894-900.
- Nam H., V. Srinivasan, B.E. Gillespie, S.E. Murinda and S.P. Oliver. 2005. Application of SYBR green real-time PCR assay for specific detection of *Salmonella* spp. in dairy farm environmental samples. *International Journal of Food Microbiology*, 102(2): 161-171.
- Neawna. 2010. Split the dead end exports the agricultural, to avoid order "EU" brand goods Thai. [Online]. Available: <http://www.naewna.com/news.asp?id=197226>, 23/9/2553 (in Thai).
- Newby D.T., T.L. Hadfield and F.F. Roberto. 2003. Real-time PCR detection of *Brucella abortus*: a comparative study of SYBRGreen I, 5' exonuclease, and hybridization probe assays. *Applied and Environmental Microbiology*, 69: 4753-4759.

- Nordentoft S., H. Christensen and H.C. Wegner. 1997. Evaluation of a fluorescence-labelled oligonucleotide probe targeting 23S rRNA for in situ detection of *Salmonella* Serovars in paraffin-embedded tissue sections and their rapid identification in bacterial smears. *Journal of Clinical Microbiology*, 35(10): 2642-2648.
- O'Hanlon K.A., T.M.G. Catarama, G. Duffy, I.S. Blair and D.A. McDowell. 2004. RAPID detection and quantification of *E. coli* 157/O26/O111 in minced beef by real-time PCR. *Journal of Applied Microbiology* 96: 1013-1023.
- O'Hara C.M. 2005. Manual and automated instrumentation for identification of *Enterobacteriaceae* and other aerobic gram-negative Bacilli. *Clinical Microbiology Reviews*, 18(1): 147-162.
- O'Hara M.C., F.C. Tenover and J.M. Miller. 1993. Parallel comparison of accuracy of API 20E, Vitek GNI, MicroScan Walk/Away Rapid ID, and Becton Dickinson Cobas Micro ID-E/NF for identification of members of the family Enterobacteriaceae and common gram-negative, non-glucose-fermenting Bacilli. *Journal of Clinical Microbiology*, 31(12): 3165-3169.
- Office of Commercial Affair. 2007. EU showed the residual in vegetable of Thailand. [Online]. Available: http://pcoe.moc.go.th/pcoctsys/template01/view_new.aspx?data_d+380&control_id+9..., 5/6/2007 (in Thai).
- Okrend A.J.G., B.E. Rose and C.P. Lattuada. 1992. Isolation of *Escherichia coli* O157:H7 using O157 specific antibody coated magnetic beads. *Journal of Food Protection*, 55: 214-217.
- Olson M.E., C.L. Thorlakson, L. Deselliers, D.W. Morck and T.A. McAllister. 1997. *Giardia* and *Cryptosporidium* in Canadian Farm Animals. *Veterinary Parasitology*, 68: 375-381.
- Omiccioli E., G. Amagliani, G. Brandi and M. Magnani. 2009. A new platform for real-time PCR detection of *Salmonella* spp. *Listeria monocytogenes* and *Escherichia coli* O157 in milk. *Food Microbiology*, 26: 615-622.
- Palm C.A., C.N. Gachengo, R.J. Delve, G. Cadisch and K.E. Giller. 2001. Organic inputs for soil fertility management in tropical agroecosystems: application of an organic resource database. *Agriculture ecosystems & Environment*, 83: 27-42.

- Perelle S., F. Dilasser, B. Malorny, J. Grout, J. Hoorfar and P. Facn. 2004. Comparison of PCR-ELSA and LightCycler real-time PCR assay for detecting *Salmonella* spp. in milk and meat samples. *Molecular and Cellular Probes*, 18(8): 409-420.
- Perry-O'keefe H., S. Rigby, K. Oliveira, D. Sorensen, H. Stender, J. Coull and J.J. Hyldig-Nielsen. 2001. Identification of indicator microorganisms using a standardized PNA FISH method. *Journal of Microbiology Methods*, 47: 281-292.
- Petric I. and V. Selimbasic. 2008. Composting of poultry manure and wheat straw in a closed reactor: optimum mixture ration and evolution of parameters. *Biodegradation*, 19: 53-63.
- Rahn K. S.A. Renwick, R.P. Johnson, J.B. Wilson, R.C. Clarke, D. Alves, S.A. McEwen, H. Lior and J. Spika. 1998. Follow-up study of verocytotoxigenic *Escherichia coli* infection in dairy farm families. *Journal of Infectious Disease*, 177 (4): 1139-1140.
- Regan R.W. 1998. Approaching 50 years of compost research. *Biocycle*, 39(10): 82.
- Reichert-Schwillinsky F., C. Pin, M. Dzieciol, M. Wagner and I. Hein. 2009. Stress- and growth rate-related differences between plate count and real-time PCR data during growth of *Listeria monocytogenes*. *Applied and Environmental Microbiology*, 75 (7): 2132-2138.
- Rosen C.J. and P.M. Bierman. 2010. Using manure and compost as nutrient sources for vegetable crops. [Online]. Available: www.extension.umn.edu/istribution/horticulture/M1192.html, 29/12/2010.
- Ryan K.J. and C.G. Ray. 2004. *Sherris Medical Microbiology* (4th ed.). McGraw Hill. pp 362-368.
- Rychert R.C. and G.R. Stempenson. 1981. A typical *Escherichia coli* in streams. *Applied and Environmental Microbiology*, 41(5): 1276-1278.
- Schneider A., C. Gronewald, M. Fandke, B. Kueth, S. Barkowski and K. Berghof-Jager. 2002. Real-time PCR detection of the genus *Salmonella* with the lightcycler system. *Biochemical*, 4: 19-21.

- Schorth G. 2003. Trees, crops and soil fertility: concepts and research methods, Decomposition and nutrient supply from biomass. Trowbridge. Cromwell Press, pp 131-150.
- Seafood Network Information Center. 2010. Environmental conditions for pathogenic bacteria growth. Seafood Network Information Center. [Online]. Available: <http://seafood.vedavis.edu/pub/pathogen.htm>, 11/6/2010.
- Seo K., I.E. Valentin-Bon, R.E. Brackett and P.S. Holt. 2007. Specific detection of *Salmonella* Enteritidis in eggs and processing environment. [Online]. Available: www.zootecnicainternational.com/artcle-archive/processing/689-specific-detecti, 10/2/2011.
- Shepherd J.R., M.W., P. Liang, X. Jiang, M.P. Doyle, and M.C. Erickson. 2007. Fate of *Escherichia coli* O157:H7 during on-farm dairy manure-based composting. *Journal of Food Protection*, 70: 2708-2716.
- Sidhu J., R.A. Gibbs, G.E. Ho and I. Unkovich. 2001. The role of indigenous microorganisms in suppression of *Salmonella* regrowth in composted biosolids. *Water Research*, 35: 913-920.
- Silley P. and S.J. Forsythe. 1996. Impedance microbiology-a rapid change for microbiologists. *Journal of Applied Bacteriology*, 80: 233-243.
- Spano G., L. Beneduce, V. Terzi, A.M. Stanca and S. Massa. 2005. Real-time PCR for the detection of *Escherichia coli* O157:H7 in dairy and cattle wastewater. *Journal of Applied Microbiology*, 40: 164-171.
- Stubner S. 2002. Enumeration of 16S rDNA of *Desulfotomaculum* lineage 1 in rice field soil by real-time PCR with SybrGreen detection. *Journal of Microbiology Methods*, 50: 155-164.
- Susangkal A. and M. Chaerul. 2009. Multicriteria analysis for selecting municipal solid waste composting technology. International conference on sustainable infrastructure and built environment in developing countries, Bandung, West. Java Indonesia, no date. SW14-1-SW14-8.
- Suwansonthichai S. and S. Rengpipat. 2003. Enumeration of coliforms and *Escherihia. coli* in frozen black tiger shrimp *Penaeus monodon* by conventional and rapid methods. *International Journal of Food Microbiology*, 81(2): 113-121.

- Tate C.R., R.G. Miller, E.T. Mallinson, L.W. Douglass and R.W. Johnston. 1990. The isolation of salmonellae from poultry environmental samples by several enrichment procedures using plating media with and without novobiocin. *Pollution Science*, 69: 721-726.
- Tauxe R.V. 1997. Evolving foodborne diseases: an evolving public health challenge. *Emerging Infectious Diseases*, 3: 425-434.
- Taweboeornkoul D. 2010. Stink weed. [Online]. Available: <http://www.Doae.go.th/library/html/2549/1809/Apiaceae/index.html>, 25/1/2009.
- Tiquia S.M., J.H.C. Wan and H.F.Y. Tam. 2002. Microbial population dynamics and enzyme activities during composting. *Compost Science and Utilization*, 10(2): 150-161.
- Todar K. 2007. Pathogenic *E. coli*. [Online]. Available: <http://texbookofbacteriology.net/e.coli.html>, 15/6/2007.
- Tokashvnad M.A., D. Hashemabadi, B. Kaviani and S.S. Hoor. 2006. Cane molasses: an ammonia suppressant in the composting manure and municipal wastes. *Environmental Science*, 3: 567-573.
- Trevena W.B., G.A. Willshaw, T. Cheasty, G. Domingue and C. Wray. 1999. Transmission of Vero cytotoxin producing *Escherichia coli* O157 infection from farm animals to humans in Cornwall and west Devon. *Community Disease and Public Health*, 2 (4): 263-268.
- Tsong T.Y. 1990. On electroporation of cell membranes and some related phenomena. *Biochemistry Bioenergetics*, 24: 271p.
- Tu S.I., D. Patterson, C. Briggs, P. Irwin and L. Yu. 2001. Detection of immunomagnetically captured *E. coli* O157:H7 by antibody-conjugated alkaline phosphatase. *Journal of Industrial Microbiology & Biotechnology*, 26: 345-349.
- Turner C. 2002. The thermal inactivation of *Escherichia coli* in straw and pig manure. *Bioresource Technology*, 84: 57-61.
- Vail J.H., R. Morgan, C.R. Merino, F. Gonzales, R. Miller and J.L. Ram. 2003. Enumeration of waterborne *Escherichia coli* with Petrifilm Plates: comparison to standard methods. *Environmental Quality*, 32: 366-373.

- Varma J.K. K.D. Greene, M.E. Reller, S.M. DeLong, J. Trottier, S.F. Nowicki, M. DiOrio, E.M. Koch, T.L. Bannerman, S.T. York, M.A. Lambert-Fair, J.G. Wells and P.S. Mead. 2003. An outbreak of *Escherichia coli* O157 infection following exposure to a contaminated building. *Journal of the American Medical Association*, 290 (20): 2709-2712.
- Vega-Mercado H., U.R. Pothakamury, F.J. Chang, G.V. Barbosa-Canovas and B.G. Swanson. 1996. Inactivation of *Escherichia coli* by combining pH, ionic strength and pulsed electric fields hurdles. *Food Research International*, 29(2): 117-121.
- Wang C.M., C.L. Shyu, S.P. Ho, and S.H. Chiou. 2007. Species diversity and substrate utilization patterns of thermophilic bacterial communities in hot aerobic poultry and cattle manure composts. *Microbial Ecology*, 54: 1-9.
- Wang J. and M.F. Slavik. 1999. Rapid detection of *Salmonella* in chicken washes by immunomagnetic separation and flow cytometry. *Journal of Food Protection*, 26(7): 717-723.
- Warnes S.L. and C.W. Keevil. 2004. Desk studies on feasibility of horizontal standard rapid methods for detection of *E. coli* (including *E. coli* O157) and *Salmonella*. United Kingdom: University of Southampton. 53 p.
- Wigging P.W. 1975. Cellular functions of a cell in a metastable equilibrium state. *Journal of Theoretical Biology*, 52(1): 99-111.
- Woomer P., J. Bennett and R. Yost. 1990. Overcoming the inflexibility of most-probable-number procedures. *Agronomy Journal*, 82: 349-353.
- Xiao L. 1994. *Giardia* infection in farm animals. *Parasitology Today*, 10: 436-438.
- You Y., S.C. Rankin, H.W. Aceto, C. E. Benson, J.D. Toth and Z. Dow. 2006. Survival of *Salmonella spp. enterica* serovae Newport in manure and manure-amended soils. *Applied and Environmental Microbiology*, 72(9): 5777-5783.
- Zhao Z., M.P. Doyle, J. Shere and L. Garber. 1995. Prevalence of enterohemorrhagic *Escherichia coli* O157:H7 in a survey of dairy herds. *Applied and Environmental Microbiology*, 61: 1290- 1293.

CURRICULUM VITAE

Name Ms. Piyamat Somphee

Date of Birth November 23, 1977

Education Background

1996-1999 B.S. (Agriculture), in the major of Plant Science (Ornamental Horticulture), Department of Horticulture, Faculty of Agricultural Production, Maejo University

2000-2003 M.S. (Agriculture), in major of Soil Science, Department of Soil Science and Conservation, Faculty of Agriculture, Chiang Mai University

Scholarship

2007-2009 The center of Excellence on Agricultural Biotechnology, Science and Technology Postgraduate Education and Research Office, Office of Higher Education Commission, Ministry of Education (AG-BIO/PERDO-CHE)

Working Experience

2002-2004 Assistant Researcher in “Production of bio-organic fertilizer for increasing plant nutrients project” at Department of Soil Science and Conservation, Faculty of Agriculture, Chiang Mai University

2004-present Scientists at Office of Agricultural Research and Development Region 5, Department of Agriculture, Ministry of Agriculture and Cooperatives

Academic conference

Oral presentation in the topic “Effect of cow manure composting on survival of *Escherichia coli*” has presented in the 2th CMU Graduate Research Conference, held on November 26, 2010 at Chiang Mai University, Chiang Mai, Thailand.

Oral presentation in the topic “Potential of real-time PCR for detection of *Escherichia coli* and *Salmonella* spp.” has presented in the 4th AG-BIO/PERDP Graduate Conference and

University of Tsukuba-Kasetsart University Joint Seminar, held on December 9-10, 2010 at Kasetsart University Kamphaeng Saen Campus, Nakhon Pathom, Thailand.

Oral presentation in the topic “Effect of cow manure composting on survival of *Escherichia coli* and *Salmonella* spp.” has presented in the 19th National Graduate Research Conference, held on December 23-24, 2010 at Rajabhat Rajanagarindra University, Chachoengsao, Thailand.

Oral presentation in the topic “Application of cow-manure composted to reduce *Escherichia coli* contamination in stink weed and peppermint production for export”, has presented in the 49th Kasetsart University Conference, held on February 1-4, 2011 at Kasetsart University, Bangkok, Thailand.

Publications

Piyamat Somphee, Arawan Shutrirung and Somporn Choonluchanon. 2011. Effect of poultry layer and cow manure composting on dynamic population of *Escherichia coli* Migula and *Salmonella* spp. Thai Agricultural Research Journal, 1(26): 34-50.

Piyamat Somphee, Arawan Shutrirung and Somporn Choonluchanon. 2012. Comparison of detection methods for *Escherichia coli* contaminated in agricultural samples. KKU Science Journal, 2(40):



