

เอกสารอ้างอิง

- จิ่งแท่ สิริพานิช, 2544, สรีรวิทยาและเทคโนโลยีหลังการเก็บเกี่ยวผักและผลไม้, สำนักพิมพ์ มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ, 396 น.
- จิรา ณ หนองคาย, 2535, เทคโนโลยีหลังการเก็บเกี่ยวผักและผลไม้และดอกไม้, สำนักพิมพ์แมสพับลิช ซึ่ง 272 หน้า.
- สุนทร เรืองเกษม, 2539, คู่มือการปลูกผัก, โรงพิมพ์ทิพย์วิสุทธิ์, 128 น.
- ไฉน ยอดเพชร, 2536, พืชผักในตระกูลครุซิเฟอรัส (Cruciferous crops), โรงพิมพ์ลินคอร์น.
- นงลักษณ์ พลุทอง, 2542, “ผลของอุณหภูมิและสภาพบรรยากาศตัดแปลงต่อคุณภาพของการเก็บรักษา และอายุการวางจำหน่ายของผักพร้อมบริโภค”, วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาเทคโนโลยีหลังการเก็บเกี่ยว คณะทรัพยากรชีวภาพและเทคโนโลยี มหาวิทยาลัยพระจอมเกล้าธนบุรี, 234 หน้า.
- สมทรง เลชะกุล, 2543, ชีวิตเคมีของวิตามิน, กรุงเทพฯ, สำนักพิมพ์ศุภวณิชการพิมพ์, หน้า 116-133.
- สมบุญ เดชะภิญญารัตน์, 2535, สรีรวิทยาของพืช, มหาวิทยาลัยเกษตรศาสตร์, 203 หน้า.
- สายชล เกตุษา, 2538, สรีรวิทยาและเทคโนโลยีหลังการเก็บเกี่ยวผักและผลไม้, โรงพิมพ์ศูนย์ส่งเสริม การเกษตรแห่งชาติ, มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม, 364 หน้า.
- สุกัญญา ชิตตระกูล, 2539, ผลของการใช้อุณหภูมิสูงที่มีต่อคุณภาพและอายุการเก็บรักษาผลมะม่วงน้ำ ดอกไม้ก่อนการเก็บรักษาที่อุณหภูมิต่ำ, วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาพืชสวน มหาวิทยาลัยเกษตรศาสตร์, 90 หน้า.
- Abeles, F.B., Morgan, P. and Saltveit, M.,E., 1992, “Ethylene in Plant Biology”, 2nd edition, Academic Press, San Diego, CA.
- Able, A.J., Wong, L.S., Prasad, A. and O'Hare, T.J., 2002, “1-MCP is more effective on a floral brassica (*Brassica oleracea* var. *Italica* L.) than a leafy brassica (*Brassica rapa* var. *chinensis*)”, *Postharvest Biology and Technology*, 26: 147-155.
- Adams, D.O. and Yang, S.F., 1979, “Ethylene biosynthesis: Identification of 1 - aminocyclopropane as an intermediate in the conversion of methionine to ethylene”, *Proceedings of the National of Academy Sciences of the United States of America*, 76:170 - 174.
- Aharoni, N., Philosoph-Hadas, S. and Barkai-Golan, R., 1985, “Modified atmospheres to delay senescence and delay of broccoli”, In: *Proceedings of the 4th National Controlled Atmosphere Conference, Department of Horticultural Science, Raleigh, NC. Hort. Rep., Vol. 126, pp. 169-177.*

- Arnir-Shapira, D., Goldschmidt, E.E. and Altman, A., 1987, "Chlorophyll catabolism in senescing plant tissue : In vivo breakdown intermediates suggest different degradative pathways for Citrus fruit and parsley leaves," Proceedings of the National Academy of Sciences of the United States of America, Vol. 84, pp. 1901-1905.
- Biggs, M.S., Woodson, W.R. and Handa, A.K., 1988, "Biochemical basis of high temperature
- Buchanan-Wollaston, V., 1997, "The molecular biology of leaf senescence". J. Exp. Bot., 48: 181-99.
- Burg, S.P. and Burg, E.A., 1967, "Molecular requirement for the biology activity of ethylene", Plant Physiology, 42: 144-152.
- Chandlee, J.M., 2001, Current molecular understanding of the genetically programmed process of leaf senescence. *Physiologia Plantarum* 113: 1-8.
- Chan, H.T., 1986, "Effect of heat treatments on ethylene forming enzyme in papaya," Journal of Food Science, Vol. 51, pp. 581-583.
- Clarke, S.F., Jameson, P.E. and Downs, C., 1994, "The influence of 6-benzylaminopurine on post-harvest senescence of floral tissue of broccoli (*Brassica oleracea* var. *Italica*)," Plant Growth Regulators, Vol.14, pp.21-27.
- Conways, W.S., Sams, C.E. Wang, C.Y. and Abbott, J.A., 1994, "Additive effect of postharvest calcium and heat treatment on reducing decay and maintaining quality in apples", Journal of the American Society for Horticultural Science, Vol. 119, pp. 49 – 53.
- Coupe, S.A., Sinclair B.K., Watson, M., Heyes, J.A., Eason, J.R., 2003, Identification of dehydration-responsive cysteine proteases during postharvest senescence of broccoli florets. *Journal of Experimental Botany* 54: 1045-1056.
- Dong, L., Zhou, H-W., Sonogo, L, Lers, A. and Lurie, S., 2001, "Ethylene involvement in the cold storage disorder of "Flavortop" nectarine". *Postharvest Biology and Technology*, 23:105-115.
- Downs, C.G., Somerfield, S.D. and Davey, M.C., 1997, "Cytokinin treatment delays senescence but not sucrose loss in harvested broccoli", *Postharvest Biology and Technology*, 11: 93-100.
- Eason, J.R., Pinkney, T.T., Johnston, J.W., 2002. DNA fragmentation and nuclear degradation during harvest-induced senescence of asparagus spears. *Postharvest Biology and Technology* 26, 231-235.
- Eskin, M., 1979, Tetrapyrrole Derivatives: Chlorophyll, in *Plant Pigment, Flavors and Texture: The Chemistry and Biochemistry of Selected Compounds*, Academic Press, New York, 211 p.
- Fallik, E., Klein, J. Grinberg, S., Lomanice, E., Luries, S. and Lalazar, A., 1993, "Effect of

- postharvest heat – treatment of tomatoes on fruit ripening and decay cause by *Botrytis cineria*”, *Plant Disease*, Vol. 77, No. 10, pp. 985 – 988.
- Fan, X. and Mattheis, J.P., 2000, “Yellowing of broccoli in storage is reduced by 1-methylcyclopropene”, *HortScience*, 35: 885-887.
- Feng, X., Apelbaum, A., Sisler, E.C. and Goren, R., 2000, “Control of ethylene responses in avocado fruit with 1-methylcyclopropene,” *Postharvest Biology and Technology*, 20: 143-150.
- Forney, C.F., 1995, “Hot water dips extend the shelf life of fresh broccoli”, *HortScience*, Vol. 30, pp. 1054 – 1057.
- Fomey, C.F., Song, J., Fan, L.H., Hildebrand, P.D. and Jordar, N.A., 2003, “Ozone and 1-methylcyclopropene alter the postharvest quality of broccoli”, *Journal of the American Society of Horticultural Science*, 128: 403-408.
- Gan, S.S. and Amasino, R.M., 1997, Making sense of senescence molecular genetic regulation and manipulation of leaf senescence. *Plant Physiology* 113: 313-319.
- Gillies, S.L. and Toivonen P.M.A., 1995, “Cooling method influences the postharvest quality of broccoli”, ***Hort Science***, 30: 3 13-3 15.
- Goldig, B.J., Shearer, D., Wyllie, S.G. and McGlasson, W.B., 1998, “Application of 1-MCP and propylene to identify ethylene-dependent ripening processes in mature banana fruit”, ***Postharvest Biology and Technology***, 14: 87-98.
- Gong, Y.P. and Mattheis, J.P., 2003, “Effect of ethylene and 1-methylcyclopropene on chlorophyll catabolism of broccoli florets”, ***Plant Growth Regulation***, 40: 33-38.
- Goodwin, T.W. and Mercer, E.I., 1983, ***Introduction in Plant biochemistry***, London, Pergamon Press, 667 p.
- Inaba, M. and Chachin, K., 1989, “High temperature stress and mitochondrial activity of harvested mature-green tomatoes”, *Journal of the American Society for Horticultural Science*, Vol. 114, pp. 809-814.
- Izumi, H., Watada, A.E. and Douglas, W., 1996, “Optimum O₂ and CO₂ atmosphere for storing broccoli florets at various temperature”, *Journal of the American Society for Horticultural Science*, Vol. 121, pp. 127 – 131.
- Kader, A.A., 1985, “Modified atmosphere and low pressure systems during transport and storage”, in *Postharvest Technology of Horticultural Crops*, Edited by Kader, A.A., Kasmire, R.E., Mitchell, F.G., Ried, M.S., Sommer, N.E. and Thompson, J.E., University of California,

- Oakland, pp.58-64.
- Kazami et al., 1991 D. Kazami, T. Sato, H. Nakagawa and N. Ogura, Effect of prestorage hotwater dipping of broccoli heads on shelf life and quality during storage. *Nippon Nôgeikagaku Kaishi.*, 65 (1991), pp. 19–26.
- Kende, H., Acaster, M.A., Jones, J.F. and Metraux, J.P., 1982, “On the mode action of ethylene” in *Plant Growth Substances*, Edited by Wareing, P.F., Academic Press, London, pp. 269-277.
- King, G.A. and Morris, S.C., 1994, “Early compositional changes during postharvest senescence of broccoli”, *Journal of the American Society for Horticultural Science*, 119: 1000-1005.
- King, G.A. and Morris, S.C., 1994, “Physiological changes of broccoli during early postharvest senescence and through the preharvest-postharvest continuum”, *Journal of the American Society for Horticultural Science*, 119: 270.
- Lindquist, S. and Craig, E.A., 1988, The heat shock proteins, *Annu. Rev. Genet.*, 22: 631–677.
- Mittler, R., 2002, Oxidative stress, antioxidants and stress tolerance, *Trend Plant Sci.*, 7: 405-410.
- Miyao-Tokutomi, M., Lee, B. H., Mizusawa, N. and Yamamoto, N., 1998, Active oxygen and photoinhibition of photosystem II, G. Garab, Editor, *Photosynthesis Mechanisms and Effects*, III, Kluwer Academic, Netherlands. 2097–2102.
- Pennell, R.I., Lamb, C., 1997, Programmed cell death in plants. *The Plant Cell* 9, 1157-1168.
- Romani GL, Williamson SJ, Kaufman L. Tonotopic organization of the human auditory cortex, 1982, *Science*, 216: 1339–40.
- Rushing, J.W., 1990, “Cytokinins affect respiration, ethylene production, and chlorophyll retention of packaged broccoli florets”, *Hortscience*, 25: 88-90.
- Salunkhe, D.F., 1976, “Storage, processing and nutritional quality of fruits and vegetables”, Boca Raton, CRC Press Inc., 166 p.
- Serek, M., Sisler, E.C. and Reid, M.S., 1994, “Novel gaseous ethylene binding inhibitor prevents ethylene in potted flowering plants”, *Journal of American Society for Horticultural Science*. 119: 1230-1233.
- Smart, C.M., 1994, “Gene expression during leaf senescence”, *New Phytol*, 126: 419-448.
- Storch, D. K. and Oosterhuis, D. M., 2008, Effect of 1-methylcyclopropene on growth and biochemistry of heat stressed cotton grown in a controlled environment, *AAES research series*, 573: 58-62.
- Tian, M.S., Downs, C.G., Lill, R.E. and King, G.A., 1994, “A role for ethylene in the yellowing of

- broccoli after harvest”, *Journal of the American Society for Horticultural Science*, 119: 276-281.
- Tiwari, B. S., Belenghi, B. and Levine, A., 2008, Oxidative Stress Increased Respiration and Generation of Reactive Oxygen Species, Resulting in ATP Depletion, Opening of Mitochondrial Permeability Transition, and Programmed Cell Death, *Plant Physiology*, 128 : 4 1271-1281.
- Vacca, R.A., de Pinto, M.C., Valenti, D., Passerella, S., Marra, E., De Gara, L., 2004, Reactive Oxygen species production, impairment of glucose oxidation and cytosolic ascorbate peroxidase are early events in heat-shock induced programmed cell death in tobacco BY-2 cells. *Plant Physiology*, 134: 1100–1112.
- Yang, S.F., 1985, “Biosynthesis and action of ethylene”, *HortScience*, 20: 41-45.
- Young T. E. and Gallie D. R., 1999, Analysis of programmed cell death in wheat endosperm reveals differences in endosperm development between cereals, *Plant Molecular Biology*, 39: 915–926.

ตารางภาคผนวก
(ผลการทดลองทางสถิติ)